

# SAFETY DATA SHEET

Creation Date 28-Jul-2014

Revision Date 24-Dec-2021

**Revision Number** 5

## 1. Identification

Product Name Copper, Dust (Laboratory)

CAS No 7440-50-8

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

Company

Stanford Advanced Materials 23661 Birtcher Dr. Lake Forest, CA 92630 U.S.A.

Tel: (949) 407-8904

Emergency Telephone Number: (949) 407-8904

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Combustible dust

Category 2

Category 2

Yes

### Label Elements

### Signal Word

Warning

### **Hazard Statements**

May form combustible dust concentrations in air

Causes skin irritation

Causes serious eye irritation



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

**Eyes** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Storage

Store in a well-ventilated place. Keep container tightly closed

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component		CAS No			Weight %		
Copper			7440-50-8	111	-	<= 100	, '

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get **Eve Contact** 

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

Treat symptomatically

## Fire-fighting measures

**Unsuitable Extinguishing Media** No information available

**Flash Point** 

**Notes to Physician** 

Not applicable

Method -No information available **Autoignition Temperature** 

Not applicable

**Explosion Limits** 

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Flammable. Dust can form an explosive mixture with air. Fine dust dispersed in air may ignite. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Copper oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

Health Instability Physical hazards **Flammability** 2 N/A 2

## Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Avoid dust formation. Ensure adequate

ventilation.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Should not be released into the

environment. Do not allow material to contaminate ground water system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Up

,		7. Handling and storage
Handling	٠	 Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.
Storage		Keen containers tightly closed in a dry cool and well-ventilated place. Keen away from

heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing

agents.

## 8. Exposure controls / personal protection

## **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Copper	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m <sup>3</sup>	IDLH: 100 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
	_	TWA: 0.1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
1	1.1	TWA: 1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	1

## <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Use explosion-proof

electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers

are close to the workstation location.

#### **Personal Protective Equipment**

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StatePowder SolidAppearanceRed brownOdorOdorless

Odor Threshold No information available

pH Not applicable

Melting Point/Range1083 °C / 1981.4 °FBoiling Point/Range2595 °C / 4703 °FFlash PointNot applicableEvaporation RateNot applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits
Upper No data

UpperNo data availableLowerNo data availableVapor Pressure1 mmHg @ 1628 °CVapor DensityNot applicable

Specific Gravity 8.92

Solubility Insoluble in water
Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNot applicableDecomposition TemperatureNo information available

Viscosity Not applicable

Molecular FormulaCuMolecular Weight63.54

## 10. Stability and reactivity

Reactive Hazard Yes

**Stability** Moisture sensitive. Air sensitive.

Conditions to Avoid Avoid dust formation. Incompatible products. Exposure to air. Exposure to moisture. Keep

away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Copper oxides

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

Product Information The toxicological properties have not been fully investigated

LD50 Oral VALUE 472 mg/kg (Rat)

LC50 Inhalation (DUST) VALUE

0.73 mg/l (male rats)

**Component Information** 

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
T	Copper	Not listed	Not listed	LC50 > 5.11 mg/L (Rat) 4 h
- 1				

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Irritating to eyes, respiratory system and skin

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Copper	7440-50-8	Not listed						

**Mutagenic Effects** 

Mutagenic effects have occured in microorganisms.

**Reproductive Effects** 

No information available.

**Developmental Effects** 

No information available.

**Teratogenicity** 

No information available.

STOT - single exposure

None known

STOT - repeated exposure

None known

**Aspiration hazard** 

No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** 

No information available

**Other Adverse Effects** 

The toxicological properties have not been fully investigated.

## 12. Ecological information

## **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Copper	EC50: 0.0426 - 0.0535	LC50: = 1.25 mg/L, 96h	Not listed	EC50: = 0.03 mg/L, 48h
		static (Lepomis macrochirus)		Static (Daphnia magna)
	(Pseudokirchneriella	LC50: = 0.3 mg/L, 96h		
	subcapitata)	semi-static (Cyprinus carpio)		
	EC50: 0.031 - 0.054 mg/L,	LC50: = 0.8 mg/L, 96h static		
	96h static	(Cyprinus carpio)		
	(Pseudokirchneriella	LC50: = 0.112 mg/L, 96h		
	subcapitata)	flow-through (Poecilia		
		reticulata)		
		LC50: = 0.052 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		
		LC50: 0.0068 - 0.0156		
		mg/L, 96h (Pimephales		
		promelas)		
		LC50: < 0.3 mg/L, 96h static	1 1 1	
		(Pimephales promelas)		
		LC50: = 0.2 mg/L, 96h		

### Copper, Dust (Laboratory)

flow-through (Pimephales promelas)

Persistence and Degradability Insoluble in water May persist

**Bioaccumulation/** Accumulation No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

## 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN307

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s.

Technical Name Copper Hazard Class 9
Packing Group III

TDG

UN-No UN3077

**Proper Shipping Name** Environmentally hazardous substances, solid, n.o.s.

Hazard Class 9
Packing Group III

<u>IATA</u>

UN-No UN3077

**Proper Shipping Name** Environmentally hazardous substances, solid, n.o.s.

Hazard Class 9
Packing Group III

IMDG/IMO

**UN-No** UN3077

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s.

Hazard Class 9
Packing Group III

## 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Copper	7440-50-8	X	ACTIVE	-

#### Legend

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

	Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ī	Copper	7440-50-8	X	- '	231-159-6	Χ	Χ		Х	X	KE-08896

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

### **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Copper	7440-50-8	<= 100	1.0

SARA 311/312 Hazard Categories

See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Copper	-	-	X	X

Clean Air Act

Not applicable

**OSHA** - Occupational Safety and

Not applicable

Health Administration

### **CERCLA**

Component	Hazardous Substances RQs	CERCLA EHS RQs
Copper	5000 lb	-

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Copper	X	X	X	X	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ):

Υ

DOT Marine Pollutant

Ν

DOT Severe Marine Pollutant

·Υ

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

## Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Copper	7440-50-8	Listed	Not applicable	Not applicable	Not applicable
,		,	.,	,	-

-	Component	CAS No	Seveso III Directive	Seveso III Directive		Basel Convention
-			(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
1	1	1	Qualifying Quantities	<b>Qualifying Quantities</b>		' ' '
-			for Major Accident	for Safety Report		
L			Notification	Requirements		

Copper	7440-50-8	Not applicable	Not applicable	Not applicable	Not applicable

_		$\sim$ 1.1	1 6		
	16	()thar	information		
	I ( ) .		11 11 ( )1 1 1 1 ( ) 1 ( ) 1		

Prepared By Regulatory Affairs

Stanford Advanced Materials Email: sales@samaterials.com

 Creation Date
 28-Jul-2014

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**