

SAFETY DATA SHEET

Creation Date 06-May-2010 Revision Date 27-Dec-2021 Revision Number 7

1. Identification

Product Name Lead(II) oxide

CAS No 1317-36-8

Synonyms C.I. 77577; Lead monooxide, Lead protoxide, Litharge; Lead(II) oxide

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Stanford Advanced Materials Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

Tel: (949) 407-8904 Fax: (949) 812-6690

Emergency Telephone Number

(949) 407-8904

(This telephone number is available 24 hours per day, 7 days per week.)

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 4

Acute Inhalation Toxicity - Dusts and Mists

Category 4

Carcinogenicity

Reproductive Toxicity

Category 1A

Effects on or via lactation

Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Blood, Central nervous system (CNS), Peripheral Nervous System (PNS), Kidney.

Label Elements

Signal Word

Danger

Hazard Statements

Suspected of causing cancer
May damage the unborn child. Suspected of damaging fertility
May cause harm to breast-fed children
Causes damage to organs through prolonged or repeated exposure
Harmful if swallowed or if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Avoid contact during pregnancy/while nursing

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Lead monoxide	1317-36-8	<=100

4. First-aid measures

General AdviceShow this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a

pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

No information available

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available No information available

Autoignition Temperature

Explosion Limits

Upper
Lower
No data available
No data available
Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors. lead oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	N/A

6. Accidental release measures

Personal Precautions

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust

formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe

areas.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up**

		 7. Handling and storage
Handling		 Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.
Storage.		Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Lead monoxide	TWA: 0.05 mg/m ³	177	IDLH: 100 mg/m ³	TWA: 0.05 mg/m ³
			TWA: 0.050 mg/m ³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties

Physical State Solid
Appearance Yellow
Odor Odorless

Odor Threshold No information available

 pH
 9.9 @ 20°C 100 g/L

 Melting Point/Range
 886 °C / 1626.8 °F

 Boiling Point/Range
 1470 °C / 2678 °F

 Flash Point
 No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure10 mmHg @ 1085 °C

Vapor Density
Not applicable
Specific Gravity
No information available

Solubility

Solubility

Slightly soluble in water
No data available

Autoignition Temperature No information available

Decomposition TemperatureNo information available

Viscosity Not applicable

Molecular Formula O Pb Molecular Weight 223.19

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Revision Date 27-Dec-2021 Lead(II) oxide

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors, lead oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lead monoxide	LD50 > 10000 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 > 5.05 mg/L (Rat) 4 h

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

No information available Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Lead monoxide	1317-36-8	Group 2A	Reasonably	A3	X	Not listed
			Anticipated			

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects

NTP: (National Toxicity Program)

No information available

Reproductive Effects

Possible risk of impaired fertility.

Developmental Effects

May cause harm to the unborn child.

Teratogenicity

No information available.

STOT - single exposure

None known

STOT - repeated exposure

Blood Central nervous system (CNS) Peripheral Nervous System (PNS) Kidney

Aspiration hazard

No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Lead monoxide	Not listed	Pimephales promelas:	Not listed	EC50=0.13 mg/L 48h
		LC50=0.3 mg/L 96h		

Persistence and Degradability

May persist based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the

environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Technical Name Lead monoxide

Hazard Class 9
Packing Group III

TDG

UN-No UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard Class 9
Packing Group III

IATA

UN-No UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard Class 9
Packing Group III

IMDG/IMO

UN-No UN3077

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard Class 9
Packing Group III

15. Regulatory information

United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory
L				Active-Inactive	Flags
	Lead monoxide	1317-36-8	X	ACTIVE	-

Legend:

TSCA JUS EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Lead monoxide	1317-36-8	X	÷	215-267-0	Χ	X	X	Х	X	KE-21926

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Lead monoxide	1317-36-8	<=100	0.1

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	
Lead monoxide	 - · · · · · · · · · · · · · · · · · · ·	-	, X	· · · -	

Clean Air Act

	Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Г	Lead monoxide	, , X		, - , -

OSHA - Occupational Safety and

Health Administration

Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals	
Lead monoxide	30 μg/m³ Action Level	-	
	50 ug/m³ TWA		

CERCLA

Not applicable

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Lead monoxide	1317-36-8	Carcinogen	-	Carcinogen

U.S. State Right-to-Know

Regulations

	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Г	Lead monoxide	X	Х	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ):
DOT Marine Pollutant
DOT Severe Marine Pollutant

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)	
Lead monoxide		4" 4" 4"	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 63. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - Toxic for reproduction (Article 57 c)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Lead monoxide	1317-36-8	Listed	Not applicable	Not applicable	Not applicable
	1				1 1
Component	L CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

Ī	Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
	111 111	iir iii	Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report		
L			Notification	Requirements		
Γ	Lead monoxide	1317-36-8	Not applicable	Not applicable	Not applicable	Annex I - Y31

16. Other information

Prepared By Stanford Advanced Materials

Email: sales@samaterials.com

 Creation Date
 06-May-2010

 Revision Date
 27-Dec-2021

 Print Date
 27-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS