# STANFORD ADVANCED MATERIALS

# SAFETY DATA SHEET

Creation Date 07-Mar-2018

Revision Date 18-Jan-2021

**Revision Number** 2

# **COMPANY/UNDERTAKING**

1.1. Product identifier

**Product Description:** 

Cobalt powder

Cat No.: CAS-No

41605 7440-48-4

EC-No.

231-158-0

Molecular Formula

Co

**Reach Registration Number** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Uses advised against

Laboratory chemicals. No Information available

1.3. Details of the supplier of the safety data sheet

Company

Stanford Advanced Materials Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

Tel: (949) 407-8904 Fax: (949) 812-6690

E-mail address

sans@samaterials.com w.samaterials.com

1.4. Emergency telephone number

(This telephone number is available 24 hours per day, 7 days per week.)

# **SECTION 2: HAZARDS IDENTIFICATION**

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

**Physical hazards** 

Flammable solids

Category 2 (H228)

**Health hazards** 



#### Cobalt powder Revision Date 18-Jan-2021

Acute oral toxicity Category 4 (H302) Acute Inhalation Toxicity - Dusts and Mists Category 1 (H330) Serious Eye Damage/Eye Irritation Category 2 (H319) Respiratory Sensitization Category 1 (H334) Skin Sensitization Category 1 (H317) Germ Cell Mutagenicity Category 2 (H341) Carcinogenicity Category 1B (H350i) Reproductive Toxicity Category 1B (H360F)

#### **Environmental hazards**

Acute aquatic toxicity Category 1 (H400)
Chronic aquatic toxicity Category 1 (H410)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

Danger

# **Hazard Statements**

H228 - Flammable solid

H302 - Harmful if swallowed

H330 - Fatal if inhaled

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H350i - May cause cancer by inhalation

H360F - May damage fertility

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P284 - Wear respiratory protection

# Additional EU labelling

Restricted to professional users

Cobalt powder Revision Date 18-Jan-2021

#### 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

	Component			Component CAS-No EC-No.				Weight %	CLP Classification - Regulation (EC) No. 1272/2008		
::-	Cobalt, powd	er ¦	::	7440-48-4	EEÇ No. 231-158-0	<=100	Flam. Sol. 2 (H228) Resp. Sens. 1 (H334) Skin Sens. 1 (H317)				
	;**		.:	:	1.1	:	Acute Tox. 4 (H302) Acute Tox. 1 (H330) Eye Irrit. 2 (H319) Muta. 2 (H341)				
							Carc. 1B (H350i) Repr. 1B (H360F) Aquatic Acute 1 (H400)				
11.	1	1 ;	11	100		1	Aquatic Chronic 1 (H410)				

Component	Specific concentration limits	M-Factor	Component notes		
	(SCL's)	1.1	1	1.1	
Cobalt, powder	· -	10 (acute)		<u>-</u>	
		1 (Chronic)			

Reach	Rec	iistrati	on Ni	ımber
IVEACII	1166	nou au		ullinel

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

# 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

# 4.2. Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause

Cobalt powder Revision Date 18-Jan-2021

allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

# 5.2. Special hazards arising from the substance or mixture

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

None under normal use conditions.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

## 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation, Use only

Cobalt powder Revision Date 18-Jan-2021

under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 4.1B

#### 7.3. Specific end use(s)

Use in laboratories

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE -** 2018 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

	Component		The United Kingdom	Euro	pean Unio	n	Ireland
	Cobalt, powder		STEL: 0.3 mg/m3 15 min	: ' '	1.1		TWA: 0.02 mg/m <sup>3</sup> 8 hr.
'		'	TWA: 0.1 mg/m <sup>3</sup> 8 hr			,	STEL: 0.3 mg/m <sup>3</sup> 15 min
			Resp. Sens.				_

# **Biological limit values**

List source(s):

## **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

;;, <u>F</u>	Route of exposi	ure .	Acute	effects (local)	:,	Acute effects (systemic)	:::	Chronic ef		Chronic (syste	
	Oral										
	Dermal										
1	Inhalation	1.1	1			1		1.1	1		1.1

Predicted No Effect Concentration No information available. (PNEC)

# 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to

Cobalt powder Revision Date 18-Jan-2021

control hazardous materials at source

Personal protective equipment

Goggles (European standard - EN 166) **Eye Protection** 

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers		EN 374	(minimum requirement)
Nitrile rubber Neoprene PVC	recommendations	474		

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility; e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

> are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls** 

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

**Physical State** Solid Powder

**Appearance** 

Odor No information available **Odor Threshold** No data available **Melting Point/Range** 1495 °C / 2723 °F **Softening Point** No data available **Boiling Point/Range** 2870 °C / 5198 °F

Flammability (liquid) Not applicable Flammability (solid,gas) No information available

No data available

**Explosion Limits** 

**Flash Point** No information available **Method** - No information available

**Autoignition Temperature** No data available **Decomposition Temperature** No data available No information available рΗ

Viscosity Not applicable

Solid Water Solubility Insoluble

Revision Date 18-Jan-2021 Cobalt powder

Solid

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

No data available **Vapor Pressure Density / Specific Gravity** No data available No data available **Bulk Density** 

**Vapor Density** Not applicable No data available

**Particle characteristics** 

9.2. Other information

Co Molecular Formula 58.93 **Molecular Weight** 

Burning rate or burning time = > 5 minutes and <= 10 minutes Flammable solids

**Evaporation Rate** Not applicable - Solid

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 4 **Dermal** No data available Category 1 Inhalation

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cobalt, powder	LD50 = 6171 mg/kg <sup>-1</sup> ("Rat")	<u>-</u>	10 mg/L (Rat) 1 h

(b) skin corrosion/irritation; No data available

Revision Date 18-Jan-2021 Cobalt powder

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory Skin

Category 1

Category 1

No information available

(e) germ cell mutagenicity;

Category 2

(f) carcinogenicity;

No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Cobalt, powder			Cat. 2	Group 2B

(g) reproductive toxicity;

Category 1B

(h) STOT-single exposure;

No data available

(i) STOT-repeated exposure;

No data available

**Target Organs** 

None known.

(j) aspiration hazard;

Not applicable

Solid

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** 

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Cobalt, powder	LC50: > 100 mg/L, 96h static (Brachydanio rerio)		

Component	Microtox	M-Factor
Cobalt, powder		10 (acute)
		1 (Chronic)

# 12.2. Persistence and degradability

Persistence

Insoluble in water.

Cobalt powder Revision Date 18-Jan-2021

Degradability

Degradation in sewage treatment plant

Not relevant for inordanic substances.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate ...

12.4. Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility.

12.5. Results of PBT and vPvB

assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not

require assessment.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused **Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

#### TRANSPORT INFORMATION

#### IMDG/IMO

14.1. UN number

**UN3089** 

14.2. UN proper shipping name **Technical Shipping Name** 

METAL POWDER, FLAMMABLE, N.O.S

14.3. Transport hazard class(es)

Cobalt, powder

4.1 Π

14.4. Packing group

## ADR '

14.1. UN number

**UN3089** 

Cobalt, powder

14.2. UN proper shipping name

METAL POWDER, FLAMMABLE, N.O.S

**Technical Shipping Name** 14.3. Transport hazard class(es)

4.1

14.4. Packing group

II

Cobalt powder Revision Date 18-Jan-2021

**IATA** 

**14.1. UN number** UN3089

14.2. UN proper shipping name METAL POWDER, FLAMMABLE, N.O.S

Technical Shipping Name Cobalt, powder

14.3. Transport hazard class(es) 4.1 14.4. Packing group II

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Cobalt, powder	231-158-0	-		Х	Х	-	Χ	Χ	Х	Χ	KE-0606
											0

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## **National Regulations**

WGK Classification

See table for values

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Cobalt, powder	WGK3	Class II: 0.5 mg/m³ (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)							
Cobalt, powder	Tableaux des maladies professionnelles (TMP) - RG 65,RG 70,RG 70bis,RG 70ter							

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

# 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

H302 - Harmful if swallowed

Cobalt powder Revision Date 18-Jan-2021

H330 - Fatal if inhaled

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H350i - May cause cancer by inhalation

H360F - May damage fertility

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

## Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances List

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC (volatile organic compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Health, Safety and Environmental Department **Prepared By** 

07-Mar-2018 **Creation Date Revision Date** 18-Jan-2021

SDS authoring systems update, replaces ChemGes SDS No. 7440-48-4/3. **Revision Summary** 

# This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

::.	Cobalt powder	111	::.	111	SAFETY DATA SHEET				∷.	Revisi	on Date 18	; <sup>;</sup> ; 3-Jan-2021	::-
· · ·					End of	Safet	y Data	Sheet		::-	'!'		1:
	41	: • •		.:;	: "	$\mathbb{R}^{2}$	41	:"		41	:**	:::	.::
::.	;÷	i e	Э.	;;.	le:	Н.	;;-	in.	₽.	;÷	in		::.
	i <sub>t</sub> .	.;'	1.1	1::	4.	<u>:</u> ::	::-	.:'	<u>;</u> .:	::-	·:'	111	::-
· :	41	:''		.::	:"	141	41	:		41	:		.:;
::.	30	i·:	::.	;;;	i.e	11.	11.	h	₽.	;;·	h	₩.	;:.
	111	.;'	1.1	1::	::'	ļ.:	111	.:'	<u>:</u> ::	÷	·: ·	<u> </u>	:::
· :	41	:	141	.:;	:	$\mathbb{R}^{2}$	41	:		41	:		.;;
::.	;÷	i.	:÷.	;;;	le:	11.	:	H	∷.	;i+	H	₽.	::.
	i <sub>t</sub> .	.;'	1.1	1::		<u>:</u> ::	÷:·	.:'	<u>:</u> ::	:::	·: '	1.1	111
· :	41			.::	:"	:::	41	:**	:::	41	:**		.:;
::.	#	i e	∷.	;;.	le:	Н.	;;-	in.		(1)	h		::.
	i <sub>t</sub> .	.;'	100	:::	н'	<u>;</u> .:	:::	::'	<u>;</u> .:	::-	11.		:;·
	41	:		.::	:"		41	:**		41	:**		.:;
Ξ.	H	i e	11.	;;.	le:	Н.	;+-	in:	₽.	(1)	in		::.
	411	.:"	[	1;-	.:'	1.1	::-	-:'	ļ.:	::-	::'	<u>;</u> .:	::-
											Pa	ge 12/12	