

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 19/01/2023

SECTION 1. IDENTIFICATION

Product Name: Aluminum Acetylacetonate

CAS #: 13963-57-0

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R25: Toxic if swallowed.

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation. Hazard pictograms

GHS06

Signal word: Danger

Hazard statements

H301 Toxic if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH FIRE REACTIVITY 2, . . Health (acute effects) = 2 Flammability = 1 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: N/A vPvB: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

13963-57-0 Aluminum 2,4-pentanedionate

Identification number(s):

EC number: 237-741-6

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

No data available

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

13963-57-0 Aluminum 2,4-pentanedionate (100.0%)

REL (USA) Long-term value: 2 mg/m

3

as Al

TLV (USA) Long-term value: 1* mg/m

:

3

as Al;*as respirable fraction

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Penetration time of glove material (in minutes): No data availableEye protection: Safety glasses

Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder

Color: White

Odor: No data available

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 192-194 °C (378-381 °F)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flash point: N/A

Flammability (solid, gas): No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: No data available Upper: No data available Vapor pressure: N/A Density at 20 °C (68 °F): 1.21 g/cm 3 (10.097 lbs/gal) Relative density: No data available. Vapor density: N/A Evaporation rate: N/A Solubility in Water (H O): Insoluble Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

No dangerous reactions known

Conditions to avoid

No data available

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Metal oxide fume

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: Toxic if swallowed.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC,

NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Subacute to chronic toxicity:

2,4-Pentanedione (acetylacetone), if present or released, is harmful if swallowed, and may irritate the

eyes. 2,4-Pentanedione has caused reproductive effects in laboratory animals and is also

flammable.

Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow material to be released to the environment without official permits.

Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

Other adverse effects

No data available

Waste	treatment	metho	ods					1,			1,
Recom	mendatio	n									
Consul	t official re	egulati	ons to	ensure p	roper dis	posal.					. :
Unclea	ned pack	agings	s:								
Recom	med pack	n:	:	.**	: ' '	;	.**	111	;	.''	111
Dispos	al must be	e made	e accor	ding to c	official reg	julation	IS.	1,			1,
.:			.:			,;			.:		. :
SEC	TION	14. 7	ΓRΑΝ	NSPO	RT IN	FOR	MAT	ON			
UN-Nu	mber	: ' '	:	.**	:"	;'	.**	;**			
DÖT, II	MDG, IAT	-A ;	. ' '		1,			1.			1.
UN346	5 7 ;		,;						, ;		
	per shipp										
DOT		: ' '	;			; '		;**	; '		: "
Organo	ometallic o										
IMDG,	IATA	1,	. * *		1,	, ' '		1,	, ' '		1.
ORGA	NOMETA	LLIC (COMPC	UND, S	OLID, TO	XIC, N	I.O.S. (A	luminum	2,4-pe	ntanedio	nate)
Transp	ort hazard	d class	s(es)								
DÖT		: ' '	; '		: ' '	; '		111	; '		: "
Class		:									
6.1 To	xic substa	nces.									
Label			.:						.:		
6.1											
Class		: ' '	:	. ' '	111	;	.**	111	;	. * *	111
6,1 (T3	3) ¡T _i oxic su	ubsţan	ceș		1,			1,			1,
Label ,; 6.1	: "		.;		. :	,:		. :	.:		. :
IMDG, , Class	IATA , , , ,		:"		:"	;		:**	:		:**

6.1 Toxic substances.

6.1									
Packing group				, 1		. :	, 1		. :
DOT, IMDG, IATA									
III.	:	. * *	111	:	. ' '	111	:	.**	111
Environmental hazards			1,			1.			1,
N/A									
Special precautions for									
Warning: Toxic substar	nces		; ' '						: ' '
Transport in bulk accor									
N/A	. * *		1,	. ' '		1.	. ' '		1,
Transport/Additional in	formatio	on:					,;		
DOT									
Marine Pollutant (DOT)): :		: ' '	;	. * *	: "	; '		: ' '
No									
UN "Model Regulation"			·,	, ' '		·.	. ' '		· .
UN3467, Organometall	ic comp	oound, s	olid, toxid	c, n.o.s	s. (Al'umir	num 2,4-	oentan	edionate), 6.1, III
41 41			111			111	:		
SECTION 15. F	REGI	JLAT	ORY I	NFC	RMA	TION			
Safety, health and envi	ropmor	atal roqu	lations/la	aiclatia	on chooifi	ic for the	cubeta	nco or m	ivturo
National regulations	, ;		iations/ic	_	on specin	ic for the	Substa	ince or n	iixture
All components of this	product	are liste	ed in the	U.S. E	nvironme	ental Prof	ection	Agency ¹	Toxic
Substances Control Ac	t Chem	ical sub	;··· stance In	ventor	y.	111	;		: ' '
All components of this	product	are liste	ed on the	Cana	dian Dom	nestic Su	bstanc	es List ([OSL).
SARA Section 313 (spe									,
Substance is not listed.			. :	-	: '	. :	. ;	: '	. :
California Proposition 6	35								
Prop 65 - Chemicals kr	: nown to	cause o	ancer	,		111	;	, ' '	

Substance is not listed.

Label

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.