

## SAFETY DATA SHEET

. '								:	Date	Accesse	d: 25/08	8/2023
			:						Dat	e Revise	d: 15/01	/2023
· :		1	1		·	·:		1 1 1	1		1	
SEC	TION	1. ID	ENT	<b>IFICA</b>	TION							
					1.1.1	10				11	111	
	ict Name:											
CAS #	t: 7446-70	<b>0-0</b> <sup>, , ,</sup>		14								
Releva	ant ident	ified us	ses of t	the subst	tance: S	Scienti	fic resea	rch and	develo	opment	1	
Suppl	ier detail	s:										
Stanfo	ord Advan	ced Ma	terials									
E-mail	: sales@s	samate	rials.co		ı	. '	. '	i	. '		,	
Tel: (9	49) 407-8	3904		· .			·			·		
	ss: 23661	Birtche	er Dr., l	_ake ⊢ore	SI, CA S	92030	U.S.A.					

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Hazards not otherwise classified No data available

GHS label elements, including precautionary statements

Hazard pictograms

GHS05

Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

E - Corrosive material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

**FIRE** 

REACTIVITY

3

0

1

Health (acute effects) = 3

Flammability = 0

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: N/A

vPvB: N/A

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	<sup>1</sup>	<b>*</b>						1	
CAS No. / Substance Name									
7446-70-0 Aluminum chlorid	le, anhydro	bus			111				
Identification number(s):	1.								
EC number: 231-208-1 Index number: 013-003-00-7	7	·	1		1	1		·	3
								1 1 1 1	
SECTION 4. FIRS		MEAS	URE	S			1.		;
Description of first aid measure	ures	·			·			·	
General information Immedia									
If inhaled:					111				
Supply patient with fresh air.	. If not brea	athing, p	rovide	artificial r	respiratio	n. Kee	p patient	warm.	
Seek immediate medical adv	vice.	. * *					14		
In case of skin contact:	<sup>1</sup>	·		· · · <sup>1</sup>	·			1	
Immediately wash with soap	and wate	r; rinse tł	noroug	hly.					
Seek immediate medical adv	vice.	; • •						:**	
In case of eye contact: Rinse opened eye for severa	al minutes								1
If swallowed:		1. s.			5		1.1	1.1	
Seek medical treatment.									
Information for doctor									
Most important symptoms ar	nd effects,	both act	ute and	l delayed					
Causes severe skin burns.									
Causes serious eye damage needed:	e.Indicatior								
No data available					111				

## SECTION 5. FIREFIGHTING MEASURES

Exting	guishing media			1		'	1	1		1	1	'
Suitat	ole extinguishing a	igents (	CO2, sar	nd, extin	guishin	g powdei	r. Do no	t use w	ater.			
For sa	afety reasons unsu	uitable	extinguis	hing ag	ents W	ater	111			:**		
Speci	al hazards arising	from th	ne substa	ance or	mixture	1.						÷.,
If this	product is involve					released		1				
Metal	oxide fume											
Hydro	ogen chloride (HCI	)	. *		. '			. '			. '	
Advic	e for firefighters				,							
Prote	ctive equipment:		14							. 11		11
Wear	self-contained res	pirator	•'	1	`;	<sup>1</sup>	1	1		1		'
Wear	fully protective im	perviou	ıs suit.									

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<b>1</b>	1
Use personal protective equipment. Keep unprotected persons away.		
Ensure adequate ventilation	;**	
Environmental precautions: Do not allow material to be released to the environment wit permits.	hout offi	cial
Methods and materials for containment and cleanup:	1 1	
Use neutralizing agent.		
Dispose of contaminated material as waste according to section 13.	;**	
Ensure adequate ventilation.		
Prevention of secondary hazards: No special measures required.		
Reference to other sections	1 	
See Section 7 for information on safe handling		
See Section 8 for information on personal protection equipment.	1	
See Section 13 for disposal information.		

					-	-		-
SECTION 7. HANDLING		STO	RAGE			14. 1		
Handling	·			1	1			
Precautions for safe handling								
Handle under dry protective gas.				;**			111	1
Keep container tightly sealed.			1.					
Store in cool, dry place in tightly closed	containe							
Ensure good ventilation at the workplac	е.			<b>`</b>			1	1
Information about protection against ex	plosions	and fi	res: The	product	is not f	ammable	;	
Conditions for safe storage, including a	ny incon	npatibil	ities					
Requirements to be met by storerooms	and rec	eptacle	es: No sp	ecial red	quireme	ents.		
Information about storage in one comm	on stora	ge fac	ility:	·	· .		·	· .
Store away from oxidizing agents.		1						
Store away from strong bases.								
Store in the dark.		,						
Store away from water/moisture.Furthe	r informa	ation al	oout stor	age con	ditions:		111	
Store under dry inert gas.	5. A			1			1	
This product is moisture sensitive.								
Keep container tightly sealed.	111			; • •			;**	
Store in cool, dry conditions in well-seal	led conta	ainers.	,					
Protect from humidity and water.	. * *							
Protect from exposure to light.	1.1		<sup>1</sup>	1		10 <sup>1</sup>	1	
Specific end use(s) No data available								
المراجع والمعالي المعاري المراجع							111	

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

			1 1 1							.'	. '
Control parameter	S	·			1.			1.			· .
Components with	limit values th	nat require	monito	ring at	the workp	lace:					
7446-70-0 Aluminu	um chloride, a	anhydrous	(100.0	%)		1			1		
REL (USA) Long-t	erm value: 2	mg/m									
3	111 I 1 I 1										. '
as Al		· .			1.						۰,
TLV (USA) Long-te	erm value: 1*	mg/m		1							
3				:							
as Al;*as respirabl	e fraction										
EL (Canada) Long				1	1		1			1	
3								14. 1			· .
as Al			·	· .		·			·	1	
Additional information	tion: No data										
Exposure controls	er en er		: • •	, ' , '		: • •			: • •		
Personal protective	e equipment										
Follow typical prot	ective and hy	gienic pra				icals.				1	
Keep away from fo	odstuffs, bev	/erages ar	nd feed.	`		1 1			1	`: `:	
Remove all soiled	and contami	nated cloth	ning imr	nediate	ly.						
Wash hands befor	e breaks and	l at the en	d of wor	k.					: • •		. '
Avoid contact with	the eyes and	d skin.			·						• .
Maintain an ergon		ropriate wo	orking e	nvironn	nent.						
Breathing equipme	ent: Use suita	able respira	ator whe	en high	concentra	ations a	ire pres	ent.	1 	1	
Use a respirator w											
controls.											. '
Risk assessment s		11.			· · ·						۰,
respirators are app											
standards.				1						1	
Protection of hand											
Impervious gloves			,	1	.'			.1		. '	
Inspect gloves pric	pr to use.			1						1	• • •

The selection of suitable gloves not on vary	nly depen	ds on t	the mater	rial, but a	lso on	quality. (	Quality wi	II :
from manufacturer to manufacturer.	1	1	<sup>1</sup>	1	1	<sup>1</sup>	1	1
Material of gloves Nitrile rubber, NBR								
Penetration time of glove material (in r	ninutes) 4	480				$\mathcal{A}^{(1)}$		
Glove thickness 0.11 mm					;			:
Eye protection:								
Tightly sealed goggles	· · ·			1			1	
Full face protection								
Body protection: Protective work clothing	ing.						111	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical a	ind chemic	cal prop	perties											
Appearance: Form: Powder or granules														
Form: Powder or granules														
Color: Yellow to gray		·			1	1		·	·					
Odor: Pungent														
Odor threshold: No data available.														
pH (100 g/l) at 20 °C (68 °F): 2	.4													
Melting point/Melting range: 19	0 °C (374	°F) (su	bl)											
Boiling point/Boiling range: No	data avail	able			<b>'</b>		1.1	1 1	1					
Sublimation temperature / start	:: No data	availab	le											
Flammability (solid, gas) No da	ita availab	le.						; • •						
Ignition temperature: No data a	vailable			·										
Decomposition temperature: N	o data ava													
Autoignition: No data available	· · · '			<sup>1</sup>				1 						
Danger of explosion: No data a														
Explosion limits:														
Lower: No data available														

		. '	. '	1.1.1	. '		1	. 1		1		. '
Upper: No data a	availab	le	1.			·			1. 1.			۰.
Vapor pressure	at 20 °(											
Density at 20 °C	(68 °F	): 2.44	g/cm	1 	1	'	1			1	1	
3												
(20.362 lbs/gal)				111			:**			:		. '
Relative density	No dat	ta avail	able.									۰.
Vapor density N	/A			1						·		
Evaporation rate	N/A	:										
Solubility in / Mis	scibility	with										
Water: Reacts w	vith wat	er form										
Partition coefficie	ent (n-o	octanol	/water):	No data a	availab	le.			14			1.
Viscosity:	1			1			5			·		
Dynamic: N/A												
Kinematic: N/A	: ' '						; • •					
Other informatio	n No d	ata ava	ailable									

## SECTION 10. STABILITY AND REACTIVITY

Reactivity No data a	vailable		; • •						111				
Chemical stability Stable under recommended storage conditions.													
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored													
according to specific	cations.		1 			1			1				
Possibility of hazard					• •		`	,					
Conditions to avoid	No data ava	ailable											
Incompatible materi	als:				1.			1. 1.					
Bases Water/moisture	· · · · ·	*	*	`: `:		1	`;	*	'	`:			
Light Hazardous decompo				al a	2	;	, C	al an	: ' '				
Metal oxide fume							1			;			

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:

Oral LD50 1130 mg/kg (mouse)

3450 mg/kg (rat)

Dermal LD50 >2 gm/kg (rabbit)

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains

mutation data for this substance.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the

EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains

reproductive data for this substance.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this

					'						
substance is n	ot fully k	nown.	1.			14. 14.					:
1	1	· .			1		1			1. 	
SECTION	I 12. E		LOGIO		NFO	<b>RMA</b>	ΓΙΟΝ				
Toxicity											.1
Aquatic toxicity	y: No dat	a avail	able					1	14. 14.		
Persistence ar	nd degra	dability	No data	availabl	е		·	· .		·	
Bioaccumulativ	ve poten	tial No	data ava	ilable							
Mobility in soil	No data	availat	ole		. '			. •			
Additional ecol	logical in	formati	ion:		1	,		,			
Do not allow m	naterial to	o be rel	leased to	the env	ironme	ent withou	ut official	permits	S.		
								p =			
Do not allow u	ndiluted	produc						-		, or sewa	age
Do not allow u systems.	ndiluted	produc						-		, or sewa	age
systems.			t or large	quantiti	es to re	each gro	undwate	r, water	courses		- ,
systems. Avoid transfer	into:the	environ	t or large iment.	e quantiti	es to re	each gro	undwate	r, water	- courses		- ,
systems. Avoid transfer Results of PB1	into:the	environ	t or large iment.	e quantiti	es to re	each gro	undwate	r, water	- courses		- ,
systems. Avoid transfer Results of PBT PBT: N/A	into the Γ and vP	environ vB ass	t or large iment. essment	e quantiti	es to r	each gro	undwate	r, water	courses		
	into the Γ and vP	environ vB ass	t or large iment. essment	e quantiti	es to r	each gro	undwate	r, water	courses		

Recommendation Consult official regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

							11	111	11
DOT,	IMDG, IA	TA UN1	726						
UN pr	oper shipp	oing nar	ne		:		1		

		1	, '			, '		,		
DOT Aluminum chloride, anhy	drous						·			۰.
IMDG, IATA ALUMINIUM CHI	_ORIDE, A	NHYD	ROUS							
Transport hazard class(es)		1 		· · · <sup>1</sup>	<b>'</b>			1		
DOT										
Class 8 Corrosive substances	-				1 1 1	. '				. '
Label 8										۰.
Class 8 (C2) Corrosive substa	inces	·	· .		·			·	· .	
Label 8			ł							
IMDG, IATA	. '					. '	. '	: * *		
Class 8 Corrosive substances										
Label 8										1.
Packing group		·	· .		·			·		
DOT, IMDG, IATA II										
Environmental hazards: N/A					111				2	. '
Special precautions for user V	Varning: C	orrosive	e subst	ances						
EMS Number: F-A,S-B	1			<u>'</u> ,			· .			
Segregation groups Acids	<sup>1</sup>	·			1	1		1		
Transport in bulk according to	Annex II c	of MAR	POL73/	78 and the	e IBC C	ode N/	A			
Transport/Additional information	on:				: ' '			:**		. '
DOT	· .			· .						
Marine Pollutant (DOT): No	ı	ı	I		1	,				
UN "Model Regulation": UN1726, Aluminum chloride, anhydrous, 8, II										

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements, including precautionary statements

Hazard pictograms GHS05

Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage. Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

					1 1 1			1.			1.			÷.,
·		<sup>1</sup>	5 1		'	1	1	'	·	1		·	1	'
					1. 1.								}	
	1		1. 			н 1 с. т.	1	'	1			·	1	'
					1 1 1			1.			1.			÷.,
	1	'	1. 			с. Ста	1		1	1		·	1	'
		1.		1				1. 1.	, * * ,		14. 14.			1.
	1	<sup>1</sup>	5	1	'	5	1	'	·	1	'	·	1	'
			1 - 1 - 1 1			1 - 1 - 1 1		, ' , '			. '			
		1. 1.		-	1.			1. 1.	, * * , * *		1. 1.			÷.,
		ı			ı	1		1	1	1	1		1	