

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 31/12/2022

SECTION 1. IDENTIFICATION

Product Name: Bis(trifluoromethane)sulfonimide Lithium Salt

CAS #: 90076-65-6

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Route of

exposure: Oral.

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC T; Toxic R24/25: Toxic in contact with skin and if swallowed. C; Corrosive R34: Causes burns. Xn: Harmful R48/22: Harmful: danger of serious damage to health by prolonged exposure if swallowed. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Information concerning particular hazards for human and environment:N/A Hazards not otherwise classified No data available Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictograms GHS05 GHS06 GHS08 Signal word Danger Hazard statements

H301+H311 Toxic if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure:

Oral.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.	٠		1			٠			٠		,	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact											Ĺ	
lenses, if present and easy to do. Continue rinsing.												
P361 Take off immediately all contaminated clothing.												
P405 Store locked up.												
P501 Dispose of	conten	ts/conta	ainer in ac	cordan	ce with	local/regi	onal/			٠		
national/internati	onal re	gulation	ns.	, '			, '					
WHMIS classifica		,	,	,	,	,	,	,	'			
D1A - Very toxic	materia	al causi	ng immed	iate an	d seriou	ıs toxic eff	fects			; ' '		
D2A - Very toxic			•									
E - Corrosive ma	terial	'		1	'	1	'	'	1	·		
Classification sys	stem			;		1	; '		1.	: '		
HMIS ratings (sc	ale 0-4)										
(Hazardous Mate	erials Id	lentifica	tion Syste	:m)	1,		: ' '	1,		: ' '		
HEALTH												
FIRE												
REACTIVITY	: '		10	;		1	;		1.	; '		
3												
1 :	111	1.		111	1.		: ' '	1.		:		
1,,,	٠	'		·			٠	'		٠	,	
Health (acute eff	ects) =	3										
Flammability = 1	:		''	;		· · ·	;		· · ·	:		
Physical Hazard												
Other hazards		1,	111		1.		; ' '	1.		:		
Results of PBT a	ind vPv	B asse	ssment			1		'	1	٠		
PBT:	:"		9 ,	:"		14.	:'		5.	:'		
vPvB:	: ' '	1,			1,		:''	1,		:"		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances									11	
CAS No. / Substa	ance Na	ame:								
90076-65-6 Lithiu	ım bis(1	rifluor	omethyls	sulfonyl)i	mide		;**	١.		: ' '
Identification num	nber(s):	'				1				
ELINCS Number	:									
415-300-0	:		1	; '		1.	:		٠.,	: '
Index number:										
616-124-00-9	: '	1,		: ' '	1,		: "	1.		:
SECTION 4	ı. FIF	RST	AID N	ЛEAS	URE	S	:"	: '	9,	:"
Description of firs	st aid m	easure	es				111			: ' '
General informat										
Immediately remo	ove any	/ clothi	ng soile	d by the	produc	t. '''			1	1
In case of irregula	ar brea	thing o	r respira	itory arre	est prov	ide artifi	cial resp	ration.	4.	:
If inhaled:										
Supply patient wi	th fresh	air. If	not brea	athing, p	rovide a	artificial r	espiratio	n. Keep	o patient	warm.
Seek immediate										
In case of skin co	ntact:	'		٠			1		1	٠
Immediately was	h with s	oap a	nd water	; rinse th	norough	nly:	;	: 1	1.	:

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Sulfur oxides (SOx)

Hydrogen fluoride (HF)

Nitrogen oxides (NOx)

Lithium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator. Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling...

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Prevent formation of dust.

Information about protection against explosions and fires:

No data available

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from water/moisture.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and

having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values

that should be monitored at the workplace.

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls.

Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

480

Glove thickness

0.11 mm

Eye protection:

Tightly sealed goggles

Full face protection

Body protection:

Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder

Color: White

Odor: Not determined

Odor threshold: Not determined.

pH: N/A

Melting point/Melting range: 234-238 °C (453-460 °F)Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flammability (solid, gas)

N/A

Ignition temperature: Not determined

Decomposition temperature: Not determined

Autoignition: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: N/A

Density: Not determined

Relative density

Not determined.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H

2

O): Soluble

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

SECTION 11. TO	OXICO	OLOG	SICA	L:JNF	ORMA	OITA	N,			:.
					1	. '		•		
Hydrogen fluoride										
Sulfur oxides (SOx)					1		'		٠	
Nitrogen oxides	:		: ' '	1,		! ' '	1,		: '	:.
Lithium oxide										
Carbon monoxide and ca	arbon dio	xide	;		·.,	.'		1	;'	
Hazardous decompositio	n produc	ots:	·	'	100	1	'	1	`	'
Water/moisture										
Oxidizing agents							1			:
Incompatible materials:	'		,	,		,	,	,	,	
No data available			, '	1 1		. '				
Conditions to avoid					٠		'		٠	
Reacts with strong oxidiz			1	',			1,			
Possibility of hazardous r	eactions	;								
Decomposition will not or	ccur if us	ed and	stored					14. 1		
Thermal decomposition /	conditio	ns to be	avoide	ed:						
Stable under recommend	ded stora	ige cond	ditions.				'		٠	
Chemical stability	1,			1,			1,		!''	١.
No data available										
Reactivity			. '		· · .	. '		· .	:	

Information on toxicological effects

Acute toxicity:

Toxic in contact with skin.

Toxic if swallowed.

Danger through skin absorption.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation

of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral. Specific target organ is not known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity				'	1			1	٠	
Aquatic toxicity:										
No data available										
Persistence and degrad										
No data available	٠.	• • •		',			٠.			
Bioaccumulative poten	tial	*						1	٠	
No data available		· .	, '		,	, ,				
Mobility in soil		,	,	'	,	,	,	,		
No data available	:						:		: • •	
Ecotoxical effects:				,			·			
Remark:	'	100		'	1			1		
Harmful to aquatic orga	anisms	1	;		1	;			: '	
Additional ecological information:										
Do not allow material to be released to the environment without official permits.										
Do not allow material to	be rele	ased to th	e; envir	onment	without o	fficial p	ermits.		: ' '	
Do not allow product to	reach g		er, wate	er cours	es, or sev	vage sy	stems,	even in		
Do not allow product to	reach g	roundwate	er, wate	er cours	es, or sev	vage sy	stems,	even in	,	
Do not allow product to smallquantities.	reach g	roundwaten	er, wate	er cours	es, or sev	vage sy	stems,	even in	,	
Do not allow product to smallquantities. Danger to drinking water	reach g er if ever	roundwaten extremel	er, wate y small aquatio	er cours quantil	es, or sev	vage sy	stems, ground.	even in		
Do not allow product to smallquantities. Danger to drinking wate May cause long lasting Avoid transfer into the Harmful to aquatic organical control of the second	reach ger if ever harmful environn	roundwaten extremel effects to nent.	er, wate y small aquatio	quantil	es, or sev	vage sy	stems,	even in		
Do not allow product to smallquantities. Danger to drinking wate May cause long lasting Avoid transfer into the	reach ger if ever harmful environn	roundwaten extremel effects to nent.	er, wate y small aquatio	quantil	es, or sev	vage sy	stems,	even in		
Do not allow product to smallquantities. Danger to drinking wate May cause long lasting Avoid transfer into the Harmful to aquatic organical control of the second	reach ger if ever harmful environn anisms vB asses	roundwaten extremel effects to nent.	er, wate y small aquatio	quantil	es, or sev	vage sy	stems,	even in		
Do not allow product to smallquantities. Danger to drinking wate May cause long lasting Avoid transfer into the Harmful to aquatic organization of PBT and vP	reach ger if ever harmful environn anisms vB asses	roundwaten extremel effects to nent.	er, wate y small aquatio	quantil	es, or sev	vage sy	stems,	even in		
Do not allow product to smallquantities. Danger to drinking wate May cause long lasting Avoid transfer into the Harmful to aquatic organic Results of PBT and vPPBT:	reach ger if ever harmful environn anisms vB asses	roundwaten extremel effects to nent.	er, wate	quantil	es, or sew	vage sy	stems,	even in		
Do not allow product to smallquantities. Danger to drinking wate May cause long lasting Avoid transfer into the elements of PBT and vPPBT: N/A VPvB:	reach ger if ever harmful environn anisms vB asses	roundwaten extremel effects to nent.	er, wate	quantit	es, or sew	vage sy	stems,	even in		
Do not allow product to smallquantities. Danger to drinking wate May cause long lasting Avoid transfer into the Charmful to aquatic organized Results of PBT and vPPBT: N/A vPvB:	reach ger if ever harmful environn anisms	roundwaten extremel effects to nent.	er, wate	quantif	es, or sew	vage sy	stems,	even in		

Waste treatme	ent method	ls				1			٠
Recommenda	tion								
Consult officia	ıl regulatio	ns to e	nsure pro	per dis	oosal.		;		'''
Uncleaned pa	ckagings:								
Recommenda	tion:	· ,		, , ,	1,			·.	
Disposal must	be made	accord	ling to offi	cial reg	ulations	S. '··			
Recommende	d cleansin	g ager	nt:	, '	1 1		, '		
Water, if nece	ssary with	cleans	sing agent			,	,		
1,	111	1.		111	1,		111	1,	
SECTION	N 14. TI	RAN	ISPOR	TIN	FOR	MATIO	N	'	1
UN-Number			· .	; '			;		
DOT, IMDG, I	ATA								
UN2923	: "	1,		: ' '	1,		: ' '	1,	
UN proper shi	pping nam	e , , ,	٠	1		1	1		1
Corrosive soli	ds, toxic, n	.o.s. (l	_ithium bis	s(trifluo	romethy	/lsulfonyl)i	mide)		1
IMDG, IATA									
CORROSIVE	SOLID, TO	OXIC,	N.O.S. (Li	thium b	is(triflu	oromethyl	sulfony	l)imide)	
Transport haz	ard class(e	es)				1			
DOT									
Class	:		11.	;		11,	,		· · .
8 Corrosive su									
Label		1,		1.,	1,		;''	1.	
8+6.1	1	'	1	1		1			1
Class 8 (CT2) Corro	sive subst		٠.	:		4.	:'		·
Label 8+6.1	:**	1,		:	1.			1,	

IMDG, IATA

Class

8 Corrosive substances.

Label

8+6.1

Packing group

DOT, IMDG, IATAII

Environmental hazards: N/A

Special precautions for user

Warning: Corrosive substances

EMS Number: F-A,S-B

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A

Transport/Additional information: DOT

Marine Pollutant (DOT): No

UN "Model Regulation":

UN2923, Corrosive solids, toxic, n.o.s. (Lithium bis(trifluoromethylsulfonyl)imide), 8(6.1), II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the product.