

SAFETY DATA SHEET

1	1.00		1	1		1	1 1	111	Date	Accesse	d: 25/08	8/2023
	i.	.:			.1		t. 1	.1	Dat	e Revise	d: 18/01	/202
	1.			1.						4,		, i
_	TION				_							
	ict Name:				111	1	1	111	1	1.1	111	1
	#: 7787-59		-		. 1						.1	
	ant ident		sestort	ne subst	ance: a	scientif	ic resea	rch and	develo	opment		. 1
	lier detail		toriale									
E-mai	ord Advan I: sales@s	samate	rials.co	m		1	1. 		1	1.0	111	
	949) 407-8				.:			.:			.:	
	ss: 23661											
							1					
Classi GHS0	FION fication of 7 rrit. 2 H31	the su	bstance	e or mixtu	re in ac	cordan	ce with 2	9 CFR 1	1910 (C	SHA HCS	6)	
Eye Ir	rit. 2A H3	19 <mark>C</mark> au	ses ser	ious eye i	irritatior	1. ,	1		1	1		
STOT	SE 3 H33	35 May	cause	•								
Hazar	ds not oth	erwise	classifi	ed	.1		: ¹				.1	'
No da	ta availab	le	.:	÷.,		.:		1			· .	
	abel elem											1
		ents										
GHS I	abel elem		ncluding) precauti	onary s	tatemer	nts	: · ·	4	5	111	
		ents, ir	ncluding	precauti	onary s	tatemer	nts		1	1	111	

		1.1								1	
GHS07	di di set	i.			:				.:		:
Signal word											
Warning		÷.,			:				1	.:	÷.,
Hazard statemen	its						1				
H315 Causes ski	n irritation.					,		1.1		1	
H319 Causes ser	rious eye irrit	ation.H3	35 May o	cause r	espirator	y irritatio	n. , '	i l			1
Precautionary sta	atements	١,	1			`:	.1	4,	5	.:	1.
Avoid breathing o	dust/fume/ga	s/mist/va	pors/spr	ay.	·		· .	·			
P280				1			Ĩ				
Wear protective g	gloves/protec	ctive cloth	ing/eye	protect	ion/face	protectio	n. '		.1		÷
P305+P351+P33	8 IF IN EYE	S: Rinse	cautious	ly with	water for	several	minute	s. Remo	ve conta	ct	1
lenses, if present	and easy to	do. Cont	inue rins	sing.							
P304+P340	an a	1	: • •		1	; • •		1		`: `:	·
IF INHALED: Rer	move person			-		e for brea	athing.				
P405											:
Store locked up.		1			1				1	.:	1
P501											
Dispose of conte	nts/container	in accor	dance w	ith loca	ll/regiona	I/nationa	l/intern	ational re	egulation	IS.	÷.,
WHMIS classifica	ation	e.			. 1		. '				
D2B - Toxic mate	erial causing	other tox	ic effects	5							
Classification sys	stem	1			1			1	1	.:	1
HMIS ratings (sca	ale 0-4)										
(Hazardous Mate	rials Identific	cation Sys	stem)		1			1.00	111	1	1
Health (acute effe											
Flammability = 0											
Physical Hazard	= 1	۰,	1	.'	۰.	;		` .	1	. '	
Other hazards							ı				
Results of PBT a											
PBT:	$\mathcal{F}_{i} = \mathcal{F}_{i}$: ¹			:			:	.1		÷

		1	1.1	1					 		
N/A	.:			.:		:				.:	
PvB:											
N/A						:.			÷.		
	111	1	1	;	· :	1	111	· .	5		
SECTION	13. C	OMP	OSITI	ON/II	NFOI	RMAT			IGRE	DIEN	TS
Substances											
CAS No. / Sub				:			:				
7787-59-9 Bis	muth(III)	chlorid	e oxide		· .	·		· .	5		· · ·
dentification r		,						'			
EC number: 2	32-122-7	7	:			: ¹			t.		
					. :						
Description of	first aid	measur	es	.:	. ¹	;	.1		:	.:	
Supply patient	with from	ch air l	f not brog	thing n	rovido	ortificial r	ocniratio	n Koo	n notiont	worm	:
Seek immedia				itinig, p		artmolari	copilatio	n. 100	p patient	wann.	
In case of skin				: • •		1			5	: **	
Immediately w			ind water	· rinse tl	horoual	nlv					
Seek immedia				,					e l'		
In case of eye	· · ·			1						1	
Rinse opened			minutes (under ru	unnina \	water. Co	onsult a i	ohvsicia	an.		
If swallowed:		1			_			-	1	: * *	1
Seek medical	treatmer	nt.		.1		÷	.1		af i		
nformation for	r doctorN	/lost imp	portant sy	mptom	s and e	ffects, bo	oth acute	e and de	elayed		
No data availa	ble					1.					
ndication of a	ny imme	diate m	edical att	ention a	and spe	cial treat	ment ne	eded			
No data availa	ble										1

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media							.:		1	.1
Suitable extinguishing ag	ents									
Product is not flammable	. Use f	ire-fighting	measu	ures tha	t suit the	surrour	nding fir	e.	: * *	1
Special hazards arising fi	rom the	e substan	ce or mi	ixture	. '		. 1		1	
If this product is involved	in a fir	e, the follo	owing ca			,		,		1
Hydrogen chloride (HCl)									1	.1
Bismuth oxide										
Advice for firefighters		1			1		`.	1		1
Protective equipment:					1					
Wear self-contained resp		1								
Wear fully protective imp	ervious	s suit.			' .		.'	' .	:	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equi	pment and	lemer	gency pr	ocedures	S ,		1							
Jse personal protective equipment. Keep unprotected persons away.														
Ensure adequate ventilation														
Environmental precautions:														
Do not allow material to be released	to the envi	ronmei	nt withou	t official	permit	S.								
Methods and materials for containme	nt and clea	anup:		1		1								
Methods and materials for containment and cleanup:														
Prevention of secondary hazards:	111		1	111		1	111	1						
No special measures required.	.:													
Reference to other sections	'	,		,	1		,							
See Section 7 for information on safe	handling	. :		1	.1	1.	1	.1						
See Section 8 for information on pers	onal prote	ction e	quipmen	ıt.										
See Section 13 for disposal information	on.		1. a.	111	1	1	111	1						

					,		
SECTION 7. HANDLING AND ST	ORAGE	.1		1 1 1	,÷		ť
Handling		1	.:	1.	1	1	1
Precautions for safe handling							
Keep container tightly sealed.	1.00				; * *	1	·
Store in cool, dry place in tightly closed containers.							:
Ensure good ventilation at the workplace.							
Information about protection against explosions and		;			;		· .
The product is not flammable	1						
Conditions for safe storage, including any incompa							
Requirements to be met by storerooms and recepta	acles:	.1		:	.1		÷
No special requirements.		1			4		:
Information about storage in one common storage							
Store away from oxidizing agents.	1			·	; • •		·
Further information about storage conditions:Keep	container tigl	ntly sea	led.				
Store in cool, dry conditions in well-sealed contained	ers.	.1		:			÷
Specific end use(s)				1.	1		1
No data available							

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information:

No data

			1					1 1 1		,
Exposure controls										
Personal protective equ										
Follow typical protective	and hygie	enic practice	es for ha	ndling ch	emicals.	. 1			.:	:
Keep away from foodstu	uffs, bever	ages and fe	ed.							
Remove all soiled and o	ontaminat	ed clothing	immedia	itely.		`: :	1		1	· .
Wash hands before bre	aks and at	the end of	work.	:			e ^r			:
Avoid contact with the e	yes and sl	kin.								
Maintain an ergonomica	ally approp	riate workin	ig enviro			. '	1.		. '	
Breathing equipment:										
Use suitable respirator	1					1			:	
Recommended filter de	vice for sh	ort term use):	: ¹			t.			:
Use a respirator with typ	be N95 (U	SA) or PE (I	EN 143)	cartridge	s as a b	ackup t	o engine	ering co	ntrols.	
Risk assessment should	d be perfor	med to dete	ermine if	air-purify	ving resp	irators	are appr	opriate. (Only	
use equipment tested a	ndapprove	ed under ap	propriat	e governi	ment sta	ndards	· '			÷.
Protection of hands:										
Impervious gloves		· · · ·		:						:
Inspect gloves prior to u	ISe.		.1	1						:
Suitability of gloves sho	uld be dete	ermined bot	th by ma	terial and	l quality,	the latt	er of whi	ch may	vary	
by ····				1	: • •	· .	1.	111	1	۰.
manufacturer.										
Penetration time of glov	e material	(in minutes)	:	. '	. '		. '	. 1	
No data available						.1			.:	:
Eye protection:										
Safety glasses					111	`:	1	: * *	1	۰.
Body protection:										
Protective work clothing				ì			i			
<u></u>				1			1		.:	:

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

						1 1 1					
Appearance:			.:	, ' , '	1			e la compañía de la c	.:		
Form: Powder or ch											
Color: Pale brown											
Odor: Odorless											
Odor threshold: No	data availa	able.	r	1		1			i i	:	
pH: N/A					:				.:		1
Melting point/Melting	g range: D	ecompos	esBoilin	ng point	/Boiling	range: N	o data	available	· .	:	
Sublimation tempera	ature / sta	rt: No data	a availa	ble							
Flammability (solid,	gas)	·	: • •		1			1	; • •		·
No data available.											
Ignition temperature	: No data	available			:			:	.:		:
Decomposition temp	perature: N	No data av	/ailable	.1				÷.,			1
Autoignition: No data	a available	Э.									
Danger of explosion	: No data	available.	; • •		1			1	111	1	·
Explosion limits:		. '			. *	;	. '		;		
Lower: No data avai											
Upper: No data avai	lable	1	1	1				1. 1.	1	.1	1
Vapor pressure: N/A	A Contraction of the second se										
Density at 20 °C (68	8 °F): 7.72	g/cm		1	1			1	111		<u>'</u>
3								:1			:
(64.423 lbs/gal) Relative density		1			1						1
No data available.											
Vapor density		·	; • •		1			1	; • •	1	·
N/A Evaporation rate									.:		:
		1	1					4. 1	1	.1	1
Solubility in Water (F	4										
2					1			1	; • •	1	`
C): Insoluble		:		, ' [']	:	.1			.:		
										,	-
	1		1	1	1	1	1				

					· · ·			· · ·			
Partition coefficient (n-	octanol	/water):	No data	availat	ole.				.:		:
Viscosity:											
Dynamic: N/A									1	. 1	;
Kinematic: N/A											
Other information		1 			1			1 			· .
No data available					e ^r			t.			;
		1		. :	i,				1	.:	:
SECTION 10.	STAE	BILIT) RE		/ITY					
Reactivity		1.00	; • •		1. a.e.	111	1	1.1	;**	1	÷.
No data available					e f			:			:
						,					
Chemical stability Stable under recomme					1.	1		· .			
Thermal decompositio		-									
										1	
Decomposition will not Possibility of hazardou	1.1						10115.	e ^r	1	e.	:
Reacts with strong oxi	dizing a	igents					.1		1		;
Conditions to avoid											
No data available	`: :	1	; • •				1	1	; • •	· .	۰.
Incompatible materials	8:			. '			. '	. *			
Oxidizing agents		ı									
Hazardous decompos	ition pro	oducts:	1				.1		1	.1	1
Hydrogen chloride (HC											
Bismuth oxide		1			1		1	1	: * *	1	÷.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this

			1						
substance.LD/LC50 values th	hat are re	levant fo	or classi	fication:			e l	.:	
Oral LD50 22000 mg/kg (rat))								
Skin irritation or corrosion:								1	
Causes skin irritation.									
Eye irritation or corrosion:	1 			1.1.1			1		
Causes serious eye irritation.	-				1		at in	.:	
Sensitization:	:	· .	;		· .	;	:		
No sensitizing effects known		,	,						
Germ cell mutagenicity:	·	; • •		1		۰.	5		
No effects known.			ı						
Carcinogenicity:	:	.1					t,	.:	
No classification data on card	cinogenic	properti	es of th	is materi	al is ava	ilable fr	rom the E	EPA, IAR	έC,
NTP, OSHA or ACGIH.									
Reproductive toxicity:	1	: **	`:	1	:**	1	5		
No effects known.	1								
Specific target organ system	toxicity -	repeated	d expos	sure:					
No effects known.		1	.:			.1			
Specific target organ system									
May cause respiratory irritation	on.	:		1	111	1	5. C	1.1	
Aspiration hazard:									
No effects known.									
Subacute to chronic toxicity:							1. 1.	1	
No effects known.									
Additional toxicological inform	nation:	111	1	1	111		1	1.1	
	the acut	e and ch	ronic to	oxicity of	this sub:	stance	is not full	iy known	L jet

Toxicity					
Aquatic toxicity:		:		:	.1

		· · ·	1 1 1								· · ·
No data available			.:			. :			.:		
Persistence and degrad	ability										
No data available						1		÷.			
Bioaccumulative potenti	al										
No data available		`			1. e.e.			`			·
Mobility in soil			.: .:		:	.:		1	.1		
No data available Additional ecological info				.:	:	`:	.1	4,	1	E	1
Do not allow material to	be rele	ased to th	ne envi	ronmer	nt without	official	permits	.			·
Do not allow undiluted p	roduct	or large q	uantitie	es to re	ach grour	ndwater	, water	courses,	or sewa	age	
systems.					:	.1		1	.1		:
Avoid transfer into the e	nvironn	nent.		.1	÷.,	· .	.:	1	· .	.1	:
Results of PBT and vPv	B asse	ssment									
PBT:		·			1. 			·		1	·
N/A vPvB:		af l	.:		e ⁿ	.:		a f	.1		:
N/A		1			1			1		.1	1
Other adverse effects											
No data available		'	; · · ·		1. 	; · · ·	1	1	;**	1	·
lation of the		:				. :		:	, i		
SECTION 13. D	ISPC	SAL (CON	SIDE	ERATI	ONS	.1	:.	1	.1	÷.
Waste treatment method							1				
Recommendation			I				:			:	
Consult official regulatio	ns to e	nsure pro	per dis	posal.	:	.:		:	.1	11	:
Uncleaned packagings: Recommendation:	2	1		.1	÷,	`:	2	i,	1	.÷	1
Disposal must be made	accord	ing to offi	cial reg	julation	S.		6	1. 		1	·
					1						

	:							· · ·			
SECTION 14. TR	RAN	SPOI	RTIN	FOR	MATI	ON		i.	,ł		:
UN-Number		1		. I	1	1			4	.: .:	÷.,
DOT, ADN, IMDG, IATA											
N/A		1		· .		111	`;	1	111		·
UN proper shipping name DOT, ADN, IMDG, IATA		:	.1			.:		, ¹			:
N/A		1.	1		1	1			1		1
Transport hazard class(e											
DOT, ADR, ADN, IMDG,	IATA	1	: • •		1	111		1	111	1	1.1
Class		:	.:			.1		e ^r	.1		:
N/A					,						
Packing group	.'	· .	:	. '		;	. '	· .	;		
DOT, IMDG, IATA N/A	` :	1	;	' 1	5	111	1	5	111	1	÷.,
Environmental hazards:			.1					:	1		:
N/A Special precautions for u		4.	1	.1	i,	1	.1	4,	1	ji.	:,
N/A	·	1			1		· .	1			·
Transport in bulk accordi	ing to A	Annex II	of MAR	RPOL73	3/78 and t	the IBC	Code				
N/A		:	.1					1 ¹			
Transport/Additional info	rmatio	n::	· .			1	.1		1		1
DOT											
Marine Pollutant (DOT):		1	111	1	1	: • •	1	1. s.			÷.,
No 		i.	.:		:	.1		:1	.1		;

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements

			1 1 1							1	
Hazard pictograms	5		. 1			.:			.:	11	:
GHS07											
Signal word											÷.
Warning					5						
Hazard statements	6		1			1					
H315 Causes skin	irritation.					.:					:
H319 Causes serie	ous eye irrita	ition.		:		• .		:			:
H335 May cause r	espiratory irr	ritation.	I	1	r.	1		1			
Precautionary stat	ements	·		· .	1			·		•	
P261											
Avoid breathing du	ist/fume/gas	/mist/vapo	ors/spra	ay.	1						1
P280		1		.1		· .		1	· .		1
Wear protective glo	oves/protect	ive clothir	ng/eye	protectio	on/face pr	otectior	ı.P305-	+P351+P3	338 IF II	٧	
EYES: Rinse cauti	ously with w	ater for se	everal r	ninutes	. Remove	contact	t ;	1	:**		·
lenses, if present a	and easy to o										
P304+P340					:						
IF INHALED: Rem	ove person t	to fresh ai	r and k	eep cor	nfortable	for brea	thing.		1	1	Ξ.
P405											
Store locked up.		1	: • •		1			1	: * *	1	·
P501									1	. 1	
Dispose of content	ts/container	in accorda	ance wi	th local	/regional/r	national	/interna	ational reg	ulations	S. '	
National regulation	IS	1		.1		1			1	1	1.
All components of	this product	are listed	in the	U.S. En	vironment	tal Prote	ection A	Agency To	oxic		
Substances Contro	of Act Chemi	ical substa	ance In	ventory	-			1.0	:**	1	÷
All components of	this product	are listed	on the	Canad	ian Dome	stic Sub	stance	s List (DS	L).		
SARA Section 313	s (specific to)										-
Substance is not li	sted.			. 1		1			1		÷.,
California Proposit											
Prop 65 - Chemica	als known to	cause ca	ncer		1 			1			·
Substance is not li	sted.					.1					:

Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment:

SECTION 16. OTHER INFORMATION

A Chemical Safety Assessment has not been carried out.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.