

# SAFETY DATA SHEET

·	t.		· · ·	:		1 			Date	Accesse	d: 25/08	8/2023
	1		'	1		<sup>1</sup>			Dat	e Revise	d: 07/12	2/202
	.:	1. 			1. 		.:	1. 		, i	1. 	
SEC	CTION	1. ID	ENT	IFICA								
						·		111	1		111	·
	uct Name									· .		
CAS	#: 7440-4	2-8										
Relev	vant iden	tified us	ses of t	he subs	tance: S	Scienti	fic resea	arch and	develo	opment	1	-
Supp	lier detai	ls:										
	ord Advar				: • •	1		111	·			·
	il: sales@											
	949) 407-								'			'
Addre	ess: 2366							·	:		·	:
SEC	CTION	2. H	AZAI	RDS I	DEN	TIFIC	ΑΤΙΟ	N	1. 	:	;**	÷.,
Class	ification o	of the su	bstance	e or mixt	ure	'	`: :			1		'
	ification a	iccordin	g to Re	gulation	(EC) No	1272/2	2008		;	.:	÷	;
Flam. GHS0	Sol, 2 H2	228 Flan	nmable	solid.	1 1 1 1		ť		1	:		÷
Acute	Tox. 4 H	302 Har	mful if :	swallowe	ed.	· · <sup>1</sup>				1		'
Acute	Tox. 4 H	332 Har	mful if i	inhaled.	·			·		.:	1	
	SE 3 H3											
Class	ification a	ccording	g to Dir	ective 67	7/548/EE	C or D	irective 1	999/45/1	EC			·
		·	-									
лп. п	armful											

		1									
R20/22: Harmful by inha	llation a	nd if swal	lowed.				'			'	
Xi; Irritant											
R37: Irritating to respirat	ory syst	em.	1 			1			·		. 1
F; Highly flammable											
R11: Highly flammable.	<b>`</b>			1	1		1 			1 	
Information concerning	particula	ir hazards	s for hu	man an	denviron	ment:					
N/A		:	·	:	1	·			·		
Hazards not otherwise c				·			1			1	
No data available.	·	. '		1	. '		·			·	
Label elementsLabelling	accord	ing to Re	gulatior	n (EC) l	No 1272/2	800					
The substance is classif	ied and	labeled a	ccordir	ng to the	e CLP reg	ulation.	'			· · · <sup>*</sup>	1
Hazard pictograms			·			1		.:	·		.:
GHS02 GHS07											
Signal word: Warning	1	1		1		: • •	1	: :		1	;
Hazard statements								1.			
H228 Flammable solid.											
H302+H332 Harmful if s	wallowe	ed or if inh	naled.			1			·		. :
H335 May cause respira	atory irrit	ation.									
Precautionary statement	ts	1		1		; • •	1			1	;
P210 Keep away from h	eat/spar	rks/open	flames/	hot sur	faces. No	smokin	g., ,				
P261 Avoid breathing du	ust/fume	/gas/mist	/vapors	s/spray.							
P280 Wear protective gl	oves/pro	otective c	lothing	/eye pro	otection/fa	ce prot	ection.		·		
P304+P340 IF INHALEE		-			-			-			
P405 Store locked up.				<u> </u>							
P501 Dispose of conten	ts/conta	iner in ac	cordan	ce with	local/regi	onal/na	tional/ir	nternation	al	'	
regulations.		;	·		.:	·					
WHMIS classification				ı							
B4 - Flammable solid	·		; • •	·			·		; • •	·	
Classification system											
HMIS ratings (scale 0-4)	)									'	

			1									:
(Hazardous Ma	terials l	dentific	ation Sys	tem)								
HEALTH												
FIRE	·		.:	·			1. A.			1		.:
REACTIVITY												
2	1.1.1	1			1	1		1 1	t.	111	1	:
2			1		<sup>1</sup>	1					1.1	1
1	·			·		.:	1			5		.:
Health (acute ef												
Flammability = 2	2	1			1		; • •	1			1	:
Physical Hazard	1 = 1											
Other hazards					<sup>1</sup>						1.1 <sup>1</sup>	1
Results of PBT	and <sub>v</sub> P	vB ass	essment:	·		. 1	1		.1	1		.1
PBT: N/A.												
vPvB: N/A.		·			1			·		111	·	:

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances										
CAS No. / Substance Name:			1. 	i'	: • •	1			1.1	
7440-42-8 Boron						'				
Identification number(s):	:	·	1	.:	<b>1</b>	:	:	1	:	
EC number: 231-151-2			,			ł	,		,	,

# **SECTION 4. FIRST AID MEASURES**

Description of first aid measures of inhaled: Supply fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

		1	:		· · ·				
Seek immediate medical advice.									
In case of eye contact:									
Rinse opened eye for several minutes			vater. Cor				1		
If swallowed:									
Seek medical treatment.		1 			1		;**	1	
Information for doctor						1			
Most important symptoms and effects,	both act	ute and	delayed	·			1		
No information available.		i						i	
Indication of any immediate medical at	ttention a	and spe	cial treatn	nent ne	eded			·	
No information available.									
								1.1	
and the state of the									
SECTION 5. FIREFIGHTI	·	IEAS	URES	1		.:	<b>1.</b> .	;	
	ING N		URES						
<b>SECTION 5. FIREFIGHTI</b> Extinguishing media Suitable extinguishing media	ING N	·	URES		·	a' i	: ···	·	
SECTION 5. FIREFIGHTI Extinguishing media	ING N	·	URES		·	a' i	: ···	·	
<b>SECTION 5. FIREFIGHTI</b> Extinguishing media Suitable extinguishing media	ING N	• •	URES						
<b>SECTION 5. FIREFIGHTI</b> Extinguishing media Suitable extinguishing media Special powder for metal fires. Do not	ING N	• •	URES						
<b>SECTION 5. FIREFIGHTI</b> Extinguishing media Suitable extinguishing media Special powder for metal fires. Do not For safety reasons unsuitable extinguis	ING N use wate shing me	er. edia	URES	:** ····					
SECTION 5. FIREFIGHTI Extinguishing media Suitable extinguishing media Special powder for metal fires. Do not For safety reasons unsuitable extinguis Water	ING N use wate shing me tance or t	er. edia mixture	URES	:  :			:  		
SECTION 5. FIREFIGHTI Extinguishing media Suitable extinguishing media Special powder for metal fires. Do not For safety reasons unsuitable extinguis Water Special hazards arising from the subst If this product is involved in a fire, the f Boron oxide	ING N use wate shing me tance or t following	er. edia mixture can be	released	···· ···· ····			:		
SECTION 5. FIREFIGHTI Extinguishing media Suitable extinguishing media Special powder for metal fires. Do not For safety reasons unsuitable extinguis Water Special hazards arising from the subst If this product is involved in a fire, the f	ING N use wate shing me tance or t following	er. edia mixture can be	released	···· ···· ····			:		
SECTION 5. FIREFIGHTI Extinguishing media Suitable extinguishing media Special powder for metal fires. Do not For safety reasons unsuitable extinguis Water Special hazards arising from the subst If this product is involved in a fire, the f Boron oxide Advice for firefighters Protective equipment:	ING N use wate shing me tance or i following	er. edia mixture can be	released	· · · · · · · · · · · · · · · · · · ·					
SECTION 5. FIREFIGHTI Extinguishing media Suitable extinguishing media Special powder for metal fires. Do not For safety reasons unsuitable extinguis Water Special hazards arising from the subst If this product is involved in a fire, the f Boron oxide Advice for firefighters Protective equipment:	ING N use wate shing me tance or i following	er. edia mixture can be	released	· · · · · · · · · · · · · · · · · · ·					

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

			·							:
Ensure adequate ventilation										
Keep away from ignition sourc	es									
Environmental precautions:		·			·	1		1		. :
Do not allow material to be rele	eased to t	he envi	ironme	nt withou	ıt official					
Do not allow product to reach	sewage s	ystem c	or any v	water cou	urse.	<u>'</u>	ef i		1	
Do not allow to penetrate the g	jround/soi	il	'							
Methods and material for conta Keep away from ignition sourc		nd clea	inup:	, ,	·	1	.:	<b>.</b>		.;
Dispose of contaminated mate	rial as wa	iste acc	ording	to sectio	on 13.	1		; • •	·	:
Ensure adequate ventilation.										
Prevention of secondary hazar	ds:			1						
Keep away from ignition sourc	es.	·		.:	·			1	:	.:
Reference to other sections										
See Section 7 for information of	on safe ha	andling		:	111	1	t.		1	:
See Section 8 for information of	on person	al prote	ection e							
See Section 13 for disposal inf	ormation									
	<u>.</u>	1	1			1				. :
SECTION 7. HANDI		AND	STO	RAG	Ξ		÷		·	
Handling	1		<sup>1</sup>	`:			1			
Precautions for safe handling Keep container tightly sealed.	1	<b>1</b>	}		5		1	1	-	. :
Store in cool, dry place in tight	ly closed	contain	ers.							

Ensure adequate ventilation. Information about protection against explosions and fires:

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Information about storage in on	e common	stora	ge faci	lity:		'				
Do not store together with acids										
Store away from oxidizing agen	ts.				·			·		
Store away from halogens.										
Store away from ammonia	:	1								
Further information about stora	ge conditic	ons:	'							1
Keep container tightly sealed.		·			·			·		
Store in cool, dry conditions in v										
Specific end use(s)			·		: • •	1			1	
No information available.										
<u>ant transformations</u>										
SECTION 8. EXPOS	URE C	ON.	TRO	LS/PE	RSO	NAL	. :	1 1		.:
PROTECTION	:		1	1		1	:		1	:
Additional information about des	sign of tec	hnical	systen	ns:						
Properly operating chemical fun	ne hood de	esigne	d for h							
having an average face velocity	of at leas	t 100 f	eet pe	minute.	1		1	1		1
Control parameters										
Components with limit values th	at require	monit	oring a	t the work	place:	1			1	
The product does not contain a	ny relevan	t quan	itities o	f material	s with c	ritical v	alues			
that should be monitored at the										
Additional information: No data		·					.:	1 		
Exposure controls										
Personal protective equipment	:	1	1 I I		L.			1		
Follow typical general protective	e and indu	strial h	nygiene	e measure	es for ha	andling	chemicals			1
Keep away from foodstuffs bey	verages an	d feed	1							

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer. Material of glovesButyl rubber, BR Penetration time of glove material (in minutes) No data available. Eye protection: Safety glasses Body protection: Protective work clothing.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on ba	asic phy	vsical ar	nd chemic	al prop	erties							
Appearance:		·			1			'			·	
Form: Solid in va Color: No data av									1			
Odor: Odorless	1			1 			·	1		1	}	. :
Odor threshold: N	No data	availab	le.									
pH: N/A.	: • •	1 1			·		: "	1		: • •	1	
Melting point/ran	ge: 207	5 °C (3	767 °F)			· .						•
Boiling point/rang	ge: 2550	0 °C (46	622 °F)									
Sublimation temp	perature	/ start:	No data a	availabl	e.		·	1		·		. :
Flammability (sol	- /											
Highly flammable	÷	1 						<b>`</b>	ti in the second se		1	
Ignition temperat	ure: 70(	D,°C (12	292 °F)		'	`: `:		'			'	•

					i.			i
Decomposition temperature: No data available	-	1			· .			
Auto igniting: No data available.								
Danger of explosion: No data available.			<b>`</b>		.:	1		
Explosion limits: Lower: No data available.		:	111	·	a' i		·	:
Upper: No data available.	<sup>1</sup>	1			`:			
Vapor pressure: N/A.								
Density at 20 °C (68 °F): 2.34 g/cm³ (19.527 lb		. '			. '		1	. '
Relative density: No data available.	·			·		111	·	
Vapor density: N/A.		i			ł			i
Evaporation rate: N/A.	<sup>1</sup>			<sup>1</sup>	1			
Solubility in Water (H			5		.:	1		.:
2								
O); Insoluble	1	e l'	111	1	:	111	5	
Partition coefficient (n-octanol/water): No data								
Viscosity:	1.1				1		' 	
Dynamic: N/A.			1		.1	1. 1.		
Kinematic: N/A.								
Other information	1.1	:1			:		1 1	
No further relevant information available	'							
		.:	5			1. 1.	:	
SECTION 10. STABILITY AND	) RE		<b>/ITY</b>					
Reactivity: No data available.	1			1 1		; • •	1 1	:
Chemical stability		1			`:			
Stable under recommended storage conditions	5.			1	,	1		
Thermal decomposition / conditions to be avoid		. '			. '	1		. '
Decomposition will not occur if used and stored	d accor	ding to s	pecificati	ons.		:	·	
Possibility of hazardous reactions		i						
Reacts with strong oxidizing agents					1			1

			1 1 1			1 1 1				·	
Conditions to avoid	l			· · · ·							
No information ava	ilable.Incon	npatible ı	materials	:							
Acids			·			1 		.1	1		
Oxidizing agents											
Halogens		:	:	·	:		<b>`</b>	t.	:	1 	:
Ammonia								1			1
Hazardous decomp	position pro	ducts:	·	1		·		;	·		:
Boron oxide				i			ī				
1		:	:**	·	:	: • •	·	:	:	1	:
SECTION 11		COLC	)GICA	LIN	IFORI	MATIO	<b>DN</b>				
Information on toxic	cological ef	fects	·			·		.:	·		
Acute toxicity:											
N/A	··· ···			1	:		1	:	: * *	1	:
LD/LC50 values tha	at are releva				1		*				
Skin irritation or co	rrosion:	.:	5		.:	1			1		.:
Causes skin irritatio	on.										
Eye irritation or cor	rosion:		1 1 1 1	1	1		1	:		1 1	;
Causes serious eye	e irritation.	· .		'	1						
Sensitization:											
No sensitizing effect	cts known.							.1	1		
Germ cell mutagen	icity:										
N/A				·	1		1	t.	;**	1	:
Carcinogenicity:	··· ··'	· .		'				1			
No classification da	ata on carci										
NTP, OSHA or AC	GIH.	. '		1	. '			.'			
Reproductive toxici	ity:										
N/A			ı		1	,		:	ł		
Specific target orga	an system te	oxicity - r	epeated	expos	ure			1			1

N/A	*				`:					
Specific target organ	n system to									
May cause respirato	ry irritation					1.1			1	
Aspiration hazard:	5	i.	; · ·	1	:"		5	:	:	1
Subacute to chronic	toxicity:				`: :					
Titanium and titaniur	n compour	nds are co	nsidere	ed physi	ologically	inert. T	here a	re no repo	rted ca	ses
the literature where	titanium as	such has	caused	d humar	n intoxicat	tion.				
Subacute to chronic	toxicity:			1	:	: * *	1 		111	1
N/A					`:					
Additional toxicologi	cal informa	tion:						;		
To the best of our kr	nowledge th						1			
Carcinogenic catego	ories				1					
OSHA-Ca (Occupati								1		
Substance is not list	ed.						'	`: :		
							1		1	
SECTION 12	ECOL	OGIC		IFOR	MATI		5	1 1 1	;···	1
Toxicity										
Aquatic toxicity:				1.1						
No information availa	able.		·		.:	1			1	
Persistence and deg	radability:	No informa	ation av	ailable.						
Bioaccumulative pot	ential:	:		1		: • •	1 1		111	1
No information availa	able.		1.1.1							
Mobility in soil:										
No information avail	able.				.:	1.00			1 	
Additional ecological										
General notes:	1. I.I.		1.1.1	1			<b>'</b>	:		1
Do not allow materia	I to be rele	ased to th	e envir	onment	without c	official p	ermits.			

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.														
Avoid transfer into the environ	ment.	<b>'</b>		.:	1		.:	1						
Results of PBT and vPvB asse														
PBT: N/A.		1 1 1	1			1			·					
vPvB: N/A.			<sup>1</sup>	`: `:										
Other adverse effects No information available.	j.	·		.:	1	1	.e	1	:					
and the second		1.1.1	·	i'		1. 	:	; * *	·					
SECTION 13. DISPO	OSAL	CON	SIDE	ERATI	ONS		1		*					
Waste treatment methods		1. 			1		.:	1						
Recommendation:														
Consult state, local or national	regulation	is∶to er	nsure p	roper disp	osal.	1		:	1					
Uncleaned packagings:	۰.						1.							
Recommendation:	I			,										
Disposal must be made accord	ding to offic	cial reg	gulation	S.	1 			1 		. :				
SECTION 14. TRAN	ISPOR	T IN	FOR	ΜΑΤΙΟ	ON									
UN-Number			1.1											
DOT, IMDG, IATA	.:	1			1			1 1						
UN3178														
UN proper shipping name		1 1 1	·			<b>'</b>			·					
									'					
Flammable solid, inorganic, n.o IMDG, IATA	o.s. (Boror	n powd	er)	.:	<b>'</b>	-		1		.:				
FLAMMABLE SOLID, INORGA	ANIC, N.O	.S. (Bo	oron pov	wder)		·			1					
Transport hazard class(es)														
DOT			<sup>1</sup>				1		'					

	1	1.1										
Label		'			'							
4.1												
Class				·		1	·			1 		
1.1 (F3) Flammab												
abel		'			·			·			1 	;
4.1 :					<sup>1</sup>	· .		<sup>1</sup>				•
MDG, IATA						1			.:			
Class			. '			.'		:	.'			
1.1 Flammable so	lids, se	lf-react	ive substa	nces a	nd solic	l desensit	ised ex	plosive	S.		1	
abel			ı			ı			1			
L1		'	<b>`</b> ;		<sup>1</sup>	`: :		'	`:		'	
Packing group	·			1			· · · ·			1		
OT, IMDG, IATA	.111											
Invironmental haz	zards:	·		; • •	·	1		·			5	
I/A.												
pecial precaution												:
Varning: Flammal	ble soli	ds, self	-reactive	substar	ices an	d solid de	sensitis	ed exp	losives	'		
EMS Number:												
-A,S-G		·			1	l'	: "	·			1	;
Fransport in bulk a	accordi	ng to A	nnex II of	MARP	DL73/78	<sup>8</sup> and the		de	۰.			
N/A.												
ransport/Addition	al info	mation		'			'			'		
ООТ												
/larine Pollutant (l	DOT):	<b>`</b>			1		111	'			1 	;
No						1			1			
JN "Model Regula												
JN3178, Flammal												
		·	:		·	:		·	:		·	1

# SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. **REACH - Pre-registered substances** Substance is listed. Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

 '								1.1.1					
 :	.:	1	:	.÷	1	;	.÷	1	:	.4	1	:	.:
 <b>`</b>	;	;**	'	:"	; • •	1	:	; • •	'	e'	:	<b>'</b>	;
 '								1.1.1					
 :	.1	1	:	.÷	1		.÷	1	:	.4	1	:	.:
	i'												
 '	· :			1			1			<b>`</b> ;			
 :	.1	1	:	.÷	1		.÷	1	:	.4	1	:	.:
 1	i'		1	e'		1	:		1	a' la		1	:
 	`:					'			'	1			`:
 :	.:	<b>'</b>			'		1	<b>'</b>		.1	·		.:
 ·	: <sup>1</sup>	:	1	e <sup>r</sup>	:	1 1	e <sup>r</sup>		<b>'</b>	af l	:	<b>'</b>	;
 '	1			3			3			1			1