

# SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 13/12/2022

### **SECTION 1. IDENTIFICATION**

Product Name: Cadmium Telluride

CAS #: 1306-25-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Information concerning particular hazards for human and environment: N/A Hazards not otherwise classified No data available Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictogramsGHS07 Signal word Warning -Hazard statements H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell. P312 Call a POISON CENTER/doctor/.../if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4)

HEALTH

**FIRE** 

REACTIVITY

(Hazardous Materials Identification System)

0											
1	.:			.:			.;			.:	
Health (acute effe	ects) =	2									
Flammability = 0	: ' '			111		٠٠,	!''		٠٠,	!''	
Physical Hazard	= 1		1						1		٠٠,
Other hazards	;			;			:			:	
Results of PBT a											
PBT:	!''			111			111		17		
vPvB:			1			1			1		٠٠,
N/A	;									;	
SECTION 3	3. C(	OMP		ION/II	NFOI	RMAT	ION (	II NC	NGRE	DIEN	TS
	3. C(	OMP	OSITI	ION/II	NFOI	RMAT	ION (	II NC	NGRE		TS
SECTION 3	3. C(	OMP	OSITI	ION/II	NFOI	RMAT	TION (	II NC	NGRE	DIEN	TS
SECTION 3	ance N	OMP	OSITI	ION/II	NFOI	RMAT	TION (	II NC	NGRE	DIEN	TS
SECTION 3 Substances CAS No. / Substantantantantantantantantantantantantant	ance N	OMP	OSITI	ION/II	NFOI	RMAT	TION (	II NC	NGRE	DIEN	TS 
SECTION 3 Substances CAS No. / Substances 1306-25-8 Cadm Identification num	ance Nium te	OMP lame: lluride	OSITI	::	NFOI	RMAT	::		NGRE	DIEN	TS
SECTION 3 Substances CAS No. / Substances 1306-25-8 Cadm Identification num EC number: 215-149-9	ance Nium te	OMP lame: lluride	OSITI	::	NFOI	RMAT	::		NGRE	DIEN	TS
SECTION 3 Substances CAS No. / Substantian 1306-25-8 Cadm Identification num EC number: 215-149-9	ance Nium te	OMP lame: lluride	OSITI	:: ::	NFOI	RMAT	::	:	NGRE	:DIEN :: ::	TS
SECTION 3 Substances CAS No. / Substances 1306-25-8 Cadm Identification num EC number: 215-149-9 Index number: 048-001-00-5	ance Nium te	OMP lame: lluride	OSITI	::	NFOI	<b>RMAT</b>	::	:		:DIEN	TS
SECTION 3 Substances CAS No. / Substances 1306-25-8 Cadm Identification num EC number: 215-149-9 Index number: 048-001-00-5	ance Nium te	Jame: Illuride	OSITI	::	NFOI	<b>RMAT</b>	: : : : : : : : : : : : : : : : : : :	:	NGRE	EDIEN	TS
SECTION 3 Substances CAS No. / Substances 1306-25-8 Cadm Identification num EC number: 215-149-9 Index number: 048-001-00-5	ance Nium te	Jame: Illuride	OSITI	::	NFOI	**************************************	: : : : : : : : : : : : : : : : : : :	:	NGRE	EDIEN	TS

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

2,,,

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

No data available

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Tellurium and tellurium compounds (as Te)

mg(Te)/m3

ACGIH TLV 0.1

Austria MAK 0.1

Belgium TWA 0.1

Denmark TWA 0.1

Finland TWA 0.1; 0.3-STEL

France VME 0.1

Germany MAK 0.1

Korea TLV 0.1

Netherlands MAC-TGG 0.1

Norway TWA 0.1

Poland TWA 0.01; 0.03-STEL

Sweden NGV 0.1

Switzerland MAK-W 0.1; 0.5-KZG-W

United Kingdom TWA 0.1

USA PEL 0.1

Cadmium and compounds, as Cd

mg/m3

ACGIH TLV 0.01; Suspected human carcinogen

Austria Carcinogen

Belgium TWA 0.05

Denmark TWA 0.01

Finland TWA 0.02; Carcinogen

France VME 0.05

Germany CarcinogenIreland TWA 0.025; Carcinogen

Japan OEL 0.05; Group 1 carcinogen

Korea TLV 0.01; Suspected human carcinogen

Netherlands MAC-TGG 0.02; 0.1-MAC-K

Norway TWA 0.05

Poland TWA 0.02; 0.05-STEL (fume)

Poland TWA 0.04; 0.2-STEL (dust)

Russia 0.01; 0.05-STEL

Sweden NGV 0.05 (total dust)

Sweden TWA 0.01 (resp. dust)

Switzerland MAK-W 0.05; Carcinogen

United Kingdom TWA 0.025

**USA PEL 0.005** 

Cadmium and compounds, as Cd

mg/m3

ACGIH TLV 0.002(Cd); Suspected human carcinogen

Austria Carcinogen

Belgium TWA 0.05

Denmark TWA 0.01

Finland TWA 0.02; Carcinogen

France VME 0.05

Germany Carcinogen

Ireland TWA 0.025; carcinogen

Japan OEL 0.05; Group 1 Carcinogen

Korea TLV 0.01; Suspected human carcinogen

Netherlands MAC-TGG 0.02; 0.1-MAC-K

Norway TWA 0.05

Poland TWA 0.02; 0.05-STEL (fume)

0.04; 0.2-STEL (dust)

Russia 0.01; 0.05-STEL

Sweden NGV 0.05 (total dust)

TWA 0.01 (resp. dust)

Switzerland MAK-W 0.05; Carcinogen

United Kingdom TWA 0.025(Cd)

USA PEL (respirable) 0.2(Cd)

1306-25-8 Cadmium telluride (100.0%)

PEL (USA) Long-term value: 0.005 mg/m

3

as Cd; see 29 CFR 1910.1027

REL (USA) See Pocket Guide App. A

TLV (USA) Long-term value: 0.01 0.002\* mg/m

3

as Cd; \*respirable fraction; BEI

EL (Canada) Long-term value: 0.1 mg/m

3

as Te

Additional information: No data

Exposure controls . . .

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.Refer to 29CFR1910.1027 for regulations on respiratory protecti

on required during exposure to cadmium and cadmium compounds.

Refer to 29CFR1910.1027 for regulations on respiratory protection required during exposure to cadmium and cadmium compounds.

Protection of hands: Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder or solid

Color: Gray to Black

Odor: Odorless

Odor threshold: Not determined.

pH: N/A

Melting point/Melting range: 1041 °C (1906 °F)

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flash point: N/A

Flammability (solid, gas)

Not determined. Ignition temperature: Not determined Decomposition temperature: Not determined Autoignition: Not determined Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined Upper: Not determined Vapor pressure: N/A Density at 20 °C (68 °F): 6.2 g/cm (51.739 lbs/gal) Relative density Not determined. Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Insoluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: N/A Kinematic: N/A Other information No data available

Reactivity		1								
No data available										
Chemical stability			.;			.;				
Stable under recommer										
Thermal decomposition	/ cond	itions to b	pe avoid	ded:	***	; ' '			: "	
Decomposition will not o	occur it	f used an	d stored	d accor	ding to s	pecificat	ions.			
Possibility of hazardous	reacti	ons	:			:			:	
No dangerous reactions			,		,	,			,	
Conditions to avoid			111			111			111	
No data available										
Incompatible materials:		1						100		• •
Oxidizing agents			.:			.:				
No data available										
Hazardous decompositi	on pro	ducts:	: ' '			: ' '			: "	
Toxic metal oxide fume		٠			1			1		
SECTION 11. T								<i>.</i>	.:	
Information on toxicolog	gical ef	fects				!''				
Acute toxicity:		1								
Harmful if inhalad										

Harmful in contact with skin.

Harmful if swallowed.

Danger through skin absorption.

LD/LC50 values that are relevant for classification:

No data

Skin irritation or corrosion:

Irritant to skin and mucous membranes.

Eye irritation or corrosion:

Irritating effect.

Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity. EPA-B1: Probable human carcinogen, limited evidence of carcinogenicity from epidemiologic studies. Carcinogen as defined by OSHA. ACGIH A2: Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. Available epidemiologic studies are conflicting or insufficient to confirm an increased risk of cancer in exposed humans. NTP-K: Known to be carcinogenic: sufficient evidence from human studies. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known Subacute to chronic toxicity: Cadmium and cadmium compounds are highly toxic and experimental carcinogens. Exposure affects the respiratory tract, kidneys, and liver. Ingestion may cause nausea, salivation, vomiting and diarrhea. Ingestion or inhalation of cadmium/cadmium compounds may be fatal. Tellurium is converted in the body to dimethyl telluride which imparts a garlic-lik e odor to the breath and sweat. Heavy exposure may result in headache, drowsiness, metallic taste, loss of appetite, nausea, tremors, convulsions, and respiratory arrest.

Cadmium compounds are highly toxic and experimental carcinogens. Exposure affects the

respiratory

tract, kidneys, and liver.

Ingestion may cause nausea, salivation, vomiting and diarrhea. Ingestion or inhalation of cadmium compounds may be fatal.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Behavioral - tremor.

Behavioral - changes in motor activity (specific assay).

Nutritional and Gross Metabolic - weight loss or decreased weight gain.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

### SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Ecotoxical effects:

Remark:

Very toxic for aquatic organisms

Additional ecological information:

Do not allow material to be released to the environment without official permits.

Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities.

effects to a		life.		. :		, '		1
						,	,	
			٠٠.	111		· · .	: ' '	
sment								,
e <sup>r</sup>	.:		,·*	. :		e e	.:	: .
1		٠٠,	1.,		··,	1		٠٠,
	.:			.:	:		.:	: .
SAL C	ONS	SIDE	RATIO	NS				
			·					
								٠٠,
. '	.:			.:				
sure prope			<i>.</i> "	.;		e <sup>r</sup>		
	er dispo	osal.					.:	: .
sure prope	er dispo	osal.	··.			ο,	.i	:
sure prope	er dispo	osal.	··.			ο,	.i	:
	SAL C	SAL CONS	SAL CONSIDE	SAL CONSIDERATIO	SAL CONSIDERATIONS		AND	

Danger to drinking water if even extremely small quantities leak into the ground.

DOT

UN proper shipping name

DOT, IMDG, IATA

UN3077

Environmentally hazardous substances, solid, n.o.s. (Cadmium telluride)

IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cadmium telluride) Transport hazard class(es) DOT, IMDG Class 9 Miscellaneous dangerous substances and articles. Label Class 9 (M7) Miscellaneous dangerous substances and articles Label **IATA** Class 9 Miscellaneous dangerous substances and articles. Label Packing group DOT, IMDG, IATA Ш Environmental hazards: Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special precautions for user

Transport/Additional information: DOT

Marine Pollutant (DOT): No

N/A

Warning: Miscellaneous dangerous substances and articles

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

UN "Model Regulation":

UN3077, Environmentally hazardous substances, solid, n.o.s. (Cadmium telluride),

9, 111

### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

This product contains a chemical known to the state of California to cause cancer and/or reproductive

toxicity.

SARA Section 313 (specific toxic chemical listings)

1306-25-8 Cadmium telluride

California Proposition 65

Prop 65 - Chemicals known to cause cancer

1306-25-8 Cadmium telluride

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains cadmium and is subject to the reporting requirements of section 313 of the

Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains cadmium and is subject to the reporting requirements of section 313 of the

Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Refer to 29CFR1910.1027 for regulations concerning cadmium and cadmium compounds.

Refer to 29CFR1910.1027 for regulations concerning cadmium and cadmium compounds.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.