

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 24/01/2023

SECTION 1. IDENTIFICATION

Product Name: Calcia Stabilized Zirconia

CAS #: 11129-15-0

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous to health or the environment according to the CLP regulation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

N/A

Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General

Classification guideline for preparations of the EU" in the latest valid version.

Hazards not otherwise classified

Label elements										
Labelling according	to Regu	lation (EC) No 1272	2/2008	. ' '	:	'	.''	:	
N/A										
Hazard pictograms	· · · · · ·			1,		:	:,		:	
N/A	;		1	;		1	;		·:	
Signal word										
N/A		,	,		,	,		,	,	
Hazard statements				;			;		: "	
N/AWHMIS classifi				,						
Not controlled	:		1	;		1	:	٠٠,	`:	
Classification syste	m		;				٠		:	
HMIS ratings (scale	e 0-4)									
(Hazardous Materia	als Identi	fication Sy	/stem)	1,		: ' '	1,		: ' '	
HEALTH FIRE	:		1	;	11	·:	:		i:	
REACTIVITY			; '			;			:'	
1										
0 :			: ' '	1,		: ' '	1,		: ' '	
0 Health (acute effect	ts) = 1	٠٠.	3	;		1	;	ν,	1	
Flammability = 0		. * *	; '		. * *	;	1	.**	:'	
Physical Hazard =										
Other hazards	1.		111	1,		: ' '	1,		: ' '	
Results of PBT and	vPvB as	sessmen	t ';	;		1			4	
PBT:	1	.**	:"	1	.0	:"	٠		ŧ'	
vPvB: ; n/A	·			:,	• • •	:"	1,		:"	
	1			:		',	:		1,	

No data available

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures Dangerous components: 1305-78-8 Calcium oxide Xi R37/38-41 Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335 4.0% Additional information None known. Non-Hazardous Ingredients 1314-23-4 Zirconium(IV) oxide 96.0% **SECTION 4. FIRST AID MEASURES** Description of first aid measures If inhaled: Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor

Indication of any immediate medical attention and special treatment neededNo data available

Most important symptoms and effects, both acute and delayed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Calcium oxide

Zirconium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Pick up mechanically.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidizing agents.

Store away from halogens.

Store away from alcohols.

Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

1314-23-4 Zirconium(IV) oxide (96.0%) PEL (USA) Long-term value: 5 mg/m as Zr REL (USA) Short-term value: 10 mg/m 3 | ... Long-term value: 5 mg/m as Zr TLV (USA) Short-term value: 10 mg/m Long-term value: 5 mg/m 3 EL (Canada) Short-term value: 10 mg/m Long-term value: 5 mg/m as Zr 1305-78-8 Calcium oxide (4.0%) PEL (USA) Long-term value: 5 mg/m REL (USA) Long-term value: 2 mg/m TLV (USA) Long-term value: 2 mg/m 3 EL (Canada) Long-term value: 2 mg/m EV (Canada) Long-term value: 2 mg/m

Additional inform	nation:		1	;			;			:
No data										
Exposure contro	ls	.**	;	'	. ' '	:			:	٠
Personal protect	ive equipmer	nt								
General protectiv	ve and hygier	nic measu	ıres	١.		: ' '	1,		111	٠.
The usual preca	utionary mea	sures for	handling	ı chemi	icals sho	uld be fo	llowed.		1	;
Keep away from	foodstuffs, be	everages	and feed	d.						
Remove all soile	d and contan	ninated cl	othing in	nmedia	itely.	;		.''	;	
Wash hands bef	ore breaks ar	nd at the	end of we	ork.			:		: "	
Maintain an ergo	nomically ap	propriate	working	enviro	nment.					
Breathing equipr	ment:	• • •	1:	;	• •	1	;		1	1
Use suitable res	pirator when	high cond	entration	ns are l	preșent.	;	٠		;	٠
Recommended f	ilter device fo	or short te	erm use:							
Use a respirator	with type N9	5 (USA) c	or PE (EN	V 143)	cartridge	s as a b	ackup t	o engine	ering cor	ntrols
Risk assessmen	t should be p	erformed	to deteri	mine if	air-purify	ing resp	irators	are appr	opriate. (Only
Risk assessmen			' ;						opriate. (Only :
	ested and app	oroved ur	nder appi	ropriate	e governi	ment sta	i ndards	-	opriate.(Only
use equipment to	ested and app	oroved ur	nder appi	ropriate	e governi	ment sta	i ndards	-	opriate.(Only :
use equipment to	ested and applications and second applications and second applications are second applications and second applications are second applications.	oroved ur	nder appi	ropriate	e governi	ment sta	ndards			
use equipment to Protection of har Impervious glove Suitability of glove by	ested and applaces. esInspect gloves should be	oroved ur	nder appi to use. ned both	ropriate by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer.	ested and applicate and set of the set of th	oroved ur ves prior	nder appi to use. ned both	ropriate by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer. Material of glove	ested and applicated and specification and second and second application application and second application and second application a	oroved ur ves prior	nder appi to use. ned both	ropriate by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer. Material of glove Nitrile rubber, NE	ested and applications and selections and selections are glowers should be selected as a selection and selections are selected as a selection are selected as a selected as a selection are selected as a sel	ves prior	nder appi to use. ned both	by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer. Material of glove Nitrile rubber, NE	ested and applications and selections and selections are glowers should be selected as a selection and selections are selected as a selection are selected as a selected as a selection are selected as a sel	ves prior	nder appi to use. ned both	by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer. Material of glove Nitrile rubber, NE Penetration time 480	ested and applications and selections and selections are glowers should be selected as a selection and selections are selected as a selection are selected as a selected as a selection are selected as a sel	oroved ur ves prior determir	nder appi to use. ned both	by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer. Material of glove Nitrile rubber, NE Penetration time 480 Glove thickness	ested and applications and selections are glowers. The selections are glowers and selections are glowers. The selections are glowers are glowers are glowers.	oroved ur ves prior determir	nder appi to use. ned both	by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer. Material of glove Nitrile rubber, NE Penetration time 480	ested and applications and selections are glowers. The selections are glowers and selections are glowers. The selections are glowers are glowers are glowers.	oroved ur ves prior determir	nder appi to use. ned both	by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer. Material of glove Nitrile rubber, NE Penetration time 480 Glove thickness 0.11 mm Eye protection:	ested and applications. estested and applications. estestestestestestestestestestestesteste	ves prior determir	nder appi to use. ned both	by ma	e governi	ment sta	ndards	er of whi	ch may v	vary
use equipment to Protection of har Impervious glove Suitability of glove by manufacturer. Material of glove Nitrile rubber, NE Penetration time 480 Glove thickness 0.11 mm	ested and applications and selections are glowers. The selections are glowers and selections are glowers. The selections are glowers are glowers are glowers.	ves prior determir	nder appi to use. ned both	by ma	e governi	ment sta	ndards	er of whi	ch may v	vary

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form: Powder

Color: White to pale yellow

Odor: Odorless

Odor threshold: No data available

pH: N/A

Change in condition

Melting point/Melting range: ca 2700 °C (ca 4892 °F) (ZrO?)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: Product is not selfigniting.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 5.89 g/cm

3

(49.152 lbs/gal) (ZrO?)

Relative density

N/A			,			1		
Evaporation rate	:.			1,		:''	:,	
Solubility in Water (I	-		1	;		1		
2 O): Insoluble	1		:"	٠	.0	:"	٠	
Partition coefficient	(n-octanol	/water):	No data a	availab	le.		:	
Viscosity:								
Dynamic: N/A		٠٠,	1	1		1	1	
Kinematic: N/A Solvent content:	٠	.**	:	1	.0	;'	٠	
Organic solvents: 0.	0 %		111			111		
Solids content: 100.	0 %Other	informat	tion					
No data available			`:	1		1		
SECTION 10	. STAE	BILITY	/ AND	RE	ACTI\	/IT _Y	1,	
No data available	:							
Chemical stability			;		. * *	:		
Stable under recomi	mended s	torage c	onditions					
Thermal decomposit	tion / cond	ditions to	be avoid	led:		111	1,	
Decomposition will r								
Possibility of hazard			:	1		:'	1	
Conditions to avoid No data available	4,		:"	1,		:"	1,	
Incompatible materia	als:		1	1		1	1	

No data available.

Vapor density

Acids	:		1	:		· ;	:		· ;	
Ovidizing agente										
Halogens		. * *	;	'	. ' '	;	'	. ' '	:	
Alcohols										
t Hazardous decomp	osition pro	oducts:		1,		:	1,			:.
Calcium oxide	1		1	;		' ;	;		1	:
Zirconium oxide	· · · · · · · · · · · · · · · · · · ·	.**	:"	1	.**	:"	1	.**	:"	٠
SECTION 11	. TOXI	COLO	GICA	AL IN	IFORI	MATIC	N			Ξ,
Information on toxic	cological e	ffects	1	;		1:	1		1:	:
Acute toxicity:			:	1		:			:	٠
The Registry of Tox										
components in this	product.			1,		:"	1,		: "	:.
LD/LC50 values that										
No data	:	***	1	1	'',	1	1	''.	1	:
Skin irritation or cor	rosion:	. * *	:	100	. * *	;	1	. * *	:	٠
May cause irritation										
Eye irritation or cor	rosion:			1,		111	1,			:.
May cause irritation	1		1			· :				:
Sensitization:										
No sensitizing effect	ts known.	. * *	: '	'		:'	'	. "	:	
Germ cell mutageni	icity:									
No effects known.	`			1,		:	1,			:.
Carcinogenicity:			1	;		·:	;		1	:
ACGIH A4: Not clas	ssifiable as	s a huma	n carcino	ogen: lı	nadequa	te data o	n whicl	n to class	sify the a	gent
terms of its carcino										
Reproductive toxicit	ty:		111	1,		: ' '	1.		111	1,
No effects known.	:			;			:			:

Specific target organ s	ystem to	xicity - rep	eated e	exposu	re:	4				:
No effects known.										
Specific target organ s	ystem to	xicity - sin	gle exp	osure:		; '		. * *	;	٠.,
No effects known.										
Aspiration hazard:	1,			1,		: '	1,		:	1,
No effects known.Suba	acute to o	chronic to	xicity:	:			;		·:	
No effects known. Additional toxicological			;'	1		:'	٠	.**	:"	٠
To the best of our know	wledge th	ne acute a	nd chro	nic tox	icity of this	s substa	ance is	not fully k	nown.	
The product is not sub	ject to cla	assificatio	n accor	ding to	internally	approv	ed calc	ulation me	thods f	or
preparations.	:		`:	;	٠٠,	`:	1	٠٠,	`:	:
Carcinogenic categorie	es 🕌		;			:			;	٠
OSHA-Ca (Occupation										
None of the ingredients	s is listed	I	:"	1,			1,			:.
However, the	:		·:	!		1	1		`:	:
SECTION 12.	ECOL	OGICA	AL IN	FOR	RMATIC	NC				٠
Toxicity										
Aquatic toxicity:	:,		: ' '	1,		111	1,			:.
No data available										
Persistence and degra	dability									
No data available	٠	. * *	; '		. **	;		.**	;	٠.,
Bioaccumulative poten	tial									
No data available	Ι,		111	1,		!''	1,		!''	١,
Mobility in soil	;		1			· ;			· ;	
No data available										
Additional ecological ir			;			;		. ' '	:	
General notes:										
Do not allow undiluted										
systems	:		' ;	;					';	;

N/A	٠٠,	·:	-		1	:	٠٠,	`:	;	٠٠,	·:	
N/A vPvB:		: ' '	÷.		111	1,	***	111	1,	***		1,
PB1:	.**	:'	·	.**	:	'	.**	:	'	.**	:	
	of PBT a			essment				`;				

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, ADN, IMDG, IATA

N/A

UN proper shipping name

DOT, ADN, IMDG, IATAN/A

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class

N/A

Packing group

DOT, IMDG, IATA	:					1			
N/A									
Environmental hazards:			:	'	. * *	;			:
Marine pollutant (IMDG)	:								
No	1.		111	1,		111	1,		; ' '
Special precautions for u	user	• • •	1			1			':
N/A			,	,			,		
Transport in bulk accord								.''	;
N/A									
Transport/Additional info			111	,		111	1,		
DOT "	;		1	;	٠٠.	1	1		1
Marine Pollutant (DOT):			:'			:			
No									
	· .			· .			· .		;
SECTION 15. R	EGL	JLATO	ORY I	NFC	RMA	TION	-		1
Safety, health and enviro	onmen	taltregul	ation's/le	niėlatio	n specif	ic for the	euheta	nce or m	nivture
National regulations	ommen	tai regui	ation3/10	gisiatic	лт эрссп		SubSta	IIICC OI II	IIXtuic
All components of this p	roduct	ara lieta	d in the	II Ć E	nvironme	antal Prof	ection	Agenov.	Tovic
Substances Control Act						Ziitai i Toi	.cction	Agency	IOXIC
	1	' '	:	1	' '	4: 0		· · ,);)
All components of this p			, '		an Dom	nestic Su	bstance	es List (L)SL).
SARA Section 313 (spec	cific to	xic chem	ical listir	ngs)	,	1		,	,
None of the ingredients	are list								
California Proposition 65	5			1,		111	1,		; ' '
Prop 65 - Chemicals know	own to	cause c	ancer	;		1	;		
None of the ingredients	are list	ed.		,					
Prop 65 - Developmenta	al toxic	ity	;			;			1
None of the ingredients	are list	ed.	: ' '	:		:**	:		
		-				•			-

None of the ingredients are listed.

Prop 65 - Developmental toxicity, male

None of the ingredients are listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

None of the ingredients are listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

None of the ingredients is listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

None of the ingredients is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.