

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 25/12/2022

SECTION 1. IDENTIFICATION

Product Name: Cesium Nitrate

CAS #: 7789-18-6

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE-3 H335 May cause respiratory irritation.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements Hazard pictograms **GHS03 GHS07** Signal word Danger Hazard statementsH272 May intensify fire; oxidizer. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P220 Keep/Store away from clothing/combustible materials. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. WHMIS classification C - Oxidizing materials D2B - Toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HEALTH **FIRE** REACTIVITY

Health (acute e	effects) =	= 1.			1		,	٠,		,	٠.,
Flammability = Physical Hazar	0										
Other hazards Results of PBT	and vP	vB ass	essment	:**	1,	.:	:"	1,	.:	:"	1.
PBT:		1		. * *	1			٠,			٠.
N/A vPvB:	1.	`:		1,	1		1,	·:		1,	·:
N/A		1,	.;		1,	.:	:**	1,	.:	: ' '	1,
SECTION		OMP		ON/II	NFO	RMA1	TION (וו אָכ	NGRE	DIEN	TS
Substances											
CAS No. / Subs	stance l	Name:	;	:	;	1		;	1	: ' '	:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly.

Rinse opened eye for several minutes under running water. Consult a physician.

7789-18-6 Cesium nitrate

Identification number(s):

Description of first aid measures

Seek immediate medical advice.

Seek immediate medical advice.

In case of eye contact:

If swallowed:

SECTION 4. FIRST AID MEASURES

EC number:

232-146-8

If inhaled:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

For safety reasons unsuitable extinguishing agents

Halocarbon extinguisher

Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause

ignition.

If this product is involved in a fire, the following can be released:

Nitrogen oxides (NOx)

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation
Environmental precautions:

Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

HandlingPrecautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may

ignition.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents. Do not store with organic materials. Store away from metal powders. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Protect from humidity and water. Specific end use(s) No data available SECTION 8. EXPOSURE CONTROLS/PERSONAL **PROTECTION** Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: None. Additional information: No data Exposure controls

Remove all soiled and contaminated clothing immediately.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Follow typical protective and hygienic practices for handling chemicals.

Personal protective equipment

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Penetration time of glove material (in minutes)No data available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Eye protection:

Safety glasses

Body protection:

Protective work clothing.

Form: Crystalline or powder

Color: White

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 414 °C (777 °F)

Boiling point/Boiling range: Decomposes

Sublimation temperature / start: No data available

Flammability (solid, gas)

Contact with combustible material may cause fire.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 3.68 g/cm

3

(30.71 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in / Miscibility with Water at 20 °C (68 °F): 239.5 g/l

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

May intensify fire; oxidizer.

Chemical stability

Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with reducing agents Reacts with flammable substances Conditions to avoid No data available Incompatible materials: Flammable substances Reducing agents Water/moisture Organic materials Metal powders Hazardous decomposition products: Nitrogen oxides Metal oxide fume **SECTION 11. TOXICOLOGICAL INFORMATION** Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product. LD/LC50 values that are relevant for classification: Oral LD50 2390 mg/kg (rat) Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation.

Sensitization:	٠.,			1			٠.,		
No sensitizing effects I	known.								
Germ cell mutagenicity	/ :		١.	`;		1.	`;		1.
The Registry of Toxic I		of Chemic				-			
Carcinogenicity:	4.						4.		.00
No classification data		nogenic p				ıl is avai			PA, IARC
NTP, OSHA or ACGIH	l.								
Reproductive toxicity:	:.			1,	.:		1,	.:	: ' '
No effects known.									
Specific target organ s	ystem to	oxicity - re	epeated	expos	ure:		٠.,		.''
No effects known.			:,	1		١,			1,
Specific target organ s									
May cause respiratory	irritation	1. _, ;	: ' '	1,		: ' '	1,	,:	: ' '
Aspiration hazard: No effects known.	4.			٠,	: '		٠,		
Subacute to chronic to	xicity:		:,	·:		1,	·:		1,
No effects known.									
Additional toxicologica	l informa	ation:	: ' '	1,	.:	: "	1,	.:	: ' '
To the best of our know	wledge t	he acute	and chr	onic to	xicity of t	his subs	tance i	s not fully	y known.
SECTION 12. I							`:		4,
ToxicityAquatic toxicity	;				,i		1,	.:	

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

Additional ecological informa	ation:						,		,
Do not allow material to be r	eleased to	the env	ironme	nt withou	ut official	permit	S.	' '	1
Do not allow undiluted produ	_	-		_					_
systems.		: ' '	1,		; , ,	1,	.;	: ' '	1,
Avoid transfer into the enviro	onment.		1			٠,			٠.,
Results of PBT and vPvB as PBT:	ssessment	1,	1		1,	1		1.	·;
N/A vPvB:	.:	111	1,	,i	111	1,	,i		:.
N/A		.**	٠.,			1.		. * *	٠.
Other adverse effects		1,	';			1		1,	
No data available									
-:, :: :: :: ::	, ;	; ' '		.:	;		.:	;	÷.
SECTION 13. DIS	POSAL	CON	ISID	ERAT	IONS	1.	: '	.**	٠,
Waste treatment methods		1,	';		1,	1		ξ.	٠:
Recommendation									
Consult official regulations to	o ensure p	roper dis	sposal.	.1	: ' '	1,	.1	: ' '	١.
Uncleaned packagings:									
Recommendation:									
Disposal must be made acc	ording to o	fficial re	gulation	ıs.	1.	1		1,	·:
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	.:	(*)	1,	.:	:"	1,	.:	:	:,
SECTION 14. TRA	NSPO	RT IN	IFOR	RMAT	ION				

UN1451

UN-Number

DOT, IMDG, IATA

UN proper shipping name

No data available

DOT

Cesium nitrate	,	٠.,			٠,		, * *	٠,,
IMDG, IATA								
CAESIUM NITRA	ATE	`: 		÷.	`;		· .	`: :
Transport hazard	class(e	es)						
DOT	: ' '		.;		1,			1.
Class							. * *	·.,
5.1 Oxidising sub	stances	3.		:			:	
Label		i			i	1 1		i
Class			ji					
5.1 (O2) Oxidizin	g substa	ances		, ' '	`·,		. * *	``,
Label	1,				· ;		1,	· ;
5.1								
IMDG, IATAClass	S ; · ·	1,		: ' '	1,		: ' '	1,
5.1 Oxidising sub	stances	3.						
5.1 Oxidising sub Label							.''	
5.1	1,	`;		1,	';		1,	1
Packing group								
DOT, IMDG, IATA	4; ' '	1,	.1	! ' '	1,	.:		1,
III,								4.
Environmental ha	azards:							
N/A	1.	`;			`;		1,	1
Special precautio								
Warning: Oxidizir	ng subst	ances	.;	; ' '	1,	.1	111	1,
EMS Number: F-	A,S-Q	٠,,		, ' '	٠,		. * *	٠,
Transport in bulk								
N/A	'.	:		',	;		'.	:
Transport/Additio	nal info	rmation	n:		!	:		!
DOT		'.	. '	'	',	. '	,	',
Marine Pollutant	(DOT):	٠,			1.		. * *	٠,

UN "Model Regulation":

UN1451, Cesium nitrate, 5.1, III

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements

Hazard pictograms

GHS03

GHS07

Signal word

Danger

Hazard statements

H272 May intensify fire; oxidizer.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220 Keep/Store away from clothing/combustible materials.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact is a several minutes.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed. Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the

