

SAFETY DATA SHEET

···.	÷.,	111	۰۰,		111		÷.,		Date	Accesse	ed: 25/08	8/2023
· · .			· · .	н 1 — 1		11			Dat	e Revise	ed: 21/12	2/2022
·			1			1			1			·
						-						
	uct Name					11. 1			· · · .			· · .
CAS	#: 12017	-12-8		н 1 - 1			н 1 — 1		· · .			· · .
Relev	vant iden	ntified us	ses of t	he subs	stance: \$	Scienti	fic <u>r</u> esea	arch and	develo	opment		·
Supp	lier deta	ils:										
Stanfo	ord Adva	nced Ma	terials	;			÷.			1		
E-mai	il: sales@	esamate	rials.co			,	,		1	1		
Tel: (§	949) 407	-8904	· · .			· · .			· · .			· · .
Addre	ess: 2366	61 Birtche	er Dr., l	_ake For	est, CA	92630	U.S.A.					
1.1			1			1.1	1. C		1			1

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS08 Health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No data available GHS label elements, including precautionary statements

	1 1 1	· · ·						· · ·		1.1.1	11	
Hazard pictogran	าร	· · .			· · .			•••			· · .	
GHS07 GHS08												
Signal word Dang	gerHaz	ard sta	tements								1 	
H315 Causes ski	n irritat	ion.										
H319 Causes sei	rious ey	/e irrita	ition.		· · .					1		
H334 May cause	allergy	or ast	hma sym	ptoms	or breat	hing diff	iculties if	inhale	d. (· · .	
H317 May cause	an alle	ergic sk	in reactio	n.	·							
H335 May cause	respira	atory irr	ritation.							i.		
Precautionary sta	atemen	ts	;			;			:	111		
P284 In case of i	nadequ	iate ve						ı	ı			
P261 Avoid breat	hing du	ust/fum	ie/gas/mis	st/vapo	ors/spray	/. ·		· · .	н 1. т.		11	
P280 Wear prote	ctive gl	oves/p	rotective	clothin	g/eye pi	otection	n/face pro	tection	L		1	
P305+P351+P33	8 IF IN	EYES	: Rinse ca	autious	ly with v	vater foi	r several	minute	s. Remo	ve conta	ct	
lenses, if present	and ea	asy to c	do. Contin	nue rins	sing.			· · .	1		С.	
P405 Store locke	d up.											
P501 Dispose of	conten	ts/cont	ainer in a	ccorda	ince with	n local/re	egional/n	ational	/internati	onal	· · ·	
regulations.		'	1.1 ¹		1.1			1. i			1	'
WHMIS classifica	ation											
D2A - Very toxic	materia	al causi	ing other	toxic e	ffects	1	: * *	· · .	1		· · .	1
Classification sys	tem											
HMIS ratings (sca	ale 0-4))										
(Hazardous Mate	rials Id	entifica	ation Syste	em)	1 	'		1	· · · '		1 	'
HEALTH												
FIRE		· · .	1.		· · · .	1		· · .	1.		11	
REACTIVITY		· · .			· · .			· · .				
2		1						1				
1	.'			. '			. '			. '		
1			÷.			1						
Health (acute effe			· .	1		` .	,		· .	,		
Flammability = 1		· · .						· · · .	н 1. т.		Ч.,	

		· .		· · ·	,			,		
Physical Hazard = 1				· · .	 	· · .		1	· · .	
Other hazards									,	
Results of PBT and vP			. '		 . '			.'		
PBT: N/A										
vPvB: N/A	· · .	` .	1	· · · .		· · .	* .		· · .	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS No. / Substance Name: 12017-12-8 Cobalt silicide Identification number(s): EC number: 234-616-8

SECTION 4. FIRST AID MEASURES		11. 1			· · .
Description of first aid measures		1	1.1 1	$\mathcal{A}^{(1)}$	'
If inhaled:					
Supply patient with fresh air. If not breathing, provide artificial res	piratior	ı. Keep	patient w	arm.	· · .
Seek immediate medical advice.					
In case of skin contact:					
Immediately wash with soap and water; rinse thoroughly.		·	· · · '		1
Seek immediate medical advice.In case of eye contact:					
Rinse opened eye for several minutes under running water. Cons	sult a pl	nysiciar	٦.		11.
If swallowed:					11. 1
Seek medical treatment.					·
Information for doctor	1				
Most important symptoms and effects, both acute and delayed:			1		
No data available			·		,

Indication of any immediate medical attention and special treatment needed:

SECTION 5. FIREFIGHTING MEASURES Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Silicon oxide Cobalt oxides Advice for firefighters Protective equipment: Wear self-contained respirator.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to enter drains, sewage systems, or other water
courses.
Methods and materials for containment and cleanup:
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.

				· · · ·		1 1 1	· · · .		1.1.1	· · .	
See Section 13 f	or disposal in	formation		· · · .			· · .	1.		··.	
the set				1. 			·			1	'
SECTION 7	7. HAND		AND	STO	RAGE	Ξ					
Handling	111 - D.			· · .		1 1 1	· · .	4.		· · .	1
Precautions for s	afe handling			· · .			· · .	н 1 1.		· · .	
Keep container ti	ightly sealed.	'	. '	·			·			·	
Store in cool, dry	place in tight					,			ı		
Ensure good ven	itilation at the	workplac	e.		:						:
Prevent formation					,			,			
Information abou	t protection a	gainst exp	olosion	s and fi	res: The	product	is not fl	ammable		11	
Conditions for sa and receptacles:				mpatibi	litiesReq	uiremen	ts to be	met by sto	oreroor	ns	'
Information abou	it storage in o	ne comme	on stor	age fac	ility:						
Do not store toge	ether with acid	ds.									
Store away from	oxidizing age	ents.		· · · .	1 1 - 1		· · .	н 1 — 1		11	
Further information	on about stor	age condi	tions:	·	¹		·			5	
Keep container ti											
Store in cool, dry	conditions in	well-seal	ed;con	tainers.			· · .			· · .	
Specific end use	(s) No data av	vailable									

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

12017-12-8 Cobalt silicide (100.0%)

PEL (USA) Short-term value: 0.1* mg/m 3 * as Co (for metal dust and fume) TLV (USA) Long-term value: 0.02 mg/m 3 as Co Additional information: No data Exposure controls Personal protective equipment Follow typical protective and hygienic practices for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Inspect gloves prior to use. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND	D CHEI	MICAL	. PRO	OPEF	RTIES		11.	
Information on basic physical and chemical	properties			1			1	
Appearance:								
Form: Powder				· · .		; · ·	11	
Color: Grey	· · · · ·							
Odor: OdorlessOdor threshold: No data avai pH: N/A	ilable.			1	*	d.	'	
Melting point/Melting range: 1277 °C (2331	°F)				1. 1			
Boiling point/Boiling range: No data available		1.			' .		· · · .	
Sublimation temperature / start: No data ava	ailable			· · .	н 1. т.		· · .	
Flammability (solid, gas) No data available.	· · · · ·			·			·	,
Ignition temperature: No data available								
Decomposition temperature: No data availat	ble			· · .	1	:**	· · .	
Autoignition: No data available.								
Danger of explosion: No data available.		1					· · .	
Explosion limits:	· · · · ·			1	¹		1	
Lower: No data available								
Upper: No data available	· · · · ·			С.,		:**	· · .	
Vapor pressure: N/A	· · · · · · · · · · · · · · · · · · ·	1	. '					
Density at 20 °C (68 °F): 5.3 g/cm								
3 ¹¹¹				1	¹		1	
(44.229 lbs/gal)								
Relative density No data available.			; • •			; • •		
Vapor density N/A	· · · · ·	1 1 1		· · .			· · .	
Evaporation rate N/A								
Solubility in / Miscibility with	1.1		. '			. '		
Water: Insoluble								
Partition coefficient (n-octanol/water): No da	ita availabl	е.						
Viscosity:	· · · · ·		10	· · .	н 1 - 1		· · · .	

		· · .			· · · .		1.1.1	11.			11.	
Dynamic: N/A		· · ·			· · .			· · .			··.	
Kinematic: N/A												
Other informatio	n No da	ata avai	ilable		1 	' 		`	' 		·	
		· · ·	1	1 1 1 1	• • •		1.1.1 1		1		•••.	
SECTION	10. S	STAB	BILITY	ANC	RE		VITY	· · .			···,	
Reactivity No da	ita avai	lable		. '	·	'	. •	·			·	
Chemical stabilit	ty Stabl									,		
Thermal decomp	position	/ cond	itions to k	be avoid	ded: De	compos	ition will	not occ	ur if used	d and sto	ored	
according to spe	cificatio	ons.	1			t		ł	1		1	
Possibility of haz	zardous	s reactio	ons Reac	ts with	strong	oxidizing	agents	· · .	н 1 1.		· · .	
Conditions to av	oid No	data av	vailable		·			·	¹		·	
Incompatible ma	terials:											
Acids			1		· · .			· · .	1		· · .	:
Oxidizing agents	3											
Hazardous deco	mposit	ion prod	ducts:					· · · ,			· · ·	
Silicon oxide		1				¹		1	'		1 1	
Cobalt oxides												
			:						:			:
SECTION	11. T	OXIO	COLO	GIC	AL IN	IFOR	MATIO	ON		. '		,
Information on to	oxicolo	gical eff	ects					1 1			1 1	
Acute toxicity: N	o effec	ts know										
LD/LC50 values	that ar	e releva	ant for cla	assificat	tion: No	o data		· · .	1	111	· · .	;
Skin irritation or	corrosi	on: Cau	uses skin	irritatio	n			· · .			· · .	

Eye irritation or corrosion: Causes serious eye irritation.

Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.Germ cell mutagenicity: No effects known.

Carcinogenicity:

IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose,

by route(s) of administration, at site(s), of histologic type(s),

or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans.

Available evidence suggests that the agent is not likely to cause cancer in humans except under

uncommon or unlikely routes or levels of exposure.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this

substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available Additional ecological information: Do not allow product to reach groundwater, water courses, or sewage systems. Danger to drinking water if even small quantities leak into the ground. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: N/A vPvB: N/A		···.	н 1 — 1		· · .	1 1 - 1		· · .			· · .	
Other adverse e	ffects I	No data	available	9		¹		1. 			1	
SECTION	13. E	DISP	OSAL	CON		ERAT	IONS				· · .	
Waste treatmen												
Recommendatio	on Con	sult offic	cial regul	ations to	o ensur	e proper	disposa	Ι.				
Uncleaned pack	agings	:	÷.			1	111			: • •		:
Recommendatio	n: Disp	oosal m	ust be m	ade acc	cording	to officia	l regulati	ions.				
										11	· · .	
SECTION								·			1	
UN-Number		··.						Ч.,	÷.		۰.	:
UN-Number DOT, ADN, IMD	G, IAT	A N/A	1.			÷.,	1 1 1 1					
UN-Number DOT, ADN, IMD	G, IAT	A N/A		an Di	т. Ч.			Ч.,			· · .	
UN-Number DOT, ADN, IMD	G, IAT ing na	A N/A me		an Di	т. Ч.			Ч.,			· · .	
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD Transport hazar	G, IAT bing na G, IAT d class	A N/A me A N/A s(es)						11. 11.				
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD	G, IAT bing na G, IAT d class	A N/A me A N/A s(es)						11. 11.				
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD Transport hazar DOT, ADR, ADN	G, IAT bing na G, IAT d class I, IMD(A N/A me A N/A s(es) G, IATA										: :
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD Transport hazar	G, IAT oing na G, IAT d class I, IMD(ng grou	A N/A me A N/A s(es) G, IATA										: :
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD Transport hazar DOT, ADR, ADN Class N/APackir	G, IAT oing na G, IAT d class J, IMD(ng grou TA N/A	A N/A me A N/A s(es) G, IATA										: :
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD Transport hazar DOT, ADR, ADN Class N/APackir DOT, IMDG, IAT	G, IAT bing na G, IAT d class I, IMD(ng grou TA N/A bazards	A N/A me A N/A (es) G, IATA Ip	· · · · · · · · · · · · · · · · · · ·									:
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD Transport hazar DOT, ADR, ADN Class N/APackir DOT, IMDG, IAT Environmental h	G, IAT oing na G, IAT d class N, IMDO ng grou TA N/A oazards ons for	A N/A me A N/A (es) G, IATA IP :: N/A user N	· · · · · · · · · · · · · · · · · · ·									:
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD Transport hazar DOT, ADR, ADN Class N/APackir DOT, IMDG, IAT Environmental h Special precauti Transport in bull	G, IAT bing na G, IAT d class J, IMD(ng grou TA N/A bazards ons for c accor	A N/A me A N/A (es) G, IATA Jp s: N/A user N	/A Annex II	of MAR		8/78 and	the IBC (Code N				:
UN-Number DOT, ADN, IMD UN proper shipp DOT, ADN, IMD Transport hazar DOT, ADR, ADN Class N/APackir DOT, IMDG, IAT Environmental h Special precauti	G, IAT ing na G, IAT d class I, IMD(ng grou TA N/A azards ons for c accor onal in	A N/A me A N/A (es) G, IATA IP S: N/A user N ding to formatic	/A Annex II on:	of MAR	POL73	8/78 and	the IBC (Code N				

SECTION 15. REGULATORY INFORMATION

Safety, health and envir	onment	al regulati	ons/leg	islation	specific fo	or the s	ubstand	ce or mixt	ure	'
GHS label elements, inc	cluding p	orecaution	ary stat	tements	6					
Hazard pictograms	· · .		; • •	· · .	1	: • •	11. 1		;**	۰.
GHS07 GHS08						. '			. '	
Signal word Danger			·	,		,				
Hazard statements	1			·			1. 			·
H315 Causes skin irritat	tion.									
H319 Causes serious e	ye irritat	ion.					11		: ' '	۰.
H334 May cause allergy	/ or asth	ıma symp	toms or	breath	ing difficul	ties if i	nhaled.			· · .
H317 May cause an alle	ergic ski	n reaction								
H335 May cause respira	atory irri	tation.			'					
Precautionary statemen	ts									
P284 In case of inadequ	uate ver						· · · ·	1.		· · ·
P261 Avoid breathing d	ust/fume	e/gas/mist	/vapors	/spray.	1 1 1		11. 1			۰.
P280 Wear protective g	loves/pr	otective c	lothing/	eye pro	tection/fac	ce prote	ection.			·
P305+P351+P338 IF IN	EYES:	Rinse cau	utiously	with wa	ater for se	veral m	inutes.	Remove	contact	
lenses, if present and ea	asy to d	o. Continu	ie rinsir	ıg.	:	; • •		:		
P405 Store locked up.										
P501 Dispose of conten	its/conta	ainer in ac	cordano	ce with	local/regio	onal/nat	tional/in	ternationa	al	۰.,
regulations.	·			·			·			·
National regulations										
All components of this p	oroduct a	are listed i	n the U	.S, Env	ironmenta	al Prote	ction Ag	gency Tox	(ic	· · .
Substances Control Act	Chemic	al substa	nce Inv	entory.						
All components of this p	oroduct a	are listed o	on the C	Canadia	in Non-Do	mestic	Substa	nces List	(NDSL)).
SARA Section 313 (spe	cific tox	ic chemica	al listing	ls)			1 1			·
12017-12-8 Cobalt silici										
California Proposition 6	5	1.	1.1.1	· · .		1.1.1	11. 1		: ' '	۰.
Prop 65 - Chemicals kn	own to a	cause can	cer Sub	stance	is not liste	ed.	· · .			· · .

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.