

SAFETY DATA SHEET

	i.	1		1	111		ť	; • •	Date	Accessed		
	1			1		1 1 1			Dat	e Revised	d: 04/02	2/2023
.:		1			1	.:		1			1	, i
SEC	CTION	1. ID	ENT	IFICA	TION							
	uot Nomo								:		: * *	-
	uct Name: #: 7440-5(
	ant ident		ses of t	he subs	tance: S	cientii	fic resear	ch and	l develo	opment	1.1	. :
	lier detail		4									
	ord Advan il: sales@s	1									111	
	949) 407-8						1.			· .		
	ss: 23661								,	1	,	
1		1.1			·			1.1			1	
	CTION							-				
Class	ification of	f the sul	bstance	e or mixt	ure	· · ·		-				
Class Class		f the sul	bstance	e or mixt	ure	· · ·			1 - 1 1			
Class Class GHS(Flam.	ification of ification ad 02 Flame Sol. 2 H2	f the sul	bstance g to Re	e or mixtu gulation	ure (EC) No	1272/2		- 	: 1 :4	: :		
Class Class GHS(Flam. GHS(ification of ification ad)2 Flame Sol. 2 H2)7	f the sul ccordino 28 Flan	bstance g to Ree nmable	e or mixti gulation solid.	ure (EC) No	1272/2	2008					
Class Class GHS(Flam. GHS(Eye Ir	ification of ification ad 02 Flame Sol. 2 H2 07 rrit. 2A H3	f the sul ccording 28 Flan 19 Caus	bstance g to Reg nmable ses ser	e or mixtu gulation solid. ious eye	ure (EC) No	1272/2	2008					
Class Class GHS(Flam. GHS(Eye Ir STOT	ification of ification ad)2 Flame Sol. 2 H2)7	f the sul ccording 28 Flan 19 Caus 35 May	bstance g to Reg nmable ses seri cause i	e or mixtu gulation solid. ious eye	ure (EC) No irritation.	1272/2 on.	2008					
Class Class GHSC Flam. GHSC Eye Ir STOT	ification of ification ad 2 Flame Sol. 2 H2)7 rrit. 2A H3 SE 3 H33 ification ad	f the sul ccording 28 Flan 19 Caus 35 May ccording	bstance g to Reg nmable ses seri cause i g to Dire	e or mixtu gulation solid. ious eye respirato ective 67	ure (EC) No irritation. ory irritatio	1272/2 on. C or Di	2008	99/45/	EC			

	1	1 1 1		1	8			1	
F; Highly flammable									
R11: Highly flammable.									
N; Dangerous for the environme	ent	·			·			1 	
R51/53: Toxic to aquatic organis									
environment.									
Information concerning particula	ar hazard	s for hu	ıman ar	nd environ	ment:				
N/A	1								
Hazards not otherwise classified	¹ k		. '			.'			. '
No data available.			,			1			
Label elements	1		:	1	,		1		:
Labeling according to Regulation according to the CLP regulation.		o 1272	/2008Th	ne _. substar	nce is c	lassifie	d and lab	eled	
Hazard pictogram		'	.1	1	·			1 1	.1
GHS02 GHS07									
Signal word: Warning								111	
Hazard statements									
H228 Flammable solid.				1					
H319 Causes serious eye irritati	ion.		. '			.'			. '
H335 May cause respiratory irrit	tation.					1			
Precautionary statements	1		:		,				:
P210 Keep away from heat/spar	rks/open	flames	/hot sur	faces. No	smokir	ıg.			
P261 Avoid breathing dust/fume	e/gas/mis	t/vapor	s/spray	•	·			·	:
P280 Wear protective gloves/pro	otective c	lothing	l/eye pro	otection/fa	ace prot				
P305+P351+P338 IF IN EYES:	Rinse ca	utiousl	y with w	ater for se	everal n	ninutes	. Remove	contact	t
lenses, if present and easy to do	o. Continu	ue rinsi	ng.						
P405 Store locked up.					. 11		1		
P501 Dispose of contents/conta	iner in ac	cordar	nce with	local/regi	onal/na	tional/i	nternation	al	.1
regulations.									
WHMIS classification	1		-						
B4 - Flammable solid	1				, · ·	1 I			

D2B - Toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 2 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.		1		1							:
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 2 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.	D2B - Toxic material causi	ng other toxic	c effects	3	1						
(Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 2 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.	Classification system										
Health (acute effects) = 1 Flammability = 2 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.	HMIS ratings (scale 0-4)	:		. '	:	1.1	. '	1		. '	
Health (acute effects) = 1 Flammability = 2 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.	(Hazardous Materials Iden										
Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.	Health (acute effects) = 1	:	t i i		:	1	1	1	1		
Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.	Flammability = 2			1 1 1			1 - 1 1			н н н	
Other hazards Results of PBT and vPvB assessment: PBT: N/A. vPvB: N/A.	Physical Hazard = 1	:	·			·			·		
PBT: N/A.											
PBT: N/A.	Results of PBT and vPvB a	assessment:									
	PBT: N/A.			,							
	vPvB: N/A.	· · · · · ·			1		1	1			
	a a a a										

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

SECTION 4. FIF	RST		MEAS	URE	S	5	.1		1	.1	
				i i	1			1			
EC number: 231-159-6		1	1.1.1	1	ť		:				
Identification number(s)	:										
7440-50-8 Copper	.1		1			1			1		
CAS No. / Substance N				i.				1			
Substances											

Description of first aid measures								
If inhaled:			: ¹			al an	;	
Supply fresh air. If required, provide arti		н н н						
ficial respiration. Keep patient warm.	·	;		·			·	
Seek immediate medical advice.								
In case of skin contact:Immediately wash	n with s	oap and	d water; ri	nse tho	roughly	-		;

Seek immediate medical advice.

In case of eye contact:

											;
Rinse opened eye for	several m	inutes un	der rur	nning w	ater. Cons	sult a pł	nysician	l.,			
If swallowed: Seek medical treatment	nt.		1	. 1		1	.:		5	.:	:
Information for doctor Most important sympto	oms and e	effects, bo	oth acu	te and o			:	:			:
No information availab	le.	1		н н 1		- 1 - 1 - 1				1 I 1	
Indication of any imme No information availab		dical atter	ntion ar	nd spec	ial treatmo	ent nee	ded	:	1 1	.1	
an an an						1 1 1 1	1		111	;	;
SECTION 5. F	IREFIC	GHTIN	GM	EAS	URES					1 1 1	
Extinguishing media	.1		·	.:		·	.:		1	.1	
Suitable extinguishing	media										
Special powder for me	tal fires. [Do not us	e;wate	ſ.	:			:	111	-	;
For safety reasons un Water	suitable e	xtinguishi	ng meo	dia	1			1			1
Special hazards arisin	g from the	e substan	ce or n	nixture	1		1	1	1 1	.1	
If this product is involv	ed in a fir	e, the foll	owing	can be i	eleased:						
Metal oxide fume									; · · ·	1	;
Advice for firefighters											
Protective equipment:											
Wear self-contained re	espirator.		·		ł				'		
Wear fully protective ir	npervious	suit.					;				;

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

				1				1	:
Environmental precautions:						1			
Do not allow material to be releas	ed to the env	rironme	ent without o	official	permits	S.			
Do not allow product to reach sev	vage system	or any	water cours	se.		1	1		
Do not allow to penetrate the grou	und/soil.								
Methods and material for contain	ment and clea	anup:	ti i	; • •		ti i	; • •		:
Keep away from ignition sources.									
Ensure adequate ventilation.	· · · ·			·			·	:	:
Prevention of secondary hazards		I							,
Keep away from ignition sources.								1	
Reference to other sections		ı							1
See Section 7 for information on	safe handling	н н 1		. * *		1			1
See Section 8 for information on	personal prot	ection (equipment.	1			·		
See Section 13 for disposal inform	nation								
						:			:

SECTION 7. HANDLING AND STORAGE			`:	, 1 1 1		1
HandlingPrecautions for safe handling			:	1		:
Keep container tightly sealed.						
Store in cool, dry place in tightly closed containers.	: • •		: É		1	;
Ensure adequate ventilation.						
Information about protection against explosions and fires:						
Protect against electrostatic charges.	1. s. s.	.:		1	.1	
Conditions for safe storage, including any incompatibilities						
Storage	111					:
Requirements to be met by storerooms and receptacles:			1			
Store in a cool location.						
Information about storage in one common storage facility:		.'	:	1	. '	1
Do not store together with oxidizing and acidic materials.						
Further information about storage conditions:		:	:	i i		;
Keep container tightly sealed.	. **	н н н	1	, · ·	1 I	1

Store in cool, dry conditions in well-sealed containers. Specific end use(s) No information available. SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 7440-50-8 Copper (100.0%) PEL (USA) Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume REL (USA) Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume TLV (USA) Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu EL (Canada) Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume EV (Canada) Long-term value: 0.2* 1** mg/m³ as copper, *fume;**dust and mists Additional information: No data Exposure controls Personal protective equipment Follow typical general protective and industrial hygiene measures for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands:

Impervious gloves		`:								
Inspect gloves prior to	use.									
Suitability of gloves sho by	ould be de	etermined	d both b	by mate	erial and o	juality, t	he latte	er of which	may va	ary
manufacturer.								i'		
Penetration time of glov	ve materia	al (in min	utes)		4			· .		
No data available.										
Eye protection: Safety	glasses					1			1 	
Body protection: Protect	ctive work	clothing								
SECTION 9. PH	1YSIC			HEN		PRO	PER		•	
Information on basic ph	nysical an	d chemic	al prop	erties						
Appearance:									; • •	
Form: Powder				'	,		,			
Color: Copper colored	н н н							1		
Odor: Odorless		1	·			·	.1		·	. :
Odor threshold: No dat	a availabl	le.								
pH: N/A.								e ^r	: • •	
Melting point/range: 10	83 °C (19	981 °F)					1 1			
Boiling point/range: 256	62 °C (46	44 °F)			i		1	i		
Sublimation temperatur	re / [:] start:	No data a	availabl	e.		1	.1		·	
Flammability (solid, gas										
Ignition temperature: N	o data av	ailable.			:	: * *		1	: • •	1
Decomposition tempera	ature: No	data ava	ilable.							
Auto igniting: No data a	available.									
Danger of explosion: N	o data av	ailable.	'			<u>'</u>			1 	
Explosion limits:										
Lower: No data availab	le.						1	: ¹		
Upper: No data availab	le.	1								

			,	1		1					
Vapor pressure at 20 °C	C (68 °F): 0 hPa									
Density at 20 °C (68 °F)): 8.94 g	J/cm³ (74.	604 lbs	s/gal)							
Relative density: No dat	ta availa	able.				·			1	. 1	
Vapor density: N/A. Evaporation rate: N/A.	:	af l		:	e ^r		:	af a	: · ·	:	:
Solubility in Water (H			- 1 - 1 -		1						
2 O): Insoluble		:	·				, ;	1	·	L	1
Partition coefficient (n-o	ctanol/v	vater): No	data a	availabl	е.	; • •					
Viscosity:				,			ı				
Dynamic: N/A.								1			1
Kinematic: N/A.	.:		·		1	1			1	.1	
Other information											
No information available	9.	i.		1	:		1				:
	н н н							· .		· ·	
SECTION 10. S	ТАВ			RE/	ACTIV	ITY			·		
Reactivity								·		·	
No data available.						; • •	1	1	:**		
Chemical stability											
Stable under recommer					1			1			
Thermal decomposition					1	1			1.1		1
Decomposition will not o											
Possibility of hazardous	reactio	ns					1	:	111		
No dangerous reactions	s known										
Conditions to avoid		:			:	·		:	·	.:	1
Incompatible materials:	:	i'					;	i'	: • •		:
Oxidizing agents				1 1 1	1	. * *			. 11		1

Hazardous decomposition products: Metal oxide fume SECTION 11. TOXICOLOGICAL INFORMATION Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product. LD/LC50 values that are relevant for classification: Oral LD50 >5000 mg/kg (mouse) Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: N/A Carcinogenicity: EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: N/A Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: N/A Subacute to chronic toxicity: N/A Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

											1
SECTION 12. E	COL	OGIC	AL IN	IFOF	RMATI	ON					1
Toxicity			'		1	'			5		
Aquatic toxicity:											
No information available	9.	:1			:				: * *	1	:
Persistence and degrad	lability:			1 1			1 1	· .			
No information available	Э.	,	ı		,			ı			
Bioaccumulative potent	ial:					1	.1		1	.:	
No information available	Ð.										
Mobility in soil:		ti i			: ¹	111			: * *	1	;
No information available	Ð. ,										•
Additional ecological inf	ormatic										
General notes:	. '	;		. '	1		. '	1		.1	:
Do not allow material to	be rele	eased to th	ne envir	onmen	t without o	official p	permits.			:	
Also poisonous for fish	and pla	nkton in w	ater bo	dies.			:	1	,	1	
Toxic to aquatic life.	н н Н			1 - 1 1							
May cause long lasting	harmfu	l effects to	aquati	c life.		·	.:		·	. 1	
Avoid transfer into the e	environr	nent.									
Results of PBT and vPv	/B asse	ssment:			:	: **			: • •		
PBT: N/A.											
vPvB: N/A.				1							
Other adverse effects			1	.:		1	.1		1		
No information available	e.										
	1		1	1		1	1				:

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation: Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

				,			1					
Recommendati	ion:		· :									
Disposal must												
	1.1			1.1			1			1.1	.:	
SECTION	14. 1	RAN	NSPO	RTIN	IFOF	RMAT	ION		t.	111		:
UN-Number		· · ·			н н 1							
DOT, IMDG, IA	TA	1		·	1		·			·		
UN3089			i			i			;			
UN proper ship	ping na	me										
DOT												
Metal powders,	, flamma	able, n.	o.s. (Cop	oper pow	/der)			1 1	1	. 11		
IMDG	·	.:		1	.1		1	.1		1		
METAL POWD	ER, FL	AMMAE	BLE, N.C).S. (Cop	oper po	wder), M	ARINE F	POLLU	ΓΑΝΤ			
IATA	: • •					e la compañía de la c			:	111		:
METAL POWD	ER, FL											
Transport haza	rd class	s(es)						i.	:			
DOT	1			1			1	.1	-	1		
Class												
4.1 Flammable	solids,	self-rea	active su	bstances	s and s	olid dese	ensitized	explosi	ves.	; • •		
Label												
4.1												
Class	·		1	1						1		
4.1 (F3) Flamm												
Label												:
4.1								1 I 1				
IMDG	·		:	·	!		·			·		
Class			;			1			1			
4.1 Flammable	solids,	self-rea	active su	bstances	s and s	olid dese	ensitized	explosi	ves.			:
Label		ı	ł		,	1					1	
4.1			1	. 11		1	. 11	1 1 1	1	. 11		

										1		
ΙΑΤΑ		н н н	`: `:		1 1	1			`:			
Class	·			·	;	:	·	:		·		
4.1 Flammable sc	olids, se	lf-react	tive substa	ances a	nd solid	desensi	tized ex	plosive	S.			
Label			:		1			;				
4.1					1						i.	
Packing group						1		н н Н				,
DOT, IMDG, IATA	A	.:	:	·		:	1	.:	:	1	.:	
Environmental ha	zards:	:	:					:			:	
Environmentally h	azardo							;	;			
Marine pollutant (IMDG):					1		н н Н				,
Yes (PP)	·			·			·	.:		·	.:	
Yes (P)												
Symbol (fish and	tree)			:			: * *		1	; • •		
Special precaution desensitized expl	ns for u	serWa	rning: Flar	nmable	solids,		tive sub	ostance				,
Transport in bulk	accordi	ng to A	nnex II of	MARP	DL73/7	8 _: and the	IBC Co	ode	:	·	;	
N/A.									,			
Transport/Addition	nal info	rmatior	1: ₁ .	: · ·		. '		:			1	
DOT												
Marine Pollutant (DOT):				1	1						
No	'			1			·	.1	1	'	.:	
Remarks:												
Special marking v	vith the	symbo	ol (fish and	l tree).		:	: • •			; • •		
UN "Model Regul	ation":		1									,
UN3089, Metal po	owders,	flamm										
	·	.:		·	.:		·	.:		·	.:	

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings)

7440-50-8 Copper

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and

Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorization for use)

REACH - Pre-registered substances Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Theinformation in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.