

SAFETY DATA SHEET

				1	;**		1		Date	Accesse	d: 25/08	8/2023
÷	н 1 - 1	1	:		1		1 1 - 1	÷.,	Dat	e Revise	d: 27/01	/2023
`: 						1		10 ¹		19	10 ¹	
SEC	CTION	1. ID	ENT	IFICA								
Produ	uct Name	Coppe			1.1.1							
	#: 20405-											
		04-3										
'			ses of t	ine subs	stance: S	scienti	nc resea	rcn and	aevei	opment		
	lier detai ord Advar		torials									
	il: sales@						1	111		1		
	-								÷.			
					est, CA 9							
								1.1 ¹			1.1 1	
SEC	CTION	2. H/	AZAI	RDS I	DENT	TFIC		N	:		:	:
SEC Class	CTION ification o	2. H	AZA I	RDS I	DENT ure	TIFIC		N :***	:		:** 	
SE(Class GHS	CTION ification o Classifica	2. H f the sub tion in a	AZAI ostance ccorda	RDS I e or mixtu ince with	DENT ure	TIFIC		N :***	:	:,	:** 	:
SE(Class GHS Acute	CTION ification o Classifica toxicity, (2. H of the sub tion in a Oral(Cat	AZAI ostance ccorda	RDS I e or mixtu ince with 3), H301	DENT ure 29 CFR	TIFIC 1910 (OSHA H	N CS)				
SEC Class GHS Acute Acute	CTION ification o Classifica toxicity, (toxicity, I	2. H f the sub tion in a Oral(Cat nhalatio	AZA bstance ccorda cegory : n(Cate	RDS I e or mixte ince with 3), H301 egory 3),	DENT ure 29 CFR H331	TIFIC	OSHA H	N CS)				
SEC Class GHS Acute Acute Speci	CTION ification o Classifica toxicity, (toxicity, I fic target	2. H f the sub tion in a Oral(Cat nhalatio organ to	AZAI bstance ccorda cegory : n(Cate pxicity -	RDS I e or mixtu ince with 3), H301 egory 3), repeated	DENT ure 29 CFR H331 I exposu	TIFIC 1910 (re(Cate	OSHA H	N				
SEC Class GHS Acute Acute Speci Acute	CTION ification o Classifica toxicity, (toxicity, I fic target aquatic t	2. H f the sub tion in a Oral(Cat nhalatio organ to oxicity(C	AZAI ostance accorda aegory : an(Cate oxicity - Categor	RDS I e or mixtu ince with 3), H301 gory 3), repeated ry 1), H40	DENT ure 29 CFR H331 I exposur	TFIC 1910 (re(Cate	OSHA H	N CS) H373				
SEC Class GHS Acute Acute Speci Acute Chror	CTION ification o Classifica toxicity, (toxicity, I fic target aquatic t nic aquatic	2. H f the sub tion in a Oral(Cat nhalatio organ to oxicity(C c toxicity	AZAI bstance accorda cegory (an(Cate oxicity - Categor (Categor	RDS I e or mixto ince with 3), H301 gory 3), repeated ry 1), H40 jory 1), H	DENT ure 29 CFR H331 I exposur 00	TIFIC 1910 (re(Cate	OSHA H	N CS) H373				
SEC Class GHS Acute Acute Speci Acute Chror GHS	CTION ification o Classifica toxicity, (toxicity, I fic target aquatic t aquatic t hic aquatic	2. H f the sub tion in a Oral(Cat nhalatio organ to oxicity(C c toxicity ments, in	AZAI ostance accorda egory : on(Cate oxicity - Categor (Categor (Categor	RDS I e or mixtu ince with 3), H301 egory 3), repeated ry 1), H40 jory 1), H	DENT ure 29 CFR H331 I exposur 00 I410 Itionary s	TIFIC 1910 (re(Cate	OSHA H egory 2),	N CS) H373				
SEC Class GHS Acute Acute Speci Acute Chror GHS Pictog	CTION ification o Classifica toxicity, (toxicity, I fic target aquatic t aquatic t hic aquatic	2. H f the sub tion in a Oral(Cat nhalatio organ to oxicity(C c toxicity ments, in	AZAI ostance accorda egory : on(Cate oxicity - Categor (Categor (Categor	RDS I e or mixtu ince with 3), H301 egory 3), repeated ry 1), H40 jory 1), H	DENT ure 29 CFR H331 I exposur 00 I410 Itionary s	TIFIC 1910 (re(Cate	OSHA H egory 2),	N CS) H373				

Danger	÷.,						÷.,	:			;	
Hazard statemer	• •											
H301 + H331												. • •
Toxic if swallowe	ed or if i											
H373		1	' .	,		· .			· .		1	· .
May cause dama	age to c	organs	through	prolonge	d or re	epeated ex	posure	.H410				
Very toxic to aqu	atic life	with Ic	ong lastin	ig effects	S. ,			· .			· .	
Precautionary st	atemen	nt(s)	,		,	1		,	,		ı	
P260			:		1			1	:			:
Do not breathe c	lust/ fur					,		,	,		ł	
P264		:			:	н 1 - 1	1	;			1	
Wash skin thoro	ughly a	fter har	ndling.		· .			· .			· .	
P270												
Do not eat, drink	or smo	oke whe	en using	this proc	duct.	÷.,			÷.	111	1	÷.,
P271												
Use only outdoo	rs or in	a well-	ventilate	d area.		1 1		1			1	
P273							· · · ¹					
Avoid release to	the env	vironme	ent.									
P301 + P310	111			111		1.			÷.,	111		÷.,
							1	.'			. '	
P304 + P340	,			,	1		ï	1			ł	
IF INHALED: Re	move v	victim to	o fresh ai	r and ke	ep at r	est in a po	sition c	omforta	able for k	preathing	-	. * *
P314												
Get medical adv	ice/ atte	ention i	f you fee	l unwell.						111		÷.,
P321				1,	:			, ¹		1		
Specific treatme	nt (see	supple	mental fi	rst aid in	structi	ons on this	s label).					
P330		1			:			1			1	
Rinse mouth.												
P391	,	1		,	:	1.	I	1	1.	t i	1	
Collect spillage.	1	e l'		1	:			:		1	:	

										1.			
P403 +	P233							1			1	:	
Store in	n a well-ve	entilated	d place	. Keep co	ntainer	tightly	closed.						
P405		¹	1		· · · [*]	`:		¹	1		¹	1	. • •
	ocked up.		:	1, 1,	111	-	4	:	:	1	111	:	:
Dispos	e of conte	nts/ coi	ntainer	to an app	roved w	/aste d	isposal pla	ant.	:		1	: É	
Hazard	ls not othe	erwise c	lassifie	ed (HNOC) or not	covere	ed by GHS	S-none				1	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	:		1	1		1	1			
Formula: Cu2Se							1		¹	
Molecular weight: 206	.05 g/mo	ol								
CAS-No.: 20405-64-5			: • •		1	: • •			111	
EC-No.: 243-796-7				. '					:	
Index-No.: 034-002-00		1 1			1 1		I	1 1	1	

SECTION 4. FIRST AID MEASURES

Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.In case of skin contact Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. In case of eye contact Flush eyes with water as a precaution. If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.	
Most important symptoms and effects, both acute and delayed	
The most important known symptoms and effects are described in the labelling (see section 2)	
and/or	
in section 11	
Indication of any immediate medical attention and special treatment needed	
No data available set and set a	
	-
SECTION 5. FIREFIGHTING MEASURES	
Extinguishing media	
Suitable extinguishing media	
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Special hazards arising from the substance or mixture	
No data available	
Advice for firefighters	
Wear self-contained breathing apparatus for firefighting if necessary.	
Further information	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

No data available

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided. Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. Reference to other sections For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.Normal measures for preventive fire protection.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling

the product.

Personal protective equipment Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Form: powder

Odor	:						:		:.	÷	
No data available	· .										
Odor Threshold				i							
No data available pH	:		1 1 1 1	:	4				:		1
No data available			1	:	, , ,	÷.,	:	, , ,		i.	
Melting point/freezing	g point						· .				
No data available				i						i	
Initial boiling point ar	nd boiling	range		;		111	:	1			:
No data available				,	,		,				
Flash pointN/A										t i	
Evaporation rate						'					
No data available											
Flammability (solid, g	gas)	1	111			111		÷.,	111		1
No data available											
Upper/lower flammal	bility or ex		limits	:	1 I	<u>'</u> .	:				
No data available			¹				1				
Vapor pressure											
No data available		1						1.	111		÷.,
Vapor density	:		÷.				:		1		
No data available											
Relative density			'			'		. * *			
6.84 g/mL at 25 °C (
Water solubility	:								111		
No data available			1	;			:			÷	
Partition coefficient:				· .							
No data available	ĩ			ì							
Auto-ignition tempera	ature			1			:	:			1
No data available	,				,						
Decomposition temp	erature		÷.,	; '			1		1	÷	

No data available	:			:		÷.,	:		:	: É	
Viscosity											
No data available									· · · *		. '
Explosive properties											
No data available					4.				; * *		
Oxidizing properties						÷.,			Ξ.	ť	
No data available	۰,						· .			÷.	
Other safety information		ı		ı	ı		,	ı		,	
No data available		1,		1		111	:				
at standa							:	н 1 - 1		:	
SECTION 10. ST	TAE	JILITY	1			/ITY	1				
Reactivity				:			:			:	
No data available											
Chemical stability											
Stable under recommend	ded st	torage co	onditions	; ;		1.			۰,	1	
Possibility of hazardous r	reaction	ons							*	1	
No data available											
Conditions to avoid			1 1 1 1					1			
No data available						÷.,	:		:	i.	
Incompatible materials											
Strong oxidizing agents	`:	. 11	1.1 ¹		. 11			. 11		1	
Hazardous decompositio	on pro	ducts									
Hazardous decompositio	on pro	ducts for			e conditior						
oxides	:			:			e l'		1.	: É	
Other decomposition pro	ducts	-No data	a availab	le			۰ <u>.</u>			· .	
In the event of fire: see s	ectior	n 5		;			;			:	
	:	;		:			:	;		:	
					1						

SECTION 11. TOXICOLOGICAL INFORMATION

				1							
Information on toxicolog	ical effe	ctsAcute	toxicity			÷.			:		
No data available											
Dermal: No data availab	ole		'								. ' '
No data available											
Skin corrosion/irritation				1					111		
No data available	:		÷.,	:		÷.,	i.		÷.,	1	
Serious eye damage/ey	e irritatio	on		·			·				
No data available				;			i				
Respiratory or skin sens	sitisatior	1		1	1			;			
No data available							,				
Germ cell mutagenicity	1		1.	1		÷.,	:		÷.,	1	
No data available							·				
Carcinogenicity											
IARC:									:**		1
No component of this pr	oduct p	resent at l	evels g	reater	than or eq	ual to 0	.1% is	identified	as		
probable, possible or co	onfirmed	human ca	arcinog	en by l	ARC.	· .			` .		
NTP:	1		'			'			1. ¹		
No component of this pr	oduct p	resent at l	evels g	reater	than or eq	ual to 0	.1% is	identified	as a		
known or anticipated ca	rcinoge	n by NTP.	: * *		1.			1.	: · ·		1
OSHA:		, , ,	:			1			1		
No component of this pr	oduct p	resent at l	evels g	reatert	han or equ	ual to 0.	1% is i	dentified a	as a		
carcinogen or potential o	carcinog	gen by OS	HA.			'					
Reproductive toxicity											
No data available											
No data available	:		1.	:		÷.,	:		÷.,	:	
Specific target organ tox	kicity -si	ngle expo	sure			'					
No data available		,		,			I.			1	
Specific target organ to	kicity -re	peated ex	posure		1						;
May cause damage to o	-	• •	•	or rep	eated exp	osure.					
Aspiration hazard				1		1	i.		1	i'	

No data available

Additional Information

RTECS: Not available

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak

pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and

copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., Acute selenium poisoning produces central nervous system effects, which include nervousness, convulsions.

and drowsiness. Other signs of intoxication can include skin eruptions, lassitude, gastrointestinal

distress, teeth that are discolored or decayed, odorous ("garlic") breath, and partial loss of hair and

nails. Chronic exposure by inhalation can produce symptoms that include pallor, coating of the tongue,

anemia, irritation of the mucosa, lumbar

pain, liver and spleen damage, as well as any of the other previously mentioned symptoms. Chronic contact with selenium compounds may cause garlic odor of breath and sweat, dermatitis, and moderate emotional instability., To the best of our knowledge, the chemical, physical, and toxicological

properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity No data availablePersistence and degradability No data available Bioaccumulative potential No data available Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted Other adverse effects

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material.

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

		,				,		,			
SECTION ²	14. T	RA	NSPO		IFOR	RMAT	ION	i.		1	e ^r
DOT (US)	'	1		¹	1		¹	1			
UN number: 328 Class: 6.1	-	:	4	111	1	4,					
Packing group: II		:		1			÷.,				t.
Proper shipping	name:	Seleni	um com	pound, s	olid, n.e	o.s.(Dico	pper sele	enide)			
Poison Inhalatior					,	,		1			1
IMDG UN number: 328					;	÷.,			1,	;••	;
Class: 6.1		:		÷.,	:1		÷.,	:			e la composición de la compo

		1									
Packing group: II			÷.	:		1	:		÷.	:	
EMS-No: F-A, S-A											
Proper shipping name	: SELEI		OMPOUN	ND, SO	LID, N.O	.S.(Dicop	per se	lenide)		1	
ΙΑΤΑ											
UN number: 3283		1	111			111		1	111		
Class: 6.1	:		1	:		1	:			e l'	
Packing group: II			'	· .			· .			· .	
Proper shipping name											
			1 1 1 1		1		:	:,	: ' '	;	
SECTION 15.											:
	REG	ULAT	ORY	INFC	ORMA	TION	:		:.		
SECTION 15.	REG	ULAT	ORY	INFC	RMA	TION					
SECTION 15. SARA 302 Componer	REG nts naterial	ULAT	ORY	INFC report	DRMA	TION rements of	of SAR	A Title II	I, Section	n 302.	. •
SECTION 15. SARA 302 Componen No chemicals in this r	REG nts naterial nts	ULAT are subje	ORY ect to the	INFC report	DRMA	TION rements o	of SAR	A Title II	I, Section	n 302.	.:
SECTION 15. SARA 302 Componen No chemicals in this n SARA 313 Componen	REG nts naterial nts	ULAT are subje	ORY ect to the	INFC report	DRMA	TION rements of	of SAR	A Title II	I, Section	n 302.	.:

2007-07-01

SARA 311/312 Hazards

Acute Health Hazard Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Dicopper selenide CAS-No. 20405-64-5 Revision Date 2007-07-01 New Jersey Right To Know Components

Dicopper selenide

CAS-No.				1			:				
20405-64-5	,			,	ł		,			,	
Revision Date	'	1		1.1 ¹	1		¹	1			1
2007-07-01											
California Prop. 6	5 Com	poner	nts			1					
This product does	s not co	ontain	any che	micals k	nown to	o State of	f Californ	ia to ca	ause can	cer, birth	:

defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

	prope		ne produ	ici.										
	1		÷.	1					1,					,
. '	1			1		*							1	.'
	:		:**	-				÷.,	:	1	1			:
1	ť								1			1	1	
.*	1	. • •	¹		. • •	· · '			¹					. '
	:			-				1	:	1				
1	ť			:			1		1,			1	1	
.*			¹			· · '			'					. *
	:		17	ł					; · ·			: * *		:
1	t.			i.			1		1				ľ	
	1								1	1				