

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 04/12/2022

SECTION 1. IDENTIFICATION

Product Name: Europium Metal

CAS #: 7440-53-1

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS02 Flame

Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air.

Water-react. 2 H261 In contact with water releases flammable gas.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements

Hazard pictograms

GHS02

'			1		'	1			1		
Danger											
Hazard statemen	ts							: .		: .	
H250 Catches fire											
H261 In contact v	vith wate	er relea	ases flam	mable (gas.			, i			, ;
Precautionary sta	itements	P210	Keep awa	y from	heat/sp	oarks/oper	n flame	s/hot su	ırfaces. N	o smoki	ing.
P222 Do not allow	w contac	t with	air.	,			,	,			,
P231+P232 Hand	dle unde	r inert	gas. Prote								' '
P370+P378 In ca	se of fire	e: Use	for extinc	tion: S _l	pecial p	owder for	metal f	ires.			:
P422 Store conte	nts und	er iner	t gas.		,	,		,			,
P501 Dispose of	contents	s/conta	ainer in ac	cordan	ce with	local/region	onal/	`:	. * *		`:
national/internation	onal regi	ulation	S _{r.,}							: .	
WHMIS classifica	ition										
B6 - Reactive flar	nmable	materi	al	: ' '	.:		: ' '	.:		: ' '	,;
Classification sys											,
HMIS ratings (sca	ale 0-4)	;	.**		:	.''		;	.**		
(Hazardous Mate	rials Ide	ntifica	tion Syste	m').						: .	
HEALTH											
FIRE	:			: ' '	.:		: ' '	.:		:	.:
REACTIVITY 1		`:	.**		1	.**		1	.**	• • •	·;
3	: .						: .				
2											
Health (acute effe	ects) = 1				. :		, , ,			:	
Flammability = 3		`:			·:			1	.**		·:
Physical Hazard	= 2				,		,				,
Other hazards											
Results of PBT a	nd vPvB	asses	ssment					1	. :	; ' '	;
PBT:		,	,		,			,	,		,
N/A					`;			`:	.**		·:

Signal word

vPvB:	 		
N/A			

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7440-53-1 Europium

Identification number(s):

EC number:

231-161-7

SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctorMost important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents

Water

Special hazards arising from the substance or mixture

Reacts violently with water

Spontaneously flammable in air.

If this product is involved in a fire, the following can be released:

Europium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards:

Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:Protect against electrostatic charges.

Substance/product is self ignitable.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from air.

Store away from water/moisture.

Do not store together with acids.

Store away from oxidizing agents.

Store away from halogens.

Store away from acid chlorides.

Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

This product is air sensitive.

Protect from humidity and water.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls.

Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only

use equipment tested and approved under appropriate government standards.

Protection of hands:
Impervious gloves
Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by
manufacturer.

Eye protection:

Safety glasses

Protective work clothing.

Full face protectionBody protection:

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Solid

Color: Grey

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 822 °C (1512 °F)

Boiling point/Boiling range: 1596 °C (2905 °F)

Sublimation temperature / start: No data available

Flammability (solid, gas)

Contact with water liberates extremely flammable gases.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: Spontaneously flammable in air.

Danger of explosion: No data available.

(43.761 lbs/gal) Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	1
Vapor pressure: N/A Density at 20 °C (68 °F): 5.244 g/cm 3 (43.761 lbs/gal) Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
Density at 20 °C (68 °F): 5.244 g/cm 3 (43.761 lbs/gal) Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
Density at 20 °C (68 °F): 5.244 g/cm 3 (43.761 lbs/gal) Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
(43.761 lbs/gal) Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
Relative density No data available. Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	,
Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
Vapor density N/A Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
Evaporation rate N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	,
N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	':
N/A Solubility in Water (H 2 O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	.:
O): Reacts violently Contact with water releases flammable gases Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	
Partition coefficient (n-octanol/water): No data available. Viscosity: Dynamic: N/A Kinematic: N/A Other information	1
Viscosity: Dynamic: N/A Kinematic: N/A Other information	
Dynamic: N/A Kinematic: N/A Other information	
Kinematic: N/A Other information	.:
Kinematic: N/A Other information	
No data available	
SECTION 10. STABILITY AND REACTIVITY	
Reactivity	

In contact with water releases flammable gases which may ignite spontaneously.

Reacts violently with water.

Catches fire spontaneously if exposed to air.

Crieffical stability	y	';	. * *		':			';			1
Stable under rec	omme	nded s	torage co	onditions							
Thermal decomp	ositio	n / conc	litions to	be avoid	led:					: .	
Decomposition w				nd stored							
Reacts with stror	ng oxid	dizing a	gents		4			':			
Spontaneously fl											
Contact with water	er rele	ases fla	ammable	e gases							
Reacts violently											
Conditions to avo	oid	.:		: ' '			111			111	.:
No data available	9				1	. * *		1	. * *		
Incompatible man	terials	: : .		: .			1.			:.	
Air Oxidizing agents		.:		:"	,:	*:			*:	:	.:
Halogens		1	. * *		1	. **		1	. * *		·:
Acid chlorides Water/moisture									• • •	:.	
Hazardous deco	mposi	tion pro	ducts:	: ' '				.:		; • •	.:
Europium oxide											
SECTION '									• • • •	: .	
Information on to	xicolo	gical ef	fects	:"	.;	*:		,i		:"	.:

No effects known.

Skin irritation or corrosion:

May cause irritation

No data

LD/LC50 values that are relevant for classification:

1									
o the best of our knowle	edge t								
Additional toxicological i	nforma	ation:		,			٠,	,	
lo effects known.	, :		: ' '	.:		: ' '	.:		:::
Subacute to chronic toxi	city:								
lo effects known.									
Aspiration hazard:	,	,		,	,		,	,	
lo effects known.									
Specific target organ sys	stem to	oxicity - si	ngle ex	posure:		: ' '	,:		:·· .
lo effects known.									
Specific target organ sys	stem to	oxicity - re	peated	exposu	ıre;				
lo effects known.									
Reproductive toxicity:									
	.:		: ' '	, ;		!''	.:		··· .
lo classification data on	carcir	nogenic p	ropertie	s of this	s material	is availa	able fro	m the EPA	, IARC,
lo effects known.	`:			' ;			1	.**	
lo sensitizing effects kn Germ cell mutagenicity:	own.		; * *	,;		: ' '			
May cause irritation Sensitization:									
Eye irritation or corrosion	,			,			1		

SECTION 12. ECOLOGICAL INFORMATION

ToxicityAquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

No data avallable								,	
Additional ecological information	n:								
Do not allow undiluted product of									
systems.		!''	, ;		!''	.:		!''	. ;
Avoid transfer into the environm	nent.		1	. * *		·;	. * *		·:
Results of PBT and vPvB asses	ssment	: .			: .	:.		:.	
N/A vPvB:	• •	:''	.:	• :	:''	,÷	::	:"	.:
N/A	.**		1	.**		`;			1
Other adverse effects									
No data available									
						,;			. :
SECTION 13. DISPO	SAL (CON	SIDE	RATIO	ONS	1:			:
Waste treatment methods			1						: .
Recommendation									
Consult official regulations to er	nsure prop	per disp	osal.		111	.1		; ' '	.:
Uncleaned packagings:						1			
Recommendation:									
Disposal must be made accordi	ng to offic	cial regu	ulations	5-		: .		: .	
			,;					: : :	.:
SECTION 14. TRAN	SPOR	T INF	FORI	MATIO	N				

UN3208

UN-Number

DOT, IMDG, IATA

Mobility in soil

UN proper shipping name

DOT

Metallic	substanc	e, wate	r-reacti	ve, n.o.s.	(Europi	ium)					
IMDG,											
METAL	LIC SUBS	STANCE	E, WAT	ER-REAC	TIVE, I	N.O.S.	(Europium	1)			
Transpo	ort hazard	class(e	es)								
DOT			.;		: ' '	.;		:	.:		
Class			`:			·:			`;		
4,3 Sub							nable gase				
Label											
4.3 Class			.1					***	.:		
4.3 (W2) Substances which, in contact with water, emit flammable gases											
Label											
4.3											
IMDG,	IATA	: ' '	.:			,:		: ' '	.:		
Class4.3 Substances which, in contact with water, emit flammable gases.											
Label	.''			. ' '							
4.3									: .		
Packing	g group										
DÖT, IN	MDG, IATA	$\mathbf{A}_{i\ldots}$.:		: ' '	.;		: ' '	.:		
II, ;			4	. * *		· ;					
	mental ha										
N/A									: .		
•	precautio										
Warning: Substances which, in contact with water, emit flammable gases											
EMS N	umber: F-0	G,S-N	·:	. * *		· ;	. **		·:		
							'8 and the				
N/A											
Transpo DOT	ort/Additio	nal info	rmation	1:	:	.:	• :	:''	.:		
	Pollutant ((DOT):	1	.**		1	. **		·:		

UN "Model Regulation":

UN3208, Metallic substance, water-reactive, n.o.s. (Europium), 4.3, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS GHS label elements, including precautionary statements

Hazard pictograms

GHS02

Signal word

Danger ...

Hazard statements

H250 Catches fire spontaneously if exposed to air:

H261 In contact with water releases flammable gas.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P222 Do not allow contact with air.

P231+P232 Handle under inert gas. Protect from moisture.

P370+P378 In case of fire: Use for extinction: Special powder for metal fires.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, maleSubstance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manuf acturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.