

# SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 24/12/2022

#### **SECTION 1. IDENTIFICATION**

Product Name: Gadolinium Powder

CAS #: 7440-54-2

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

# **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS02 Flame

Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air.

Self-heat. 2 H252 Self-heating in large quantities; may catch fire.

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.

Hazards not otherwise classified

No data available.

GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms

GHS02		٠,,			•	'		٠,		: .	٠.,	
Signal word: Dan	ger											
Hazard statemen	ts	, !						, ;		. :		
H250 Catches fire spontaneously if exposed to air.												
H252 Self-heating	g in larg	je quan	itities; may	/ catch	fire.	1.			1.		'	
H260 In contact with water releases flammable gases which may ignite spontaneously.Precautionary statements												
P210 Keep away		. :	. :									
P222 Do not allow	w conta	ct with	air.									
P231+P232 Hand	dle unde	er inert	gas. Prote	ect from	n moistu	ıre.		'	1.	:	'	
P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.											٠,	
P422 Store conte	ents und	ler iner	t gas.									
P501 Dispose of contents/container in accordance with local/regional/national/international												
regulations. WHMIS classifica	;··· ation			: ' '	"	1,	: ' '	*	÷.			
B6 - Reactive flar	nmable	materi	al		1.	'		· · .			٠.,	
Classification sys	tem	.:			,;							
HMIS ratings (sca	ale 0-4)											
(Hazardous Mate	rials Ide	entificat	tion Syste	m̄')	"	1,	111			: ' '		
HEALTH												
FIRE												
REACTIVITY	. :				. '		. :		. :	. :		
1												
4						· .			1,			
3		٠,						٠.,			٠.,	

Health (acute effects) = 1

Physical Hazard = 3

Other hazards

Flammability = 4

Results of PBT and vPvB assessment:

PBT: N/A.

vPvB: N/A.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7440-54-2 Gadolinium

Identification number(s):

EC number: 231-162-2

# **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

If inhaled:

Supply fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No information available. Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Prevention of secondary hazards:

Keep away from ignition sources.

Suitable extinguishing media Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing media Water Special hazards arising from the substance or mixture Spontaneously flammable in air. If this product is involved in a fire, the following can be released: Metal oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. **SECTION 6. ACCIDENTAL RELEASE MEASURES** Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without official permits. Methods and material for containment and cleanup: Keep away from ignition sources. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure adequate ventilation.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Substance/product is self ignitable.

Conditions for safe storage, including any incompatibilitiesStorage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Store away from air.

Store away from water/moisture.

Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

This product is air sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that should be monitored at the workplace.

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical general protective and industrial hygiene measures for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Penetration time of glove material (in minutes)

No data available.

Eye protection:

Safety glasses

Full face protection

Body protection:

Protective work clothing.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical propertiesAppearance:

Form: Powder

Color: Silver-colored

Odor: No data available.

Odor threshold: No data available.

pH: N/A.

Melting point/range: 1312 °C (2394 °F)

Boiling point/range: 3273 °C (5923 °F)

Sublimation temperature / start: No data available.

Flammability (solid, gas):

Contact with water liberates extremely flammable gases.

Ignition temperature: No data available.

Decomposition temperature: No data available.

Auto igniting: Spontaneously flammable in air.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure at 20 °C (68 °F): 0 hPa

Density at 20 °C (68 °F): 7.9 g/cm³ (65.926 lbs/gal)

Relative density: No data available.

Vapor density: N/A.

.,		' '	,		' '	,		''	,	
Evaporation rate: N/A.							٠,			٠.,
Solubility in Water (H										
2	. ;			, ;			.:			.:
O):										
Contact with water rele	ases fl	ammable	gases		1,	:"		1,	:''	
Partition coefficient (n-c	octano	/water):	: '	٠.,		: '	1		: .	٠.,
No data available.	;		,	;			-			;
Viscosity:	,			,			,			,
Dynamic: N/A.		1,				:"		:		
Kinematic: N/A.										
Other information	٠.,	'		٠,			٠,			٠,
No information availabl	e. , ;		. :	, ;		. :	.:			.:
SECTION 10 S								1,	: ' '	

Reactivity

In contact with water releases flammable gases which may ignite spontaneously.

Catches fire spontaneously if exposed to air.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Spontaneously flammable in air.

Contact with water releases flammable gases

Conditions to avoid

No information available.

Incompatible materials:

Air

Oxidizing agents

Water/moisture

Hazardous decomposition products:

Metal oxide fume

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

N/A

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: N/A

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC,

NTP, OSHA or ACGIH.

Reproductive toxicity: N/A

Specific target organ system toxicity - repeated exposure: N/A

Specific target organ system toxicity - single exposure: N/A

Aspiration hazard: N/A

Subacute to chronic toxicity: N/A

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Aquatic toxicity:

No information available.

Persistence and degradability:			٠,			٠,			٠.,
No information available.									
Bioaccumulative potential:		. :					. :		
No information available.  Mobility in soil:	1,		'	1,	111	'	1,		
No information available.	'	: .	1	'		1	*		٠.,
Additional ecological information	on:		.;		. :	.:	.:		.:
Do not allow material to be rele	ased to t	he envi	ronme	nt without	t official	permits	3.	: ' '	
Do not allow undiluted product	or large	quantitie	es to re	ach grou	nd wate	r, wate	r course	or sewaç	ge
system.	'		1.	'		1	'		٠.,
Avoid transfer into the environr	nent.		, ;			,;			.:
Results of PBT and vPvB asse									
PBT: N/A	1,	: ' '	'	1,		'	1,		
vPvB: N/A. Other adverse effects			1	"		٠.	*		٠.
No information available.			.:			.:			.:
SECTION 13. DISPO						'	1,	:	
Waste treatment methods	'		1	'		1	'		· · ·

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:Recommendation:

Disposal must be made according to official regulations

**UN-Number** 

DOT, IMDG, IATA

UN1383		٠.,			1			٠,				
UN proper shipping name DOT												
DOT		.:		. :			. :	, !				
Pyrophoric metals, n.o.s. (Gadolinium)												
IMDG, IATA	4	'	1,	: ' '	'	1,	:	'				
PYROPHORIC METAL, N.O.S. (Gadolinium)												
Transport h	azard class(	es)										
DOT					. '			, '				
Class	111		;	111	'		: ' '	'				
	nces liable to					1						
Label		1.			1.			· .				
4.2		.:			.:			.:				
Class												
4.2 (S4) Substances liable to spontaneous combustion												
Label						1						
4.2				•	' '		•	',				
IMDG, IATA	Α :	. :										
Class												
4.2 Substar	nces liable to	sponta	neous cor	nbustio	n.		: ' '	'				
Label			'		٠.,							
4.2												
Packing gro	oup	.:										
DOT, IMDO	S, IATA											
I	.,	'	1.	! ' '	'	1.	: ' '	'				
Environmer	ntal hazards:	1	'		٠,	'		٠,				
N/A.								,				
Special pre	cautions for	user		1 1	, '							
Warning: S	Warning: Substances liable to spontaneous combustion											
Transport in	n bulk accord	ling to A	'			'						
N/A.		٠.,			٠.,			٠.,				

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation":

UN1383, Pyrophoric metals, n.o.s. (Gadolinium), 4.2, I

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictogramsGHS02

Signal word: Danger

Hazard statements

H250 Catches fire spontaneously if exposed to air.

H252 Self-heating in large quantities; may catch fire.

H260 In contact with water releases flammable gases which may ignite spontaneously.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P222 Do not allow contact with air.

P231+P232 Handle under inert gas. Protect from moisture.

P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

# **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the

produ	ct with re	egard to	approp	riate safe	ety preca	utions.	It does i	not repre	sent ar	ıy guaraı	ntee of the	e ,	
	properties of the product.												
.;	. :	. :	.:	. :	. :	.;	. :	.:	.:	. :	. :	.;	
'	:,	: '	'	1,	;**	'	1,		'	1,	:		
٠,	'	: '	٠,	'		1	'		٠,	'		٠.	
.;		. :	.:			.;			.;		. :	.;	
'	1,	: "	'	1,	111	'	1,	111	'	1,	:	'	
٠,	'		٠,	'		1	'		٠,	'		٠.	
.:		. :	.;			,;			.;			.;	
'	1,	: ' '	'	1,	111	'	1,		'	1,	:"		
٠.,	'		14	"			'		14			٠,	
											:"		
1	*		1	'		1	'		1	'		٠,	
											. :		
											:		
14.	'		1.	'		'',	'		1	'		٠,	
											:"		
4.						' '			',			٠,	