

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 15/11/2022

SECTION 1. IDENTIFICATION

Product Name: Gallium Arsenide Wafer

CAS #: 1303-00-0

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H331 Toxic if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R23/25: Toxic by inhalation and if swallowed.

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. Information concerning particular hazards for human and environment: N/A Hazards not otherwise classified No data available Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictogramsGHS06 Signal word Danger Hazard statements H301+H331 Toxic if swallowed or if inhaled. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/... P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 Call a POISON CENTER/doctor/... P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)

REACTIVITY

HEALTH

FIRE

	'						, '			1	
0											
1	,	:			: '			:			:
Health (acute effect	cts) =	3									
Flammability = 0				!''			!''		<i></i> *	!''	٠٠.
Physical Hazard =	1		1	. '							
Other hazards		, ,		,	, '			, '		,	, .
Results of PBT an					,			1			
PBT: N/A		٠٠,	P.		٠٠.	P.		٠٠,	<i></i>	: ' '	٠٠,
vPvB:	.'			, '			. '			. '	• :
N/A		:'			i'		:	i'			:'
SECTION 3.	CC	MP	OSITIC	N/IN	FOR	MATIC	о ис	N IN	GRED	IENT	
CAS No. / Substar	ice Na	ame			;		:	;			
1303-00-0 Gallium											
Identification numb	per(s):			: ' '			: ' '		2	: ' '	٠٠.
EC number:				, , '			, , '				
215-114-8											
Index number:		;			; '			;	.**		: '
033-002-00-5							: ' '			: • •	
		•				ı					-

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing has been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

In case of eye contact:

Seek immediate medical advice.

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

CO2, sand, extinguishing powder. Do not use water.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handlingSee Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires:

No data available

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

No data available

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average

face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Arsenic, elemental, and inorganic

compounds (except arsine), as As

mg/m3

ACGIH TLV 0.01; Confirmed human carcinogen

Belgium TWA 0.2

Denmark TWA 0.05

Finland TWA Carcinogen

France VME 0.2

Hungary 0.5-STEL; Carcinogen

Korea TWA 0.01; Confirmed human carcinogen

Norway 0.02

Poland TWA 0.01

Sweden NGV 0.03; Carcinogen

Switzerland TWA 0.1; Carcinogen

United Kingdom TWA 0.1; Carcinogen

USA PEL 0.01

1303-00-0 Gallium arsenide (100.0%)

REL (USA) Ceiling limit value: 0.002* mg/m

3

as As; *15-min; See Pocket Guide App. A

TLV (USA) Long-term value: 0.01 mg/m

3as As; BEI

EL (Canada) Long-term value: 0.0003 mg/m

3

IARC 1

EV (Canada) Short-term value: 0,05 mg/m

3

Long-term value: 0.01 mg/m

_ .

as As

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Refer to 29CFR1910.1018 for regulations on respiratory protection required during exposure to

inorganic arsenic.

Use self-contained respiratory protective device in emergency situations.

Protection of hands:

Impervious gloves
Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Eye protection:

Safety glasses

Body protection:

Protective work clothing

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Solid in various forms

Color: Dark grey/Black

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 1238 °C (2260 °F)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flash point: N/A

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: No data available

Upper: No data available Vapor pressure: N/A

Density at 20 °C (68 °F): 5.31 g/cm

3

(44.312 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H

2

O) Reacts

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / co	onditions to be	avoide	d:		,			
Decomposition will not occur				ng to spec	ification	ns.		
Possibility of hazardous rea	actions		;	. '			.''	
No dangerous reactions kn								
Conditions to avoid				.''	!''	• •	. '	:
No data available		. '		: .			: .	
Incompatible materials: No data available	e de la companya de		;'			:'		: .
Hazardous decomposition	products:				111			
Arsenic compounds		,	'''	, '	,	'''	.'	
								<u>.</u>
SECTION 11. TO	XICOLOG	SICAI	LINF	ORMA	ATIO	N	P.	: .
Information on toxicologica	l effects				111	• •		: ' '
Acute toxicity: Toxic if inhaled.							: .	
Toxic if swallowed.			;	. *		;		
LD/LC50 values that are re	levant for clas	sificatio	n:					
No data				.**	!''	• • •		: ' '
Skin irritation or corrosion:		, '						
Irritant to skin and mucous	membranes.							
Eye irritation or corrosion:			: '	.'			.''	
Irritating effect.								
Sensitization:				, '	; ' '	**,	.'	:
No sensitizing effects know	n. ;			1				
Germ cell mutagenicity:								,
No effects known.			i	r'		i	v.	
Carcinogenicity:								: • •
EPA-A: human carcinogen association between expos	sufficient evid	lence fr	om epi	demiologi	c studie	s to su	pport acau	usal

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

Carcinogen as defined by OSHA.

NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

Acute arsenic poisoning from ingestion results in marked irritation of the stomach and intestines with nausea, vomiting and diarrhea. In severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma and death.

Chronic arsenic poisoning may cause disturbances of the digestive system such as loss of appetite, cramps, nausea, constipation or diarrhea.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Behavioral - excitement.

Behavioral - ataxia.

Behavioral - somnolence (

general depressed activity).

Behavioral - food intake (animal).

Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - true cholinesterase.

Biochemical - Metabolism (Intermediary) -

Plasma proteins not involving coagulation.

Biochemical - Metabolism (Intermediary) - other.

Blood - changes in serum composition (e.g. TP, bilirubin, cholesterol).

Blood - pigmented or nucleated red blood cells.

Blood - changes in erythrocyte (RBC) count.

Brain and Coverings - recordings from specific areas of CNS.

Endocrine - changes in spleen weight.

Endocrine - changes in thymus weight.

Kidney, Ureter, Bladder - changes in tubules (including acute renal failure, acute tubular necrosis).

Liver - changes in liver weight.

Lungs, Thorax, or Respiration - respiratory stimulation.

Lung, Thorax, or Respiration - changes in lung weight.

Lungs, Thorax, or Respiration - fibrosis, focal (pneumoconiosis).

Lungs, Thorax, or Respiration - dyspnea.

Lungs, Thorax, or Respiration - tumors.

Lungs, Thorax, or Respiration - other changes.

Nutritional and Gross Metabolic - weight loss or decreased weight gain.

Nutritional and Gross Metabolic - changes in calcium.

Nutritional and Gross Metabolic - changes in phosphorus.

Peripheral Nerve and Sensation - flaccid paralysis without anesthesia (usually neuromuscular blockage).

Related to Chronic Data - death.

Sense Organs and Special Senses (Eye) - conjunctive irritation. Reproductive - Maternal Effects - other effects.

Reproductive - Effects on Embryo or Fetus - fetotoxicity (except death, e.g., stunted fetus).

Reproductive - Paternal Effects - spermatogenesis (including genetic material, sperm morphology, motility, and count).

Reproductive - Paternal Effects - testes, epididymis, sperm duct.

Reproductive - Fertility - post-implantation mortality (e.g. dead/or resorbed implants per total number

of implants). Reproductive - Fertility - other measures of fertility. Reproductive - Specific Developmental Abnormalities - craniofacial (including nose and tongue). Reproductive - Specific Developmental Abnormalities - musculoskeletal system. Tumorigenic - carcinogenic by RTECS criteria.

Reproductive - Effects on Embryo or Fetus - fetal death.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Ecotoxical effects:

Remark:

Very toxic for aquatic organisms

Additional ecological information:

Do not allow material to be released to the environment without official permits.

Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: N/A vPvB: N/A Other adverse effects No data available	Avoid transfer into the environment.												
PBT: N/A vPvB: 1	y toxi	c for aq	juatic c	organisr	ms								
N/A vPvB:	Results of PBT and vPvB assessment						: '			: '			: '
N/A Other adverse effects No data available		.•	;		e ^r	:**		e.					٠٠.
Other adverse effects No data available	/B: ;					. '					: .		. :
				;'	"			, e ¹		: '	.**	:.	:'
	data a	availabl	le ;···			!''		, e ^r	:''		, e ¹	: ' '	

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Consult official regulations to ensure proper disposal. Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA

UN1557

UN proper shipping name

DOT

Arsenic compounds, solid, n.o.s. (Gallium arsenide)

IMDG, IATA

ARSENIC COMPOUND, SOLID, N.O.S. (Gallium arsenide)

Transport hazard class(es)

DOT

Class			: .			: .				
6.1 Toxic substan	ices									
Label		;	.'		;			;	.''	
6.1										
Class		'',					: ' '			: ' '
6.1 (T5) Toxic sul	ostance	S ,					. '			
Label 6.1		;'	2		;'	e ^r		;	e ^r	: .
IMDG, IATA Class	:''	٠٠,	e.	:''	··.	.*	:''	٠.	e ^r	:
6.1 Toxic substar	ices.			. '	1 1	1 1	. '	1 1		. '
Label 6.1	: .	:'	\mathcal{A}^{\prime}	: .	:"	.*	: .	±"	e ^r	: .
Packing group	; ' '						: ' '			: ' '
DOT, IMDG, IATA	A		: .			: .			: .	
Environmental ha	zards:	:	. '		;			;		: .
Environmentally h	nazardo	us sub	stance, so	olid						
Special precautio	ns for u	ser					: ' '			: ' '
Warning: Toxic s	ubstance	ęs			1 1	1				, '
Transport in bulk	accordi									
N/A		;	. '		;			;		: .
Transport/Additio										
DOT	:	٠٠,		111			: ' '			: ' '
Marine Pollutant	(DOT):			, '						
No UN "Model Regul	ation":	:'	2	: .	:"	2	: .	ť	e de la companya de l	: .
UN1557, Arsenic	compou	ınds, s	olid, n.o.s	. (Galliu	ım arse	enide), 6.1	, II			: ' '

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

1303-00-0 Gallium arsenide

California Proposition 65

Prop 65 - Chemicals known to cause cancer

1303-00-0 Gallium arsenide

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains arsenic and is subject to the reporting requirements of section 313 of the

Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Refer to 29CFR1910.1018 for regulations concerning inorganic arsenic.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.