

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 31/10/2022

SECTION 1. IDENTIFICATION

Product Name: Iridium Oxide

CAS #: 12030-49-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements

Hazard pictograms

GHS03

Signal word

H272 May intensi	fy fire;	oxidize	r.	, '	'.		, '				
Precautionary sta	tement										
P221 Take any p	recautio		oid mixing		ombust	tibles.					
P210 Keep away from clothing/com		-	-	flames/l	hot surf	aces. No	smokin	g.P220	Keep/Sto	re away	/ ·
P280 Wear prote	ctive glo	oves/pr	otective c	lothing/	eye pro	tection/fac	ce prote	ection.	'		
P370+P378 In ca	se of fir	re: Use	for extinc	tion: C0	D2, pow	der or wa	ter spra	ay.			
P501 Dispose of	content	ts/conta	ainer in ac	cordan	ce with	local/regio	onal/				
national/internation	onal reg	julation	S,			. * *			. **		,
WHMIS classifica		1		,·'	·	n!		``.	*	.**	
Classification sys	: ' '	٠٠,					:''	υ,		:"	
(Hazardous Mate	rials Ide	entificat	tion Syste	m)		. * *	٠٠,		. * *	٠٠,	,
HEALTH FIRE		·.,	'		'4,	"		٠,	*	.**	
REACTIVITY	:**	٠٠,					:''	··.		:"	
0	٠٠,		.**		•	.**		٠٠,	.**	•••	
2 **, · · · · ·		٠,		. '	·	'		٠,	'		
Health (acute effe	ects) = [·]	1									
Flammability = 0	: ' '			: ' '	• •		: ' '				
Physical Hazard	= 2		.**			.**					,
Other hazards		_ ' .				'			'		
Results of PBT ar	na vpvl	3 asses	ssment	,	,		,	,		,	
PBT:	: ' '	٠٠.				• • •	:			:''	
vPvB:			.**			.**	٠٠,	٠٠.			,

Danger

Hazard statements

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

12030-49-8 Iridium(IV) oxide

Identification number(s):

EC number:

234-743-9

SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data availableIndication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

For safety reasons unsuitable extinguishing agents

Halocarbon extinguisher

Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released:

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup:

Pick up mechanically.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause

ignition.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store with organic materials.

Store away from metal powders.

Do not store together with acids.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls.

Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)

No data available

Eye protection:

Safety glasses

Body protection:

Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder or solid in various forms

Color: Black

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 1100 °C (2012 °F)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

Contact with combustible material may cause fire.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 11.7 g/cm

3

(97.637 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in / Miscibility with Water at 20 °C (68 °F): 0.002 g/l

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

May intensify fire; oxidizer.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Conditions to avoid

No data available										
Incompatible materials:										
Acids	··.	'		''.	'	. '	··.	'		
Reducing agentsFlamm	able s	substance	es							
Organic materials	٠٠,		!''			!''	**,		111	
Metal powders					. **	•	• • •			
Hazardous decompositi	on pro	ducts:		,				,		
Metal oxide fume			,'	'.		,'	٠.		.'	
			111	111		111			: ' '	
SECTION 11. T	OXI	COLC	GIC	AL IN	IFOR	MATIC	ON,	.**		
Information on toxicolog	gical e	ffects					1	'		
Acute toxicity:										
No effects known.			: ' '			:"			: ' '	
LD/LC50 values that are										
No data		. ' '	'''	'''	.''	''.		. ' '		
Skin irritation or corrosic	on:			٠,			٠,	'		٠.
May cause irritation										
Eye irritation or corrosio	n:		: ' '	• • •		: "	• •		: ' '	
May cause irritation										
Sensitization:										
No sensitizing effects kr	nown.	'	. '		'	. '		'		,
Germ cell mutagenicity:										
No effects known.			: ' '			:''			: ' '	
Carcinogenicity:					, * *			. * *		
No classification data or									EPA, IAR	С,
NTP, OSHA or ACGIH.			. '	',			'.		.'	
Reproductive toxicity:									:**	
No effects known.			,			,			,	
Specific target organ sy	etam t	ovićity -	reneste	d evinos	ure:					

No effects known.									
Specific target organ syste	em toxicity - s	single ex	cposure):					
No effects known.		. '	'''	'	.''	'''	'	'	''.
Aspiration hazard:									
No effects known.		: ' '						: ' '	
Subacute to chronic toxici	ty:		•						
No effects known.			,	'					
Additional toxicological inf								,	
To the best of our knowled	dge the acute	and ch	ronic to	exicity of	this subs	stance i	s not full	y known.	٠٠,
		• • •							
SECTION 12. EC	OLOGIC	CAL II	NFO	RMA1	ΓΙΟΝ				
Toxicity		, '	٠.		, '	''		. '	'.
Aquatic toxicity:		: ' '			111			: ' '	
No data available			·						
Persistence and degradat	oility		***	. * *			.**		٠٠,
No data available			1	'		٠,	"		٠,
Bioaccumulative potential									
No data available		: ' '			111			: ' '	
Mobility in soil									
No data available									
Additional ecological infor	mation:	. '	11.			1.	'		1
Do not allow material to be	e released to	the env	ironme	nt withou	ıt official	permits	S.		
Do not allow undiluted prosewagesystems.	oduct or large	quantiti	es to re	each grou	undwateı	, water	courses	, or	
May cause long lasting ha	armful effects			.**	***		.**	**.	
Avoid transfer into the env		-		'			"		4,
Results of PBT and vPvB									
PBT:		: ' '	•••		111	٠٠.		: ' '	٠٠,
N/A									

vPvB:										
N/A										
Other adverse effects	٠,			'''			1			1
No data available			111				0,		111	
SECTION 13. E								.**		٠٠,
Waste treatment metho				1	*		14.	'		
Recommendation										
Consult official regulation	ons to	ensure p	proper dis	sposal.						
Uncleaned packagings	: '''	. * *	• • •	• • •	. * *	• • •		. * *		٠٠.
Recommendation:				1			1			٠,
Disposal must be made	e accor	ding to c	official re	gulatior	ns.					
	***		1	***		1	***	111	,	
SECTION 14. T	TRAI	NSPO	RTIN	IFOF	RMAT	ION		.**	٠٠,	٠٠,
UN-Number	٠,	'		1			1.			٠.
DOT, IMDG, IATA										
HN1470			: • •						: * *	

UN proper shipping name

DOT

Oxidizing solid, n.o.s. (Iridium(IV) oxide)

IMDG, IATA

OXIDIZING SOLID, N.O.S. (Iridium(IV) oxide)

Transport hazard class(es)

DOT

Class

5.1 Oxidising substances.

Label

Class											
5 1 (O2) Ovidizin	a aubat	anaaa									
Label		٠.	'			'		1.	'		
5.1											
5.1 IMDG, IATA					'''		1				
Class	• • •	٠٠,		٠٠,		. * *	٠٠,	٠٠,	.**		
5.1 Oxidising sub Label	stance	S.	"		14,	'	"	1.	'		
5.1 Packing group											
DOT, IMDG, IAT	A , , ,	٠٠,	. ' '	٠٠,		. * *	٠٠,		.**		
II.		٠,						٠,	"		
Environmental ha	azards:										
N/A	: ' '			: ' '			111			: ' '	
Special precautio											
EMS Number: F-	A,S-Q		. ' '	**,	'''		٠٠.		.**		
Transport in bulk	accord	ing to	Annex I	l of MAR	POL73	/78 and	the IBC (Code		'	
N/A											
Transport/Additio	nal info	rmatic	n: '	: ' '			: ' '			: ' '	
DOT											
Marine Pollutant			,	,	,	,	,	,		,	
No	.'	1.					. '	1.	'		
UN "Model Regu	lation":										
UN1479, Oxidizir	ng solid	, n.o.s	. (Iridiun	n(IV) oxid	de), 5.1	, II	111				
		***	. * *		***		***	**,			

SECTION 15. REGULATORY INFORMATION

Hazard pictograms

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements

GHS03 Signal word Danger Hazard statements H272 May intensify fire; oxidizer. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P220 Keep/Store away from clothing/combustible materials. P280 Wear protective gloves/protective clothing/eye protection/face protection. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male

For use only by technically qualified individuals.

Substance is not listed.

Information about limitation of use:

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)Substance is not listed. Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.