

#### SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 18/11/2022

#### **SECTION 1. IDENTIFICATION**

Product Name: Lanthanum Sulfide

CAS #: 12031-49-1

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

#### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS02 Flame

Water-react. 3 H261 In contact with water releases flammable gas.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements Hazard pictogram GHS02 GHS07 Signal word WarningHazard statements H261 In contact with wate r releases flammable gas. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P231+P232 Handle under inert gas. Protect from moisture. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification B6 - Reactive flammable material D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) **HEALTH** 

FIRE

1	.**	;	.:		: '	.:	.**	:'	.:	.**	;
2 Health (acute effe	; · · ects) = ´	1	<i>2</i> 1	:	:	e <sup>r</sup>	:**	1	e de la companya de l		:
Flammability = 1		; '	:		; '	:		;	:"		;
Physical Hazard Other hazards	= 2	:	3		i'	.:	.**	i'	.:	.**	;
Results of PBT a	nd vPvE	3 asse	ssment	:	:	P.		1	, et		:
N/A		; '	:		; '	;		;	:		;
vPvB:		;	.:		i'	.:	.**	:'	ji	.**	:
			, '			, '	:	;		:	-
SECTION 3	3. CO	MP	OSITIC	N/IN	FOR	MATIC	ON O	N' IN	GRED	IENT:	3
Substances		: '	.1		;	.1	, ' '	:	.:		;
CAS No. / Substa	ance Na	me:									

# SECTION 4. FIRST AID MEASURES

Description of first aid measuresIf inhaled:

Supply patient with fresh air. If required, provide arti

ficial respiration. Keep patient warm.

12031-49-1 Lanthanum(III) sulfide

Identification number(s):

EC number:

234-752-8

Seek immediate medical advice.

In case of skin contact:

REACTIVITY

Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No data available Indication of any immediate medical attention and special treatment needed No data available **SECTION 5. FIREFIGHTING MEASURES** Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Sulfur oxides (SOx) Hydrogen sulfide Lanthanum oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from water/moisture.

Store away from oxidizing agents.

Further information about storage conditions:
Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls.

Risk assessment s	hould be I	performed	to deter	mine if	air-purify	ying resp	irators	are appr	opriate. (	Only
use equipment test	ed and ap	oproved ur	nder app	ropriate	e govern	ment sta	ndards			
Protection of hands	3:	.;	. ' '	: '	.;	.''	: '	.;	.**	:
Impervious gloves										
Inspect gloves prio	r to use.		; , ,			111			:"	
The selection of su	itable glov	ves not on	ly ···	; '	; '		; '	;		:
depends on the ma	aterial, but	also on q	uality. Q	uality w	vill vary f	rom man	ufactur	er to ma	nufacture	er.
Eye protection:				i			i		, ,	
Safety glassesBod	y protection	on:		;		111	;		: "	:
Protective work clo	thing.	,		,	,		,	,		
<u> </u>	: :	: '		: '	: '		:'	: '		
Information on bas	ic physica	l and cher	mical pro	perties		: "	:	2	:	:
Appearance:		:		:'	i'		:	:"		:
Powder		.:			.;		:	.;	.**	:
Color:										
Orange	:	'	111	1		111	;		: ' '	:
Odor:		;		; '	:		; '	:		:
Like rotten eggs										
Odor threshold:	''	, ;	, ' '	ľ	, i	.''	i i	, i	.''	:
No data available. pH:	:		:	:			;			:
N/A		; '		; '	:		;	:		:
Melting point/Meltir	ng range:	į.		, '	:		, ,	:		
2100 °C (3812 °F)	(vac)	, '		i			i			
Boiling point/Boiling	g range:									

No data available

Sublimation temperature / start:

No data available	;
Flammability (solid, gas)	
No data available.	:
Ignition temperature:	
No data available	
Decomposition temperatu	re:
No data available	, ,
Autoignition:	,
No data available.	:
Danger of explosion:	,
No data available.	: '
Explosion limits:	;
Lower:	
No data available	:
Upper:	
No data available	
Vapor pressure:	: '
N/A	
Density at 20 °C (68 °F):	:
4.911 g/cm	
3	
(40.982 lbs/gal)	: '
Relative density	
No data available.	:
Vapor density	: '
N/A	,
Evaporation rate	:

N/A

Solubility in Water (H

O):		:		;	; '		: '	; '
No data available								
Partition coefficien	t (n-octan	ol/water):	.''			. "	; ·	
No data available.				1				
Viscosity:Dynamic	:	. '	,	1	.'	,	1	
N/A		:		;	;		;	: '
Kinematic: N/A		.;	.**	:	.:		:'	.:
Other information			111	;		111	;	
No data available				,	,		,	,
1	··· : '				: '		: '	: '
SECTION 10	D. STA	BILITY	AND	RE	ACTIV	/ITY	:'	.:
Reactivity	:			:			:	
Contact with acids	liberates	toxic gas.						
Chemical stability		;		i	i		i	;
Stable under recor	nmended	storage co	nditions	. :	.:	. **	:	.:
Thermal decompos	sition / co	nditions to	be avoid	ed:				
Decomposition will	not occu	r if used an	d stored	accor	ding to s	pecificati	ons.	
Possibility of hazar	dous rea	ctions		, '	;		; '	:
Reacts with strong								
Contact with acids	liberates	toxic gas.	. ' '	;		. ' '	;'	.:
Conditions to avoid								
No data available			: ' '					
Incompatible mate	rials:	;		;	;		;	:
Oxidizing agents Acids		3	.**	:"	.:		:	.:
Water/moisture								
Hazardous decom		roducts:	,	-	. '		:	

Sulfur oxides (SOx)

Subacute to chronic toxicity:

No effects known.

SECTION 11. TOXIO	COLO	GICA	LIN	FORI	OITAN	N		: ' '
Information on toxicological ef	fects		; '	:		;	:	
Acute toxicity: No effects known.	.:	.**	;'	.;	.**	;	;	
LD/LC50 values that are relevant	ant for cla	ssificatio	on:	<i></i> *	:"	:	2	:**
Skin irritation or corrosion:	:		: '	:		;	:"	
Causes skin irritation.	, :		: '	,:		, '	,:	
Eye irritation or corrosion:								
Causes serious eye irritation.			;			:		: ' '
Sensitization: No sensitizing effects known.	i'		;'	:"		:	;	
Germ cell mutagenicity:	.:	. * *	; '	.:		:	.:	. * *
No effects known.								
Carcinogenicity:		: ' '	;		: "	:		: ' '
No classification data on carci	nogenic p	roperties	s of th	is materi	al is availa	ble fr	om the E	PA, IARC
NTP, OSHA or ACGIH.  Reproductive toxicity:	.:	.**	;	.:		:'	.3	
No effects known. Specific target organ system to	oxicity - re	; epeated	expos	ure:		:		
No effects known.Specific targ	jet organ	system t	oxicity	- single	exposure:	: '	:	
May cause respiratory irritation Aspiration hazard:	n. ,:	.**	;'	.:	20	:'	.:	
No effects known.			;					: "

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# **SECTION 12. ECOLOGICAL INFORMATION**

:			:			:			:		
No data availal	ole	;	:		:	:'			:'		
N/A Other adverse	effects	:			1		:"	:	<i></i> *	:"	
vPvB:		,									
N/A		:'	.:		;'			;	.:		
PBT:		:			;	;'		:	: '		
Results of PBT	and vP	vB asse	essment	111	:		:''	1		: "	
Avoid transfer i	into the e	environ									
systems.	. * *	:		. * *	: '	.;		;	.:	.**	
Do not allow ur	ndiluted <sub>l</sub>	produc	t or large								ige
Additional ecol	ogical in	formati	on:			, .		, ,			
No data availal	ble :	;	. "	: ' '	;		: "	;		: ' '	
Mobility in soil											
No data availal	ole , , ,	; '		. * *	; '	.:		;	.:		
Bioaccumulativ	e potent	tial			: '	;		:	:		
No data availal	ble	,									
Persistence an	d degrad	dability		: ' '				1		: "	
No data availal		;	. '		;	.'	.''	;	. '		
Aquatic toxicity	<b>/</b> :		, i					. 1			
Toxicity '		; '	:		; '	; '		: '	; '		


# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Recommendation

Consult official r	egulatio	ons to	ensure p	roper dis	posal.			:	; '
Uncleaned pack	agings:								
Recommendation	on:	:	.1	. ' '	;	.:	. ' '	:	
Disposal must b			_	_					
1 2		!	. ' '		:		111	:	. ' '
:' :'			; '		, '	;		:	; '
SECTION									
UN-Number	.**	;	.1	.**	;	.:		:"	
DOT, IMDG, IA	ΓA <sub>;</sub> , ,	;		:"	;		111	:	
UN3134									
UN proper shipp	oing nan	ne	;		;	;		:	;
DOT		; '	.:		; '	.:		: '	.:
Water-reactive s	solid, to	xic, n.o	o.s. (Lant	hanum(I	II) sulfic	de)			
IMDG, IATAWA	TER-RE	EACTI	VE, SOLI	D, TOXIO	C, N.O.	S. (Lantl	hanum(II	l) sulfid	e) ,
Transport hazar	d class(	(es)	:"	***	:	;'		:	:
Class	. * *	:'	.;		: '	.:		:	
4.3 Substances	which, i	in con	tact with	water, er	nit flam	mable g	ases.		
Label	: ' '	;	. '	: ' '	;		111	1	
4.3+6.1		;'	:		;	;		:	;
Class			:			:			
4.3 (WT2) Subs	tances	which,	in contac	ct with wa	ater, er	nit flamn	nable gas	ses	
Label									
4.3+6.1							111		, ,
IMDG, IATA		:	:		;	; '		;	: '
Class 4.3 Substances								:	.1
Label 4 3+6 1		:		:''	:		:"	:	

Packing group



H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P231+P232 Handle under inert gas. Protect from moisture.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental

Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.