

SAFETY DATA SHEET

Date Accessed: 25/08/2023 Date Revised: 06/01/2023 SECTION 1. IDENTIFICATION Product Name: Lead(II) Zirconate CAS #: 12060-01-4 Relevant identified uses of the substance: Scientific research and development Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS08 Health hazard Repr. 1A H360 May damage fertility or the unborn child. STOT RE 2 H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative. GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified

No data available

	i i	1		. '	1	1				
GHS label elemen	ts		1							
GHS label elemen	ts, including	g precauti								
Hazard pictogram	S	1.						11		
GHS07 GHS08										
Signal word: Dang	jer		: ' '	, ' [']						
Hazard statements	sH302+H33	2 Harmfu	l if swall	lowed o	or if inhale	ed.	1			1
H360 May damage	e fertility or	the unbor	n child.	1						
H373 May cause o	damage to t	he reprod	uctive s	ystem,	the blood	l, the bra	ain and	the end	ocrine sy	stem
through prolonged	or repeate	d exposur	e. Route	e of exp	poșure: O	ral, Inha	alative.			
Precautionary stat	ements			,			,			
P260 Do not breat	he dust/fun	ne/gas/mis	st/vapor	s/spray		1.			1	1
P261 Avoid breath	ning dust/fui	me/gas/mi	ist/vapo	rs/spra	y.		.1	1.		
P281 Use persona	al protective	equipme	nt as ree	quired.						
P304+P340 IF INH	ALED: Rei	nove pers	son;to fr	esh air	and keep	comfor	table fo	or breath	ing.	
P405 Store locked	l up.									
P501 Dispose of c	ontents/cor	ntainer in a	accorda	nce wit	h local/re	gional/n	ational	/internati	onal	
regulations.				1				14. 14.		
WHMIS classificat	ion									
D2A - Very toxic m	naterial cau	sing other	toxic ef	fects	н н н			н н н	: * *	
Classification syst	em		1			:				
HMIS ratings (sca	le 0-4)									
(Hazardous Mater	ials Identific	ation Sys	tem)					14		
HEALTH										
FIRE				, ' , '	н н н					
REACTIVITY							1		1	
2										
0		· .	. '	1	· .	. '	, '	· .	. '	
0				. 1						
Health (acute effe								1	-	i.
Flammability = 0					1 1 - 1	÷.,	1			1

		1	1		1	1					
Physical Hazard =	0						1	· .		1	· .
Other hazards							ı				
Results of PBT and	d vPvB	asses	sment	. '		1		. '	1	. '	. '
PBT: N/A											
vPvB: N/A											

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS No. / Substance Name: 12060-01-4 Lead zirconium oxide Identification number(s): EC number: 235-039-4 Index number: 082-001-00-6 Additional information: Zirconium is routinely found with a low level of hafnium since separation of the two elements is

difficult.

SECTION 4. FIRST AID MEASURES

Description of first aid measures If inhaled: Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice.In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed No data available

Indication of any immediate medical attention and special treatment needed No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Lead oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protectiv			-					
Use personal protective equipr	nent. Keep	o unpro	otected	persons a	way.			
Ensure adequate ventilation	н 1 — 1	1	`;					1
Environmental precautions: Do not allow material to be rele								
Methods and materials for con	tainment a		anup:			. '	 	
Dispose of contaminated mate	rial as was	ste acc	ording			ı		
Ensure adequate ventilation.	1 1 - 1		1	н 1 - 1			1.	1

			,					
Prevention of secondary hazards		1				`.	1	
No special measures required.								
Reference to other sections	' .		1					
See Section 7 for information on		0						
See Section 8 for information on	personal	protec	ction ec	quipment.			 	
See Section 13 for disposal inform	mation.	:	`.		1	1		

SECTION 7. HANDLING AND STORAGE

Handling										
Precautions for safe handling	н н н	1			1		, , ,	1	1	,
Keep container tightly sealed.			. :	1.		.1				
Store in cool, dry place in tight	ly closed c	ontain	ers.							
Ensure good ventilation at the	workplace			1 I	111					,
Open and handle container wit	h care.									
Information about protection a	gainst exp	losions	s and fi	res:No da	ata avail	able				
Conditions for safe storage, in	cluding an	y incor	npatibi	lities						
Requirements to be met by sto	orerooms a	and rec	ceptacle	es:						
No special requirements.	н н н			н н н			· · ·	111		
Information about storage in o	ne commo	n stora	age fac	ility:	1	1		:		
No data available										
Further information about stora	age conditi	ions:								
Keep container tightly sealed.										
Store in cool, dry conditions in		ed cont			111			111		
Specific end use(s)		1						1		
No data available	· .		.:	14. 14.			1.		.1	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

.

	i i i		l syste		· .		1 1		:	
Properly operating chem	nical fume ho	-					-		-	
face velocity of at least 1	100 feet per	minute.	. '				'.		. '	
Control parameters										
Components with limit va	alues that re	quire moni	itoring	at the work	place:	. '	1	ĩ		
Lead, elemental, and inc	organic comp	oounds (as	s Pb)	1 1 - 1	1			1		
mg(Pb)/m3	.:									
ACGIH TLV 0.05; Confir				'	'	,	,	,		
Austria MAK 0.1										,
Belgium TWA 0.15										
Denmark TWA 0.1		1		1 1 - 1	1		1 1 - 1			
Germany MAK 0.1						.1				÷.
Japan OEL 0.1										
Korea TLV 0.05; Confirn	ned animal c	arcinogen		1 - 1 1	; • •		1 - 1 1			
Netherlands TWA 0.15				1	ı		1		1	
Norway TWA 0.05	:	',		, , ,	· .	1				
Poland TWA 0.05							14			۰.
Sweden TWA 0.05 (resp										
0.1 (total dust)				1 - 1 1	, , , , ,			; • •		
Switzerland MAK-W 0.1	·	:			1					
United Kingdom TWA 0.	.1									
USA PEL 0.05						1				1.
Zirconium and compoun										
mg/m3				1		, ' [']				
ACGIH TLV 10; 10-STE	L, Not classi	fiable as h	uman d	carcinogen	1	`;				
Australia TWA 5; 10-STI	EL			1.						
Austria MAK 5	.: · · · · ·	. '	.'		. '	, '	· .	. '	. '	
Denmark TWA 5										
Finland TWA 5			.'	1	,	, '	ı		. '	
Korea TLV 5					÷.,			÷.,		

		1 1 1	,		1 1 1				. '
Hungary 5-STEL	: .:								
Poland TWA 5; 10-STEL		,	,		,			,	
Russia 6-STEL	: '·.			14			14		.1
OSHA PEL 5									
Additional information: No	data								
Exposure controls	:	1	`.;						÷.
Personal protective equip	ment			1.					
Follow typical protective a	nd hygienic						' .		. '
Keep away from foodstuffs immediately.	s, beverages	and fee	d.Rem	ove all so	biled and	l contar	minated o	clothing	
Wash hands before break	s and at the	end of w	vork,						1
Store protective clothing s	eparately.						·		
Maintain an ergonomically	/ appropriate	working	enviro		. '	. '	' .	. '	. '
Breathing equipment:			. '						
Use suitable respirator wh						,	1		,
Refer to 29CFR1910.1025	5 for regulation	ons on re	espirato	ory protec	ction req	uired d	uring exp	osure to	lead
and lead compounds.	: · · .			1.					.:
Protection of hands:									
Impervious gloves	, · · · · ·				: * *				
Inspect gloves prior to use									
Suitability of gloves should	d be determi	ned both	by ma	iterial and	l quality,	the lat	ter of wh	ich may	vary
by manufacturer.	e de la composition de		.1						
Eye protection: Safety gla	SSES								
Body protection: Protectiv			,	,					
		-							

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

			. '							
Form: Powder or crystals	S ., .	÷.,								
Color: Light yellow										
Odor: Odorless										
Odor threshold: No data										
pH: N/A		111								
Melting point/Melting ran	ge: No dat	a available	1			`:			1	
Boiling point/Boiling rang	je: No data	available		·		:	• .		:	
Sublimation temperature	/ start: No	data availa			1	1		1		1
Flash point: N/A			. '			. '				
Flammability (solid, gas)			1	,			,		,	,
Ignition temperature: No	data availa	able				1		1.	1	
Decomposition temperat	ure: No da	ta available	.:	1. 1.		.1	14. 14.		.:	÷.,
Autoignition: No data ava	ailable.									
Danger of explosion: Pro	duct does	not present	anjex	plosion ha	azard.					
Explosion limits:										
Lower: No data available	; ;	1.						· · ·		
Upper: No data available	• • • • •			14			14		.1	÷.,
Vapor pressure: N/A										
Density at 20 °C (68 °F):	7 g/cm							111		
3									· .	
(58.415 lbs/gal)										
Relative density: No data	a available.			14			1.1			÷.,
Vapor density: N/A										
Evaporation rate: N/A		1.1								
Solubility in Water (H						1			1	
2			;			:			:	
O): Insoluble	i i			,			,	1		
Partition coefficient (n-oc	tanol/wate	r): No data	availat	ole.		. '			. •	
Viscosity:										
Dynamic: N/A				1 1 1		1				

Kinematic: N/A											
Other information											
No data available					14. 1						
		1 I 1	1.1.1		1 I 1	1.1.1		1 I	1.1.1	11	
SECTION 10	. STAE	BILITY		RE			· :	1 1 1		1	
Reactivity No data available		14. 14.		.1	14. 1	et.	.1	14. 14.		.1	
Chemical stability			: * *	. '							
Stable under recom											
Thermal decomposi	tion / cond	litions to	be avoid	ded:		1		,			
Decomposition will r	not occur i	f used ar	nd stored	d accor	ding to s	pecificati	ons.	14. 14.			· .
Possibility of hazard	lous reacti	ons									
No dangerous react	ions know	n			1 I			н н н			
Conditions to avoid						:					
No data available			,	,		1	1			1	
Incompatible materi	als:	1.						1			
None known.											
No data available			1.1.1	. '							
Hazardous decomp	osition pro	ducts:					1				
Lead oxide fume											
SECTION 11	. TOXI	COLC)GIC/	AL IN	IFOR	ΜΑΤΙΟ	DN	1 - 1 1			
Information on toxic	ological ef	fects	÷.,			÷.,	1				
Acute toxicity: Harmful if inhaled.	· .:	<u>с</u> .		.:	1. 1.		.:	1. 1.		.:	۰.
Harmful if swallowed	d.		; · ·		н н н			1 - 1 1	;••		
LD/LC50 values tha											
Skin irritation or con	rosion: Irri	tant to sk	in and n	nucous	membra	ines.					

Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or

no data from epidemiologic studies.

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose,

by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans.

Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

IARC-2A: Probably carcinogenic to humans: limited human evidence; sufficient evidence in experimental animals

Reproductive toxicity: May damage fertility or the unborn child.

Specific target organ system toxicity - repeated exposure:

May cause damage to the reproductive system, the blood, the brain and the endocrine system through

prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Lead and lead compounds may cause abdominal pain, diarrhea, loss of appetite, metallic taste, nausea, vomiting, lassitude, insomnia, muscle weakness, joint and muscle pain, irritability, headache and dizziness. Red blood cells may be damaged resulting in anemia. Gastritis and injury to the kidneys, liver, male gonads, andcentral nervous system may also occur. Inhalation of zirconium and zirconium compounds may cause pulmonary granulomas.

Subacute to chronic toxicity: No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known

			1 I 1			1 I			i i i		
SECTION 1	2. E	COL	OGICA		FOR	MATIC	DN			1.	· .
Toxicity Aquatic toxicity:		.:	14. 1		.1	14. 14.		.:	14. 1		.:
No data available								. 1			
Persistence and o	degrada	ability									
No data available	÷.,	1	н н н	1.		1 1 1	1			÷.,	`:
Bioaccumulative	potentia	al	с. С.					. :			.:
No data available											
Mobility in soil			1 I	; • •		· · ·				; • •	
No data available											
Ecotoxical effects	:										
Remark:		.:							14. 19		.:
Very toxic for aqu	atic org	ganisms	6								
Additional ecolog	ical info	ormation	ו:	: ' '		н н н				: ' '	
Do not allow mate	erial to l	be relea	ased to the	e enviro	onment	without of	ficial pe	ermits.		:	•
Do not allow prod	uct to r	each gi	roundwate	er, wate	r cours	es, or sew	age sy	stems,	even in sr	nall	
quantities.		.:						.:			.:
Danger to drinking	0			•		ies leak in	to the g	ground.			
Also poisonous fo			ikton in wa			1 I				111	. 1 ¹
May cause long la	asting h	armful	effects to	aquatic	life.		1	· .			· .
Avoid transfer into	o the er	vironm									
Very toxic for aqu	atic org	ganisms									
Results of PBT ar	nd vPvE	3 asses	sment	; • •		1 - 1 - 1					
PBT: N/A											
vPvB: N/A	1.			1			1	1		1	1

· · ·										
Other adverse effects		1			1	1		1		
No data available										
<u>i de la construcción de la constru La construcción de la construcción d</u>										
SECTION 13. DIS	POSAL		SIDI	ERAT	IONS					
Waste treatment methods						1		1	1	
Recommendation				· .			· .			,
Consult official regulations				,	1					
Uncleaned packagings: Recommendation:										
Disposal must be made acc	cording to c	official reg	ulation	IS ¹	÷.,	1				
		inolai reg	alation							
lain in air air air				· · .	. 1					
SECTION 14. TRA	ANSPO	RTIN	FOR	ΜΑΤΙ	ON		· · ·			
UN-Number DOT, IMDG, IATA		÷.			4,			Ξ.		
UN3077							14. 14.			
UN proper shipping name										
DOTEnvironmentally hazar	dous subst	ances, so	olid, n.c	o.s. (Lea	d zirconi	um oxio	de)	:**		
IMDG, IATA										
ENVIRONMENTALLY HAZ									1	
Transport hazard class(es)							14. 1			
DOT, IMDG										
Class	1 - 1 1				111		· · ·	111		
9 Miscellaneous dangerous	substance	es and art	icles.		÷.,	1				
Label 9		al a	.:	1.		.:	14. 14.		.:	
Class				1 - 1 1	,			;**		,
9 (M7) Miscellaneous dang										
substances and articles					÷.					

		, '		1 1 1	, ' '	1		. '	1	1 1 1	.''	
Label								1			1	
9 IATA						÷.,			, ,	, ¹		1. 1.
Class												
9 Miscellaneous	dange	erous s	ubstance	es and ar	ticles.	1 1			1	i		
Label	1			1,		, , ,	1					
9 Packing group		.:			.:			.:			.:	÷.,
DOT, IMDG, IAT III	A			:		1 - 1 	:		· · ·	:		
Environmental h	azards	5:		1		1 1 1		1	н 1 — 1	1	1	
Special marking	(ADR)):;	1.		_ :				1. 1.			÷.,
Symbol (fish and	l tree)											
Special marking	(IATA)):		; • •			111			; · ·		
Symbol (fish and Special precautio	1	1		÷.		1 1 - 1	1,			١.		
Warning: Miscell	laneou	s dang	erous su	bstances	and a	rticles		.1	14			1. 1.
Transport in bulk	accor	ding to	Annex I	l of MAR	POL73	8/78 and t	he IBC (Code				
N/A	; • •			1 - 1 - 1 1		1 I			1 I			
Transport/Additio												
Marine Pollutant	(DOT)):			.:	14. 1		.:	, ,		.:	14. 14.
No UN "Model Regu	ulation"	'	• •	: * *						:**		
UN3077, Enviror	nmenta	ally haz	ardous s	substance	es, soli	d, n.o.s. ((Lead zir	conium	n oxide),	9, III:	1	

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements

Hazard pictograms	1	1	н 1 - 1				1		
GHS07	, '	:	·		1	· .			
GHS08		,			,				
Signal word: Danger									
Hazard statements		1			i.				
H302+H332 Harmful if swallowed or i	f inhaled.			÷.,			1	1	
H360 May damage fertility or the unb	orn child.								
H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system									
through prolonged or repeated expos	ure. Route	e of ex	posure: (Oral, Inha	alative.			. •	
Precautionary statements		1				,			
P260 Do not breathe dust/fume/gas/r dust/fume/gas/mist/vapors/spray.	nist/vapors	s/spray	/.P261 A	void brea	athing				
P281 Use personal protective equipm	nent as rec	quired.							
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.									
P405 Store locked up.				•			0		
P501 Dispose of contents/container in	n accordar	nce wi	th local/re	egional/n	ational	/internatio	onal		
regulations				•					
National regulations		, '		, '	. '	· .	. '	. '	
All components of this product are listed in the U.S. Environmental Protection Agency Toxic									
Substances Control Act Chemical sul	ostance In	ventor	у.						
All components of this product are lis	ted on the	Canad	dian Non	-Domest	ic Subs	tances L	ist (NDS	L).	
SARA Section 313 (specific toxic che	mical listir	ngs)	1. 1.						
12060-01-4 Lead zirconium oxide									
California Proposition 65				; • •			111		
Prop 65 - Chemicals known to cause	cancer			1					
12060-01-4 Lead zirconium oxide				· .					
Prop 65 - Developmental toxicity		.:	14. 14.			14			
Substance is not listed.									
Prop 65 - Developmental toxicity, fem	nale		1 - 1 1			1 - 1 1	111		
Substance is not listed.	1	1		4,	1		1		

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains lead and is subject to the reporting requirements of section 313 of the

Emergency Planning and Community

Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Refer to 29CFR1910.1025 for regulations concerning lead and lead compounds.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.