

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 01/01/2023

SECTION 1. IDENTIFICATION

Product Name: Lithium Carbonate

CAS #: 554-13-2

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements

Hazard pictogram

GHS07

Signal word	. '						'			'
Warning										
Hazard statements	S		.''	'		.'		.;	.''	
H302 Harmful if sw	vallowe	ed.								
H319 Causes serio	ous eye	e irritati	on.			1			`;	
Precautionary state protection.	ements	sP280 \	Wear prot	ective g	jloves/p	protective	clothing	g/eye p	rotection/f	ace
P264 Wash thorou	ghly a	fter har	ndling.		. 1	. '	'			'
P305+P351+P338	IF IN I	EYES:	Rinse cau	ıtiously	with wa	ater for se	veral m	inutes.	Remove	contact
enses, if present a	and eas	sy to do	c. Continu	e rinsin	g.		!''	`;	`: 	!''
P301+P312 IF SW	ALLO\	WED: (Call a POI	SON C	ENTER	/doctor/	/if you f	eel unv	vell.	'
P337+P313 If eye	irritatio	n pers	ists: Get n	nedical	advice/	attention.		,		,
P501 Dispose of co	ontent	s/conta	iner in acc	cordanc	e with	local/regic	nal/nat	ional/in	ternationa	al
regulations. WHMIS classificati		`:	1:	:"	1	1:	:''	1	1	:''
D2A - Very toxic m	aterial	causin	g other to	xic effe	cts		'			
Classification syste										
HMIS ratings (scal	e 0-4)		'		,	1			'	
(Hazardous Materi	als Ide	ntificat	ion Syster	ηį).	· :	1	; ' '	· .		
FIRE	. '		.**	'		.**	'		.**	'
REACTIVITY	. '	.:		'				.:		'
2										
1': ':		`;	1	111	1	`;	: ' '	·:	1	: ' '
1 Health (acute effec	, [,] cts) = 2		.00			.**				
Flammability = 1	. '			'			'	.1		
Physical Hazard =										
Other hazards		`;	1	111	· ;	' :	: ' '	·;	1	: ' '

Results of PBT and vPvB assessment

PBT: N/A

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Su	bsi	tan	ces

CAS No. / Substance Name:

554-13-2 Lithium carbonate

Identification number(s):

EC number:

209-062-5

SECTION 4. FIRST AID MEASURES

Description of first aid measures

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayedNo data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohole resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Lithium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

No data available

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.

Additional information:

No data				1 1						
Exposure controls										
Personal protective ed	uipmen	nt		, '			, '			
Follow typical protective	e and h	nygienic p	oractices	for ha	ndling ch	emicals.				
Keep away from foods	stuffs, b	everages	and fee	d.		111				
Remove all soiled and	contan	ninated cl	othing in	nmedia	ately.					
Wash hands before br	eaks ar	nd at the	end of w	ork.			;			:
Avoid contact with the	eyes.	,		,	,		,	,		
Avoid contact with the	eyes a	nd skin.			1,	111			: '	
Maintain an ergonomic	cally ap	propriate	working	enviro	nment.					
Breathing equipment:		. * *	'		. * *	'			'	
Use suitable respirator	r when I	high cond	centratio	ns are	present.		,;		'	.:
Recommended filter d	evice fo	or short te	erm use:							
Use a respirator with t controls.	ype P10	00 (USA)	or P3 (E	EN 143) cartridg	es as a b	oackup	to engin	eeriņg	:
Risk assessment shou	ıld be p	erformed	to deter	mine if	air-purify	ying resp	irators	are appr	opriate. C	Only
Risk assessment shou use equipment tested	·								opriate. (Only
	·								opriate. (Only
use equipment tested Protection of hands:	and app	proved ur	nder app	ropriat	e govern	ment sta	ndards			.:
use equipment tested	and app	proved ur	nder app	ropriat	e govern	ment sta	ndards			
use equipment tested Protection of hands: Impervious gloves	and app	proved ur	nder app	ropriat	e govern	ment sta	ndards			
use equipment tested Protection of hands: Impervious gloves Inspect gloves prior to	and applications and applications and applications and applications are applications.	proved ur	nder app	ropriat	e govern terial and	ment sta	ndards	ter of wh	ich may v	/ary
use equipment tested Protection of hands: Impervious gloves Inspect gloves prior to Suitability of gloves sh	and applications and applications and applications and applications are applications.	proved ur	nder app	ropriat	e govern terial and	ment sta	ndards	ter of wh	ich may v	/ary
use equipment tested Protection of hands: Impervious gloves Inspect gloves prior to Suitability of gloves sh	and app use. ould be	proved ur	nder app	by ma	e govern terial and	ment sta	ndards	ter of wh	ich may v	/ary
use equipment tested Protection of hands: Impervious gloves Inspect gloves prior to Suitability of gloves sh by manufacturer. Material of gloves Nitrile rubber, NBR	use.	proved ur	nder app	by ma	e govern	ment sta	ndards	ter of wh	ich may v	ary
use equipment tested Protection of hands: Impervious gloves Inspect gloves prior to Suitability of gloves sh by manufacturer. Material of gloves	use.	proved ur	nder app	by ma	e govern	ment sta	ndards	ter of wh	ich may v	ary
use equipment tested Protection of hands: Impervious gloves Inspect gloves prior to Suitability of gloves sh by manufacturer. Material of gloves Nitrile rubber, NBR	use. ould be	e determir	nder app	by ma	e govern	ment sta	ndards	ter of wh	ich may v	ary.
use equipment tested Protection of hands: Impervious gloves Inspect gloves prior to Suitability of gloves sh by manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glo	use. ould be	e determir	nder app	by ma	e govern	ment sta	ndards	ter of wh	ich may v	ary.
use equipment tested Protection of hands: Impervious gloves Inspect gloves prior to Suitability of gloves sh by manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glo No data available	use. ould be	erial (in n	nder app	by ma	e govern	ment sta	ndards	ter of wh	ich may v	ary.


Appearance:

Form:

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

	1	, '	1 1	, '	, '	1 1	, '	, '	
Powder or solid in various	forms	Color:							
White	;	`:		· ;	':		· ;	· ;	: · ·
Odor:									
Odorless		. ' '	'		.''	'		.''	
Odor threshold:	:	. '	'			'	.:		
No data available.									
pH _i (5 g/l) _i at 20 °C (68 °F)		`;		· ;	1	: ' '		1	: · ·
10-11.5			'			'			
Melting point/Melting rang				,			,		
723 °C (1333 °F)	1	. '	'						
Boiling point/Boiling range) :								
1310 °C (2390 °F) (dec)	:	`:		:	`;	: ' '	1	`:	: ' '
Sublimation temperature /	start:		'		.**	'		,**	
No data available									
Flammability (solid, gas)	1	. ' '	'	, ;	.'			,'	
No data available.									
Ignition temperature:	1	`:		`;	`}			`;	: ' '
No data available		. ' '	'		. * *			.**	
Decomposition temperatu	re:	. '	'	:	, '		:		
No data available				,	,				
Autoignition:		٠,		',	`:		.,	·,	: · ·
No data available.									
Danger of explosion:		. ' '	'			'			'



SECTION 10. STABILITY AND REACTIVITY

Reactivity		'	, ;			.:		'	.:
No data available									
Chemical stability	1	: ' '	1	1	111	1	·:	: ' '	1
Stable under recommende	d storage cor	nditions	. , ,						
Thermal decomposition / c	onditions to b	e avoid				,	,		,
Decomposition will not occ	cur if used and	stored	accor	ding to s	pecificati	ons.			.:
Possibility of hazardous re	actions								
Reacts with strong oxidizir	ng agents	: ' '	1	`;	111	1	1	111	':
Conditions to avoid									
No data available Incompatible materials:	e e		.;		*	.;		'	.:
Acids Oxidizing agents	4	:''	' ;	1	:"	' ;	1	:''	·:
Hazardous decomposition	products:			. * *					
Carbon monoxide and car	bon dioxide		;	, '		:	, '		
Lithium oxide			,	,		,			,
Ti in the time to	·:		1	`:	(**	1	`:	:''	1:
SECTION 11. TO	XICOLO	GICA	L IN	IFORI	MATIC)N	.**		
Information on toxicologica	al effects		.:			.:			.:
Acute toxicity:									
Harmful if swallowed.	1	; · ·	1	1	;**	1	1	: ' '	1
The Registry of Toxic Effect									this
substance.			,			,	, , ,		
LD/LC50 values that are re	elevant for cla	ssificat	ion:			, ;			.:
Oral LD50 525 mg/kg (rat)									
Skin irritation or corrosion:	1	: ' '	1	1	111	1	·:	: ' '	':
May cause irritation									

Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. Carcinogenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data forthis substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

SECTION 1								,	,		
										'	
No data available			1		`;	1		1	`;	111	· ;
Other adverse effe											
N/A											
N/A vPvB:	'		. * *	'		. ' '	'		. ' '		
PBT:		:	·;	: ' '	1	`;		· ;	1	: ' '	· ;
Results of PBT an											
Avoid transfer into	the en	/ironm	nent.	'	,;		'	.:	, , ,		
systems.			.**	'			'		. * *		
Do not allow undil	uted pro	duct	or large qu	uantities	s to rea	ch ground	water, v	water c	ourses, or	sewage	Э
Additional ecologi	çal infor	matio	n;							: ' '	
No data available					,			,	,		
Mobility in soil		:		'			'				
No data available			. * *	'			'		. **	'	
No data available Bioaccumulative p	ootential	:	`:	:"	`:	4	:''	1:	4	:"	· ;
Persistence and d	legradal	oility	,						,		
No data available		:			:		'				
Aquatic toxicity:							'		. **	'	

Waste treatment methods

Recommendation


Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations

SECTION 14. TRANSPORT INFORMATION



SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements

Hazard pictograms

ignal word Warning Hazard statements H302 Harmful if swallowed. H319 Causes serious eye irritation. Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) 554-13-2 Lithium carbonate California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity 554-13-2 Lithium carbonate

Prop 65 - Developmental toxicity, female

Prop 65 - Developmental toxicity, male

Substance is not listed.

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.