

SAFETY DATA SHEET

Date Revised: 14/12/202 SECTION 1. IDENTIFICATION Product Name: Lithium Nickel Manganese Cobalt Oxide CAS #: 346417-97-8 Relevant identified uses of the substance: Scientific research and development Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or inixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317	÷.,		111				1			Date	Accesse	d: 25/08	8/2023
SECTION 1. IDENTIFICATION Product Name: Lithium Nickel Manganese Cobalt Oxide CAS #: 346417-97-3 Relevant identified uses of the substance: Scientific research and development Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317		н н н			н н н		1 1 - 1	1 - 1 1		Dat	e Revise	d: 14/12	2/2022
Product Name: Lithium Nickel Manganese Cobalt Oxide CAS #: 346417-97-8 Relevant identified uses of the substance: Scientific research and development Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s)									- 1 - 1 1				
Product Name: Lithium Nickel Manganese Cobalt Oxide CAS #: 346417-97-8 Relevant identified uses of the substance: Scientific research and development Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s)	SEC	CTION	1. ID	ENT									
CAS #: 346417-97-8 Relevant identified uses of the substance: Scientific research and development Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317												: * *	1
Relevant identified uses of the substance: Scientific research and development Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317					-								
Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317	_		01 0										
Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317	Relev	ant ident	tified us	sesoft	the subs	stance: S	Scienti	fic resea	rch and	develo	opment		
E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317													
Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317	Stanfo	ord Advar	nced Ma	aterials		: · ·	÷.,			÷.,		111	1
Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s) H317		_											
SECTION 2. HAZARDS IDENTIFICATION													
Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s)													
Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s)													
Skin sensitisation(Category 1), H317 Carcinogenicity(Category 2), H351 GHS Label elements, including precautionary statements Pictogram Signal word Warning Hazard statement(s)	GHS	Classifica	ition in a	accorda	ince with				CS)				
GHS Label elements, including precautionary statements Pictogram Signal word Hazard statement(s) H317	Skin s	sensitisati	on(Cate	egory 1)), H317	,	,		,		,	,	
GHS Label elements, including precautionary statements Pictogram Signal word and base Marning Hazard statement(s) base H317	Carci	nogenicity	/(Catego	ory 2), l	H351		:						
Signal word and in the international interna	GHS	Label elei	ments, i	ncludin	g precal								,
Warning Hazard statement(s)	Pictog	gram						· · ·					
Warning Hazard statement(s) : : : : : : : : : : : : : : : : :	Signa	l word		:						:			
H317	Warn												
H317	Hazai	rd stateme	ent(s)				1					: • •	
	H317												

		1 I I	1 1 1			1 1 1					
May cause an alle	ergic skin re	action.									
H351											
Suspected of cau	sing cancer	-									
Precautionary sta P201	itement(s)		: ' '	÷.		; · ·	Ξ.			1	
Obtain special ins	structions be	efore use.F	202								,
Do not handle un	til all safety	precaution	is have	been re	ad and u	Indersto	od.				. '
P261 Avoid breathing d P272	lust/ fume/ g	jas/ mist/ \	/apors/	spray.			÷.,			4,	
Contaminated wo	ork clothing s	should not	be allow	ved out	of the wo	orkplace)				
0000											. '
							1,		: • •	1	
IF ON SKIN: Was P308 + P313	sh with plent							· · ·			
IF exposed or cor P321	ncerned: Ge	t medical a	advice/ a	attentio	n						.'
Specific treatmen	t (see suppl	emental fi	rst aid ir	structio	ons on thi	is label).			: * *		
P333 + P313 If skin irritation or	rash occurs										
P363											. '
Wash contaminat	ed clothing	before reu	se.								
P405			; • •			; • •	1		: ' '	1	
Store locked up.		1 I.	1.1.1	1 1 1	· · ·	1.1.1		н н н			
P501 Dispose of conter	nts/ containe	er to an ap	proved	waste c	lisposal p	plant.	-			1	. '
Hazards not othe	rwise classi	fied (HNO	C) or no	t covere	ed by GH	S-none	:				

SECTION 3. COMPOSITIO	ON/IN	IFOF	RMATI	ON C	DN IN	IGRED	DIEN	TS
Lithium nickel manganese cobalt oxide								
CAS-No.: 346417-97-8								
Synonyms: NMC	· · · · ·	÷.,		1 1 1 1	1.			1
			1 - 1 1			· · ·		
SECTION 4. FIRST AID M	EAS	URE	S		:			
Description of first aid measures								
General advice		1		1.1.1	1			1
Consult a physician. Show this safety da	ata shee	et to the	e doctor ir	attenda	ance.			
Move out of dangerous area.								
If inhaled					1			:
If breathed in, move person into fresh air	r. If not	breath	ing, give a	artificial	respirat	tion. Cons	ulta	
physician.	,	· ,		,				
In case of skin contact		1 1 - 1	н н н					
Wash off with soap and plenty of water.	Consult	t a phy	sician.					
In case of eye contact								
Flush eyes with water as a precaution.	: • •			: * *			: * *	
If swallowed								
Never give anything by mouth to an unc							ult a	
physician.				. **				
Most important symptoms and effects, b						/		
The most important known symptoms ar and/or	nd effec	ts are (described	in țņe la	abelling		tion 2)	1
in section 11		н 1 — 1	1 - 1 1			н н н		
Indication of any immediate medical atte	ention a	nd spe	cial treatm	nent nee	eded			
No data available								

SECTION 5. FIREFIGHTING MEASURES

111

Extinguishing media		1 - 1 1				
Suitable extinguishing media						
Use water spray, alcohol-resistant foam, dry	chemical	or carbon	n dioxide	Ð.		
Special hazards arising from the substance of						
Nickel/nickel oxides, Lithium oxides, Cobalt/c						
Advice for firefighters					 	
Wear self-contained breathing apparatus for	firefightin	g if neces	sary.		 	
Further information						

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure
adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
For personal protection see section 8.
Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Methods and materials for containment and cleaning up
Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed
containers for disposal.
Reference to other sections
For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

No data available

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2. Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Keep in a dry place. Specific end use(s) Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks

and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES Information on basic physical and chemical properties Appearance Form: powder Color: black Odor No data available **Odor Threshold** No data available pН No data available Melting point/freezing point Melting point/range: > 290 °C (> 554 °F)-lit. Initial boiling point and boiling range No data available Flash point No data available Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive limits No data available Vapor pressure No data available

i ii						1			1 1 1		
Vapor density											
No data available											
Relative density					. * *			. * *			
No data available											
Water solubility				1							
No data available	· · · ·			1 1 - 1							
Partition coefficient:	n-octano	ol/water		:							
No data available		t	1	1	1	1		1	1		,
Auto-ignition tempe	rature			:							
No data availableDe	ecompos	ition tem	perature								
No data available	· · · ·										
Viscosity											
No data available											
Explosive properties	S ;		: • •							1	
No data available											
Oxidizing properties	6				,						
No data available											
Other safety information	ation										
No data available	1		1 - 1 - 1 1	1		; · · ·			; • •	÷.,	
	·	· · ·			· · ·			1 - 1 1			
SECTION 10	. STA	BILIT		D RE		VITY			. • •		
Reactivity											
No data available			: * *			; · ·				1	
Chemical stability											
Stable under recom											
Possibility of hazard	lous reac	ctions			. 11						
No data available				,							
Conditions to avoid							i.		1		
No data available		1 - 1 1		н 1 - 1	1 - 1 1						

,						
1	 	:				
					i	,
•						
	;	;	; ,·· ,·· ;	; , , ; ,	; ;	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity No data available Inhalation: No data available Dermal: No data available No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation Germ cell mutagenicity No data available Carcinogenicity Limited evidence of a carcinogenic effect.

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC. NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA:No component of this product present at levels greater than or equal to 0.1% is identified as a

		1.1.1	1 1 1			1 1 1		1.1.1			
carcinogen or potential	carcino	gen by OS	SHA.		1 I						
Reproductive toxicity											
No data available			1 - 1 1					111			. • •
No data available											
Specific target organ to	xicity -s	ingle expo	osure							1	
No data available		1 I		н 1 — 1	1 - 1 1			· · ·		н 1 - 1	
Specific target organ to No data available	xicity -re	epeated e	xposure	9			-			:	
Aspiration hazard				:						:	
No data available											
Additional Information		· · ·		1 1 - 1	н н н			н н н		н 1 - 1	
RTECS: Not available					1 - 1 1						
Large doses of lithium i	on have	e caused o	dizzines	s and p	prostration	n, and c	an cau	se kidney	damage	e if	
sodium intake is limited	. Dehyd	Iration, we	eight los	s, dern	natologica	l effects	s, and t	thyroid dis	turbanc	es	
have been reported. Ce	entral ne	ervous sys	stem eff	ects the	at include	slurred	speec	h, blurred	vision,		
sensory loss, ataxia, an	id convi	ulsions ma	ay occu	r. Diarr	hea, vomi	ting, an	d neur	omuscular	effects		
such				1			1				
as tremor, clonus, and l	nyperac	tive reflex	es may	occur	as a resul	t of					
repeated exposure to lit	thium io	n	1 1 1 1	1							

SECTION 12. ECOLOGICAL INFORMATION

Toxicity							
No data available	 1 1 1	1,	 		 		
Persistence and degradability	 		 		 		
No data available							
Bioaccumulative potential	 				 		
No data available							
Mobility in soil	 	1	 	1	 	1	
No data available	 		 		 	1.	

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted Other adverse effects

No data available

SECTION	13. DISPOSAL	CONSIDERATIONS

Waste treatment methods Product Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

SECTION 14. TRANSPORT INFORMATION

DOT (US)	 	1	 		 	
Not dangerous goodsIMDG	 		 		 	
Not dangerous goods						
ΙΑΤΑ	 		 		 . * *	
Not dangerous goods						
	 	1	 	1	 111	1

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the

	1						1			1		
threshold (De M	inimis)	reporti	ng level	s establis	shed by	SARA T	ītle III, S	ection	313.			1
SARA 311/312 H												
Acute Health Ha	azard, (Chronic	Health	Hazard								
Massachusetts I	Right T	Fo Know	w Compo	onents								
No components	are su	ibject tc	→ the Ma	ssachuse	etts Rig	ht to Kno	ow Act.			111		
Pennsylvania Ri	ight To	Know	Compor	ients	1 1 1	· · ·						
Lithium nickel m CAS-No.	angan	ese cot	oalt oxid	e 	:			:			:	
346417-97-8	:	÷.		:	4		111	÷.,			:	
Revision Date 2007-07-01		н 1 - 1							• •			
New Jersey Rigl	ht To K	(now C	ompone	nts								
Lithium nickel m												
CAS-No.							111	1		111		
346417-97-8					1						ĸ	
Revision Date					1 1			1 1			1 1	
2007-07-01								1				. '
California Prop.	65 Cor	mponer	nts									
This product doe	es not (contain	any che	emicals k	nown to	o State o	f Califorr	nia to ca	ause car	icer, birth		
defects, or any c	other re	eproduc	ctive har	m.								

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.