

## SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 10/01/2023

### **SECTION 1. IDENTIFICATION**

Product Name: Lithium Oxide

CAS #: 12057-24-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictogramsGHS05

Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects

E - Corrosive material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

**HEALTH** 

**FIRE** 

REACTIVITY

Substances											
SECTION	3, C	OMP	OSITI	ON/II	NFOI	RMAT	TION C	N II	NGRE	DIEN	ΓS
:	;			;			:		;	;	. '
N/A			:		'	:'		'	:		
N/A vPvB:		:	<i></i>	:	:	2		:	2		
Results of PBT a	and vP	vB asse	essment	:'	.**	;'	:"	.**	:	i'	
Other hazards						; '			; '		
Flammability = 0 Physical Hazard	: • •	:	<i>.</i>	:	1	, e <sup>r</sup>		;	, e <sup>r</sup>		
1 Health (acute eff	ects) =	= 3	i'	:"	,0	:"	:"	.**	:"	i'	

CAS No. / Substance Name:

12057-24-8 Lithium oxide

Identification number(s):

EC number:

235-019-5

Description of first aid measures

General information

Immediately remove any clothing soiled by the product. If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No data available **SECTION 5. FIREFIGHTING MEASURES** Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Lithium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Seek immediate medical advice.

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from air.

Store away from water/r	noistur	e. ,		'	; '			: '		
Do not store together wi	th acids	3.								
Store away from oxidizir	ng ager	nts.	: '		: '	;		: '	:	. ' '
Further information abou	ut stora	ge conditi								
Store under dry inert gas	S.				.**	!''			; ' '	
This product is moisture	sensiti	ve.			; '			: '		
This product is air sensit	tive.	, '	, '							
Keep container tightly se	ealed.	,	,	,	,	,		,		'
Store in cool, dry conditi	ons in	well-seale	d conta	ainers.		111	;			;
Protect from humidity ar	nd wate									
Specific end use(s)		;			."			:		
No data available		; '	;			;			:	,
SECTION 8. EX PROTECTION		i'			: '					
Additional information al	oout de	sign of ted	chnical	system	ns:	:		:	;'	
Properly operating chem	nical fur	ne hood d	esigne	ed for h	azardous	chemic	als and	having a	n avera	
face velocity of at least	100 fee	t por minu		,						ge
Control parameters		ı per minu	te.			: ' '		. '	: ' '	_
Components with limit v										:
	alues th	nat require	monit	oring a	t the work	place:	'	:"		
None.	alues th	nat require	monit	oring a	t the work	place:	'	:"		
Additional information:	alues th	nat require	monit	oring a	t the work	place:	.e.	e'	 E	
ivone.	alues th	nat require	monit	oring a	t the work	place:	.e.	e'	 E	
Additional information:	alues th	nat require	monit	oring a	t the work	place:			 e'	

Wash hands before breaks and at the end of work.

Remove all soiled and contaminated clothing immediately.

Keep away from foodstuffs, beverages and feed.

Follow typical protective and hygienic practices for handling chemicals.

Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Onlyuse equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm Eye protection: Tightly sealed goggles Full face protection Body protection: Protective work clothing

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Powder or solid in various forms

Color: White

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 1427 °C (2601 °F)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 2.013 g/cm

3

(16.798 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H

2

O): No data available

Partition coefficient (n-o	ctanol/wate	r): No data a	vailab	le.			:'		
Viscosity:									
Dynamic: N/A	.**	:"	. * *	:	:		; '	:'	. * *
Kinematic: N/A									
Other informationNo dat	a available	:"			: ' '	;	. '	: '	:
<del></del>									
SECTION 10. S	TABILI	TY AND	RE	ACTI\	/ITY	.**	:'	:'	.''
Reactivity		111	;			:			;
No data available									
Chemical stability			'	;		'	:		
Stable under recommen	ded storage	e conditions.		; '	;		;	:	
Thermal decomposition	/ conditions	to be avoide	ed:						
Decomposition will not o	occur if used	d and stored	accor	ding to s	pecification	ons.		: ' '	:
Possibility of hazardous	reactions								
Reacts with strong oxidi				;			i i		
Conditions to avoid		:		:	;		; '	: '	
No data available									
Incompatible materials:	1	:**	;		: ' '	;		: ' '	:
Acids				:					
Air									
Water/moisture	.**	:		:	:		;	: '	
Oxidizing agents									
Hazardous decomposition	on products	): :	;		111	:		:"	:
Lithium oxide				;'			:'		'
		1		; '	: '		:	;'	,
SECTION 11 To	OXICO		I IN	IF()RI	ΜΔΤΙΛ	N			

Information on toxicological effects

Acute toxicity:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Aquatic toxicity:	'	;			; '			;		
No data available										
Persistence and degra	adability		:	, ' '	1		, ' '			
No data available Bioaccumulative poter	ntial	e de la companya de l				:"	:	<i></i> *	:	:
No data available	"	:			:		'	:		
Mobility in soil No data available		:'	:"	,0	:'	:'	.''	:'	:'	.**
Additional ecological in	nformation	on:	: ' '	;		111	;		: ' '	;
Do not allow material t	to be rele									,
Do not allow undiluted	product	or <sup>l</sup> large	quantiti	es to re	each grou	undwater	, water	courses	, or sewa	age
systems.		;	; '	, * *	; '	;		; '	;	
Avoid transfer into the										
Results of PBT and vF	vB asse	essment	: • •			111	;		: ' '	;
PBT:		3		'	:		'	:"		'
vPvB:		;	: '	. * *	;	; '		:'	:	
N/A										
Other adverse effects	:		: ' '	1		:"	;		: ' '	:
No data available		:'		"	: '		'	: '		'
SECTION 13.							.''	:'	:'	

Waste treatment methods

Recommendation ---

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

# **SECTION 14. TRANSPORT INFORMATION**

UN-Number

UN proper shipping name

DOT, IMDG, IATA

UN3262

DOT	ing name				;			:		
Corrosive solid, I	basic, inorga	anic, n.o.s	. (lithium	oxide)	: '	:		:	:	
IMDG, IATA										
CORROSIVE SO	DLID, BASIC	C, INORGA	ANIC, N.	O.S. (lit	hium ox	ide)	;		111	
Transport hazard										
DOT Class	i ve	:"	:"	.**	;	;'	.**	:'	ŧ'	
8 Corrosive subs	stances.Lab	el	;**	;	e (* )	!''	;	<i></i>		
Class		; '			: '		'	:'		
8 (C6) Corrosive	substances	;	r'	.**	:'	;		i'	:	
8 IMDG, IATA	H		;"	;		!''	:	<i>1</i>		
Class		; '			:			:'		
8 Corrosive subs	stances.		r'	.**	;	;	. * *	:"	:'	
8	i"	2	;**	;		:''	:		:"	
Packing group DOT, IMDG, IAT	 A	:"		'	;		'	:		
II :,		:	: '		: '	:		:"	: '	
Environmental ha										
N/A			: ' '	;		: ' '	:		:"	
Special precaution	ons, for user	1		'	:		'	:'		
	1	1	1			1				

Warning: Corrosive substances Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN3262, Corrosive solid, basic, inorganic, n.o.s. (lithium oxide), 8, II SECTION 15. REGULATORY INFORMATION Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

### **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.