

### SAFETY DATA SHEET

									Date	Accesse	ed: 25/08	8/2023
·		1.	1		1.	·	1	1. 1.	Dat	te Revise	ed: 08/11	/2022
.:	1		.:		.:	.:	14	, i	, i	1	, i	
SEC		I 1. IC	<b>ENT</b>	IFICA								
11		111			: * *						111	$\mathbb{R}^{n}$
Produ	uct Name	e: Neody	ymium-	doped Y	ttrium Al	uminun	n Garnet					
CAS	#:	1.	1. i	÷.,		1.1		1.	1			·
		tified us	ses of	the subs	stance: S	Scienti	fic resea	rch and	devel	opment	,i	
Relev			ses of	the subs	stance: S	Scienti	fic resea	irch and	devel	opment	.1	. 1
Relev Supp	ant iden lier deta	ils:										
Relev Supp Stanfo	ant iden lier deta	ils: nced Ma	aterials							opment		
Relev Supp Stanfo E-mai	<b>ant iden</b> <b>lier deta</b> ord Adva l: sales@	ils: nced Ma )samate	aterials rials.co	en e		, et		:**	.et			
Relev Supp Stanfo E-mai Tel: (S	<b>ant iden</b> <b>lier deta</b> ord Adva l: sales@	<b>ils:</b> nced Ma )samate -8904	aterials rials.co	vm :			 4	:**	.et			

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The substance is not classified as hazardous to health or the environment according to the CLP regulation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable Information concerning particular hazards for human and environment: No information known. Hazards not otherwise classified No information known.

			1 1 1		1.1.1	1					
Label elements	·		·	1	1,		1			1	
Labelling according to F											
Not applicable											
Hazard pictograms											
Not applicable											
Signal word	<b>'</b>		÷.,		1		<b>'</b>	1	14. 14.	1	1
Not applicable							. :	1.			
Hazard statements											
Not applicable			,								
WHMIS classificationNo	ot conti	rolled									
Classification system	1 	1	14. 1	1. 	1		1	1	14	1	1
HMIS ratings (scale 0-4	)		. :		1.	.1		1. 1.	.1	.1	
(Hazardous Materials Ic	lentific	ation Sys <sup>.</sup>	tem)								
Health (acute effects) =	1										
Flammability = 0	1				1						
Physical Hazard = 0			· .		· .	· .			· .		· ·
Other hazards				.:				14		1	1.
Results of PBT and vPv	/B asse	essment									
PBT:						111			;**		
Not applicable.	·		·	1	1	÷.,	·			·	
vPvB:											
Not applicable.								14	.:		1

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Substances

CAS# Description:

12005-21-9 Yttrium aluminum oxide-Nd Doped Identification number(s):

EC number:

234-465-8	1. 1.	·		1. 1.	1			1	÷.	· .		:
											. :	۰.
SECTION 4	4. FII	RST		IEAS	URE	S						
Description of first	st aid n	neasure	es	111			111			:**		
After inhalation	1. 1.	·		· .	÷.,	1	1.	÷.,		1. 1.	1	:
Supply fresh air.	lf requ	ired, pr	ovide arti	ificial re	spiratio	n. Keep p	atient v	varm.		.:		
Seek immediate	medica	al advic	e.	. '	, '	· .	. '	. '	<u>'</u> ,	. '	.'	
After skin contac	t											
Immediately was	h with	water a	nd soap	and rin	se thore	oughly.						
Seek immediate	medica	al advic	e.	14	1		Ч.,	1	1. 1.	14	1	
After eye contact		.:	1.	.:		·		.:	1. 1.			۰.
Rinse opened ey												
After swallowing					. · '							
Seek medical tre												
Information for de			i.					<u>`</u>			1 	
Most important s	ymptor	ms <sup>l</sup> and	effects, b	ooth ac	ute and	delayed					.:	1.
No further releva	nt infoi	rmation	available	Ð.								
Indication of any	immed	diate me	edical att	ention a	and spe	cial treatm	nent ne	eded		111		
No further releva	nt infoi	rmation	available	ə. ,	1			1			1	
.:	.:			. :	. :		.:	.:		.:	, :	۰,
SECTION	5. FII	REFI	GHTII	NG N	IEAS	URES						
Extinguishing me	edia						: ' '			: * *		
Suitable extingui		adents	:	· .	·			1	:		÷.,	
Product is not fla										,		
Special hazards						1.						
If this product is i	_											
Metal oxide fume										111		
Protective equipr				÷.,	1		1. 1.	1			÷	:

		1			1				
Wear self-contained respirator.	·	·	÷.	· .	·	÷.		1	
Wear fully protective impervious suit.									
ada a talan adalah dari dari ka									
						_			
SECTION 6. ACCIDENTA		ELEA	SE M	EAS	JRES	5			,
Personal precautions, protective equipr	nent an	d emer	gency pr	ocedure	S		14. 14.	1	
Wear protective equipment. Keep unpro	otected	person	s away.		1				
Ensure adequate ventilation	ï	,							
Environmental precautions:		. '			. '			. '	
Do not allow material to be released to									
Do not allow product to reach sewage s	system o	or any v	water cou	irse.	·	1.	14	1	
Do not allow to penetrate the ground/sc	oil.	. :	1. 1.			1.			
Methods and material for containment a									
Pick up mechanically.							: • •		
Prevention of secondary hazards:									
No special measures required.	· · .	·			·			·	
Reference to other sections									
See Section 7 for information on safe h	andling								
See Section 8 for information on persor	nal prote	ection e	quipmen	t. <sup>; · ·</sup>			111		
See Section 13 for disposal information	I	1			1		1.	1	
la de la la la la									
SECTION 7. HANDLING									
			_						
Handling									
Precautions for safe handling	· · ,	·			1			·	
Keep container tightly sealed.									
Store in cool, dry place in tightly closed									
Information about protection against ex	plosions	s and fi	res:				: * *		
The product is not flammable									
Conditions for safe storage, including a	ny incor	npatibi	lities	· .			1.		

		. '						. '			. '	
Storage	1.		1	÷.,	·	1	÷.,	·	1		1	1
Requiremen	ts to be m	et by st	oreroom	s and re	ceptacl	es:						
No special re	equiremen	its.	14			14	.1				.:	÷.,
Information a		•			•							
Store away f	from oxidiz	zing age	ents.				111					
Further infor	mation ab	out stor	age con	ditions:	1		14	1	1	1. 1.	1	1
Keep contair	ner tightly	sealed.	·			1. j			÷.,	.:	.:	÷.,
Store in cool	l, dry cond	litions ir	n well sea	aled con	tainers.							
Specific end	use(s)											
No further re	elevant info	ormatio	n availab	le.								
	1. S.	1.1			1			1.1	1		1.1	Ξ.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average

face velocity of at least 100 feet per minute.

**Control parameters** 

Components with limit values that require monit	oring at	the workp	lace:Al	uminun	n, soluble	salts (a	S
mg/m3	1			1 - 1 - 1			1 1
ACGIH TLV 5 (welding fumes); 5 (pyro powders	s) ·					.1	.1
10 (metal dust)							
Austria MAK 6 (dust)						; · · ·	
Belgium TWA 10; 2 (salts), 5 (fumes), 5 (resp. c	lust)			1			·
Denmark TWA 10 (dust or fume)							
Finland TWA 2 (salts)							
France VME 10; 5 (fumes), 5 (resp. dust)							
Germany MAK 6							
Hungary TWA 2; 5-STEL, 4-STEL (salts)				5. A.			1

						1 1 1					
Korea TLV 5 (welding fu	umes);	5 (pyro pow	ders)	ч - н н	÷.,		·		1. 1.	1	:
10 (metal dust)											
Norway TWA 5											· · .
Russia 2-STEL											
Sweden NGV 4 (resp. d	lust); 10	0 (total dust	)								
Switzerland MAK-W 6	·		'.				·			1	:
United Kingdom TWA 4	(resp.	dust)	:	:	1.						
USA PEL 15 (total dust)	); 5 (res										
Yttrium and compounds	s, as Y			.'							
mg/m3				1			ı				
ACGIH TLV 1	1.	1.	' · .		1	1. 1.		1	14	1 	:
Austria MAK 1		·				. :	.1	1.	.:	j.	۰.
Belgium TWA 1											
Denmark TWA 1									:**		
Finland TWA 1				1		1	·				
France VME 1	1 	1.	· · ·			1.			1.		
Germany MAK 5		1.	1						1	1	۰.
Korea TLV 1											
Netherlands MAC-TGG	1			, ' ,					: • •		
Norway TWA 1	·	: .	·	·	÷	·	·	÷.		·	:
Poland TWA 1											
Switzerland MAK-W 1		· · .	1						.:		÷.,
United Kingdom TWA 1											
USA PEL 1						1 1 1			111		
Additional information:	·	Ξ.	· .	·	÷.,	· .	1	÷.,		5	:
No data Exposure controls	.1		.:	1	1. 1	3	.1	5. 1	j)	.1	• • •
Personal protective equ	ipment										
General protective and						1	, ' ,			. '	
The usual precautionary	/ meas	ures for han	dling d	chemic	als should	be foll	owed.			5	:,
			-								

Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.		.'				1			1		. '			. '
Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	1	5	1. 1.	1	·	·	÷.	d	and fee	everages	uffs, be	foodstu	ep away from	Kee
Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.							tely.	nmedia	lothing in	minated clo	contam	d and o	emove all soiled	Rei
Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	· .			1.	.1			ork.	end of w	nd at the e	aks an	ore bre	ash hands befo	Wa
Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.									-				-	
Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.												nent:	eathing equipm	Bre
Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	1	1	14. 14.		1	1. 1.	present.	ns are p	centratio	high conc	when h	oirator	e suitable resp	Use
Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.					:		· .	:		· .		ds:	otection of han	Pro
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.				,				1			ı	S	pervious glove	Imp
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.		. '				ion.	per condit	eir pro	use for th	to each u	s prior t	gloves	eck protective	Che
from manufacturer to manufacturer.														
	;	1 1	14		1 	14		1.00				14	ry	var
Evo protoction:					:		· .		1					fror
		1	1	1	1		t	1	r -	,		1	e protection:	Eye
Safety glasses								. '			. '		fety glasses	Saf
Body protection:Protective work clothing					ı			,						
<u>in de la sur sur sur sur sur sur sur sur sur sur</u>	:	·	1		1.1.1	1.		1.1	· .	:	1.1	1.		·

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical pro	perties	 			; • •		
General Information	5	1.	1	;		1	1
Appearance: Form: Powder	.:	.:	.:		.:	.:	•
Odor: Not determined							
Odor threshold: Not determined.		 			: ' '		
pH-value: Not applicable. Change in condition	1 	14	1	4	14. 14.	5	:,
Melting point/Melting range: Not determined		.:			.:		۰.
Boiling point/Boiling range: Not determined							
Sublimation temperature / start: Not determined	I <sup>st</sup>	 					
Flash point: Not applicable	1	14. 14.	1	÷.,	1.	1 1	1

			. '		1	. 1				
Flammability (solid, gaseous	)	1. 1.	·	1	1. 1.	·	1		1	:
Not determined.										
Ignition temperature: Not det	ermined			1.			· · .			· · .
Decomposition temperature:	Not deter									
Auto igniting: Not determined	ł.									
Danger of explosion: Produc	t does not	present	an exp	olosion ha	azard.	1	1		1	÷.,
	5. 1						1.			÷.,
Lower: Not determined										
Vapor pressure: Not applicat	ole.		·		•		:			
Density. Not determined		· .			· ,			<u>,</u>		· ,
Relative density			.1		.1		14	1		÷.,
Not determined. Vapor density										
Not applicable.		1			1					
Evaporation rate	÷.,	1	1 1			1 1			1	:,
Not applicable.	14		. !	1. 1.						÷.,
Solubility in / Miscibility with	Water: No	t determ	ined							
Partition coefficient (n-octand	ol/water): N	Not dete	rmined	-	1 - 1 - 1 1					
Viscosity: dynamic: Not applicable.										
kinematic: Not applicable.		.1		14	.1		14	.1		÷.,
Other information										
No further relevant information	on availabl	le.						;**		
		1	1 1					1.		÷.
SECTION 10. STA	BILITY		) RE		/ITY					÷.,
Reactivity			. '							
No information known.										
Chemical stability										

Stable under recommended storage cond	ditions	S	1		·	:		·	:
Thermal decomposition / conditions to be									
Decomposition will not occur if used and	store	d accor	ding to s	pecificati	ons.	1			· · .
Possibility of hazardous reactions									
No dangerous reactions knownCondition	s to a	void		111			1.1		
No further relevant information available.	· ·	1. 			1	1		1	:,
Incompatible materials: Oxidizing agents	.:	.:						.:	÷.,
Hazardous decomposition products: Metal oxide fume							:**		
	·	·	:	·	·	1	· · · ·	·	

# SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects				111					
Acute toxicity: No effects known.	14. 14.	5		1.	5	÷.	1. 1.	5	:
LD/LC50 values that are relevant for	classifica	tion:		.1		14. 14.			
No data									
Skin irritation or corrosion:							: • •		
May cause irritation	1.	·	1		·	÷.		1	
Eye irritation or corrosion:									
May cause irritation		.1							
Sensitization:									
No sensitizing effects known.							111		
Germ cell mutagenicity:	1. 1.	·	1		·			1	
No effects known. Carcinogenicity:		.1		.:	,÷	÷.,	.:	, i	1.
No classification data on carcinogen	ic properti	es of th	is materi	al is avai	lable fr	om the E	EPA, IAR	С,	
NTP, OSHA or ACGIH.					, ·			, <sup>è</sup>	

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard:

No effects known.

Subacute to chronic toxicity:

Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease.

Yttrium is similar to the lanthanons and may have an anticoagulant effect on blood. Exposure to lanthanons may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage.

Subacute to chronic toxicity:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity									
Aquatic toxicity:		. :						.:	
No further relevant information available									
Persistence and degradability				111			111		
No further relevant information available	.Bioaco	cumula	tive pote	ntial	1			1	
No further relevant information available Mobility in soil		.:	1.	.1		14. 14.	,i	.:	
No further relevant information available	•								
Additional ecological information:					. '				
General notes:	14	1		1. 1.	1		1. 1.	1.1	

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT:	÷.,	1			1	1	1	1		1. 1.	·	
Not applicable. vPvB:	.1	.1	1. 1.	.1	.1	Ч.,	.:	.:	1. 1.		.1	
Not applicable.												

Other adverse effects No further relevant information available.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment meth								,			
Recommendation			<b>`</b> ,			1.			· .		
Consult state, local or	nationa	l regulatio	ons to ei	nsure p	roper dis	posal.					
Uncleaned packagings	8:										
Recommendation:						:**			111		
Disposal must be mad	e accor	ding to o	fficial reo	gulation	S.	·	1	1	÷.,	·	

#### **SECTION 14. TRANSPORT INFORMATION**

Not a hazardous mate										
UN-Number	·		14	1		<b>'</b>	1	1. 1.	1	1.
DOT, IMDG, IATA None	, i	14. 1	.:			.1	14. 1	.1	.1	1. 1.
UN proper shipping na DOT, IMDG, IATA	ime		;••	, · <sup>*</sup>						
None	1 1	÷.,		1	1	1	1		1.1	1.

							. '				
Transport hazard class(	(es)	1	· .	1		1. 1.	1	:		1	:
DOT, ADR, IMDG, IATA											
Class	.:				14			11	.1		÷.,
None											
Packing group						: * *			111		
DOT, IMDG, IATA	1 1		1. 1.	1		14	·	1		·	:
None Environmental hazards:		14. 1	.1			.:	.1	14. 1	.1	.1	14. 14.
Not applicable. Special precautions for			1 1 1 1 1			; • •			111	, et	
Not applicable.		1	1. 1.	1	÷.,	1.	1		1. 191	1	:
Transport in bulk accord	ding to	Annex II	of MAR	POL73	/78 and t	he IBC (	Code	1.		.:	۰.
Not applicable.											
Transport/Additional info	ormatio	on;				; • •					
Not dangerous accordir Marine Pollutant (DOT)	1	e above			DOT	· ,	1. 	1,			:
No	. :			.1	1. 1.				.1		٠.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity	÷.,	·		1.	·	÷.	÷.,	·	
Substance is not listed.									
Prop 65 - Developmental toxicity, femal	е					1.			
Substance is not listed.									
Prop 65 - Developmental toxicity, male									
Substance is not listed.	1. 1.	1 	1	1. 1.	·		14	1	
Information about limitation of use:		:	1.						
For use only by technically qualified ind			1	1	,	1	1		
Other regulations, limitations and prohib	oitive re	gulatio	ns		. '			. '	
Substance of Very High Concern (SVH	C) acco	rding to							
Substance is not listed.	1		1	14	1	1	14	1	
The conditions of restrictions according	to Artic	le 67 a	nd Anne	x XVII of	the Re	gulation	(EC) No	.:	
1907/2006 (REACH) for the manufactur	ring, pla	icing or	n the mar	ket and	use mu	ist be ob	served.		
Substance is not listed.	: • •			; • •				11	,
Annex XIV of the REACH Regulations (	requirin	ng Auth	orisation	for use)					
Substance is not listed.						1.			
REACH - Pre-registered substances						1. 1.			
Substance is listed.									
Chemical safety assessment:				111			111		
A Chemical Safety Assessment has not	been c	arried	out.	1. 1.	1		1. 1.	1	

#### **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.