

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 12/12/2022

SECTION 1. IDENTIFICATION

Product Name: Nickel Molybdate

CAS #: 14177-55-0

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS08 Health hazard

Carc. 1B

H350 May cause cancer.

STOT RE 1 H372 Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Inhalative.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Hazards not otherwise classified.

No data available

GHS label elements GHS label elements, including precautionary statements Hazard pictograms **GHS07 GHS08** Signal word DangerHazard statements H317 May cause an allergic skin reaction. H350 May cause cancer. H372 Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Inhalative. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 2 Flammability = 0 Physical Hazard = 1 Other hazards

Results of PBT and vPvB assessment

PBT:

vPvB:	,										
N/A	.'	;		, '	;		.'	:		, '	:
	: ' '			111			: "			111	
SECTION	3. C	OMP	OSIT	ON/II	NFO	RMA1	TION (וו אַכ	NGRE	DIEN'	TS
Substances CAS No. / Subs			•••	2	1:	***	, e ^r	1			·:
14177-55-0 Nic	kel mo	lybdenu	ım oxide							;**	
Identification nu	ımber(s	s):									
EC number:		:			;			;			:
238-034-5				, , ,	' ;			1			•
Index number:											
028-057-00-7	: ' '				٠٠.		111		٠,	111	
1	. :	:			:			:	1		:
SECTION	4. F	IRST	AID I	MEAS	URE	ES,		1			
Description of fi	irst aid	measu	res								
If inhaled:	: ' '			: ' '		•	111			: ' '	
Supply patient	with fre	sh ạir. I	f not brea	athing, p	rovide	artificial :	respiratio	n. Kee	p patient	warm.	:
Seek immediate	e medio	cal advi	ce.		,			,			,
In case of skin	contact	: ':			`;			1			·:
Immediately wa	ash with	n soap a	and wate	r; rinse tl	horoug	hly.					
Seek immediate	e medio	cal advi	ce.	: ' '		• •	111		**.	: "	• •
In case of eye o	contact:	:			;			:			;
Rinse opened e	eye for	several	minutes	under ru	unning	water. Co	onsult a l	ohysicia	an.		
If swallowed:Se	eek med	dical tre	atment.		1		. '				·:
Information for	doctor										

Most important symptoms and effects, both acute and delayed

No data available

N/A

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Molybdenum oxides

Nickel oxides

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average

face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: 14177-55-0 Nickel molybdenum oxide (100.0%) PEL (USA) Long-term value: 1 mg/m as Ni REL (USA) Long-term value: 0.015 mg/m as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.2 mg/m as Ni; inhalable fraction EV (Canada) Long-term value: 0.1 mg/m Inhalable fraction, as Ni Additional information: No data Exposure controls Personal protective equipment Follow typical protective and hygienic practices for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment:

Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls.

Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary

manufacturer.

Material of gloves

Nitrile rubber, NBR

Penetration time of glove material (in minutes)480

Glove thickness

0.11 mm

Eye protection:

Safety glasses

Body protection:

Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder

Color: Green

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density: No data available

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H

2

O): Insoluble

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A


Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

May cause an allergic skin reaction.



Germ cell mutagenicity:				;			;			:
No effects known.										
Carcinogenicity:	`;			`:		'	' ;			':
May cause cancer.										
IARC-1: Carcinogenic to	o huma	ns: suffic	ient evi	dence	of carcino	ogenicity		***		'',
ACGIH A1: Confirmed h	numan	carcinoge	en: Agei	nt is ca	ırcinogen	ic to hun	nans b	ased on e	epidemio	ogic
studies of, or convincing	g clinica	al evidend	ce in, ex	posed	humans.		,			,
NTP-K: Known to be ca	rcinoge	enic: suffi	cient ev	idence	from hur	man stud	lies.			1
Reproductive toxicity:										
No effects known.	'''		,	'',	• • •	,	'',		,	
Specific target organ sy	stem to	oxicity - re	peated	expos	ure:		:			
Causes damage to the Route										
of exposure: Inhalative.										
Specific target organ sy):	,	'',		,	'''
No effects known.							;			:
Aspiration hazard:							4			
No effects known.										
Subacute to chronic tox	icity:								: "	,
No effects known.										
Additional toxicological	informa	ation:	. :		: .					
To the best of our know	ledge t	he acute	and chr	onic to	xicity of t	his subs	tance i	s not full	y known.	
$\mu_{ij} = \mu_{ij} = -i \theta_{ij}$: "	
SECTION 12. E	COL	.OGIC		NFO	RMAT	ION				
	1		1 1	1			1			1

Toxicity

Aquatic toxicity:No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available	;			;			;	: .		:
Mobility in soil										
No data available	·:			';			·;		'	<u>':</u>
Additional ecological in										
Do not allow material t	o be rel	eased to	the env	ironme	nt withou	ut official	permit	S.		
Avoid transfer into the	environ	ment.		:	: .		;	:	. :	:
Results of PBT and vF PBT:	PvB asse	essment	, '	1		,,*	1			1:
N/A vPvB:	**,	٠٠,	111	• • •		111	***		: "	٠٠.
N/A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:		. :	;	: .		:	: .	. :	:
Other adverse effects				1			';			
No data available										
	***		;	***	***	; ' '	***	***	;	
SECTION 13.	DISP	OSAL	CON	ISID	ERAT	IONS	:			:
Waste treatment meth	ods			';			';			·:
Recommendation										
Consult official regulat	ions to	ensure p	roper dis	sposal.	• •				: ' '	
Uncleaned packagings Recommendation:	S: ;			:			:	:.		:
Disposal must be mad	e accor	ding to o	official re	gulatio	ns.		`:			1
0, 0, 0			111			111			111	

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, ADN, IMDG, IATA

N/A

UN proper shipping name

DOT, ADN, IMDG, IATA

N/A		;	:			:			: .			
Transport hazard	d class(e	es)										
DOT, ADR, ADN	, IMDG,	IATA			':			`;				
Class N/A	:			:			:''		٠.	: ' '		
Packing group					;			;		. :		
DOT, IMDG, IAT	Α	1			1		2		***			
N/A	:		н.									
Special precaution	ons for u	ser			:			:		. :		
N/A				, , ,	,		,,'	· ;				
N/A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code												
N/A	: ' '				1.1					: • •		
Transport/Addition	onal info	rmatio	n:									
DOT	. :									. :		
Marine Pollutant	(DOT):N	Vo		. "	1			1		. '		
SECTION			LATO	RY II	NFOI	RMATI	ON					
Safety, health an	nd enviro	nment				specific fo						
GHS GHS label	element	s, inclu	iding prec	autiona	ry state	ements		`:		. • *		
Hazard pictograr	ns											
GHS07	: ' '			: ' '		•••			•	:		
GHS08		:			;			;				
Signal word Danger	. · '	'n		, e ²	1		, c'	1				
Hazard statemer	nts											
H317 May cause			n reaction		'',	***	,	''.		1		
H350 May cause	cancer.	. :	1		:	1	. :	:				

H372 Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure.

Route of exposure: Inhalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

14177-55-0 Nickel molybdenum oxide

California Proposition 65

Prop 65 - Chemicals known to cause cancer

14177-55-0 Nickel molybdenum oxide

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.