

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 25/01/2023

SECTION 1. IDENTIFICATION

Product Name: Niobium C-103 Alloy

CAS #:

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements.

Hazard pictograms

GHS02

Signal word

Danger	:,	.:	. * *	;,	.:		1,	, :		1,	.:
Hazard statement	-										
H228 Flammable	solid.										
Precautionary sta	temen	ts									
P210Keep away f	rom he	eat/spa	rks/open	flames/l	not surf	aces. No	smokin	g.	'	:	
P280	1,	.:		1,	, ;		1,	.:		1,	, :
Wear protective g	loves/	protect	ive								
clothing/eye prote	ction/f	ace pro					. '				
P240						'				: ' '	
Ground/bond con								,			,
P241	1,	, ;		:.	.:	. ' '	1,	.:	. * *	:.	.:
Use explosion-pro	oof ele	ctrical/\	/entilating	/lighting	ı/equipr	nent.	, '			,	٠.,
P370+P378 In ca	se of fi	ire: Use	e for extino	ction: C	02, po\	wder or wa	ater spr	ay.			
WHMIS classifica	tion			: ' '	1 1	'				: ' '	
B4 - Flammable s	olid										
Classification sys	tem	, i	.**	·,	, i	.**	1,	, '	. ' '	·,	, '
HMIS ratings (sca	ale 0-4) '			1		. '				٠.,
(Hazardous Mate	rials Id	entifica	ntion Syste	em)							
Health (acute effe	ects) =	1.		: ' '		'	: ' '		'	: ' '	
Flammability = 3	;	;		;			;	:		:	
Physical Hazard =		'	,		'	,		•	,		
Other hazards	. "			. '	1		. '				
Results of PBT ar											
PBT:	111		'	! ' '	1 1	'	111		'	: ' '	
N/A	1,	.:		1	, ;	. * *	1,	,:		1,	, :
vPvB:				,			,			,	
N/A											

Substances CAS No. / Substance Name: 7440-03-1 Niobium Identification number(s): EC number: 231-113-5 7440-58-6 Hafnium powder Identification number(s): EC number: 231-166-4 7440-32-6 Titanium Identification number(s): EC number: 231-142-3 **SECTION 4. FIRST AID MEASURES** Description of first aid measures If inhaled: Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

No data available

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Niobium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. SECTION 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow product to enter drains, sewage systems, or other water courses. Methods and materials for containment and cleanup:

See Section 7 for information on safe handling

Ensure adequate ventilation.

Reference to other sections

Prevention of secondary hazards:

Keep away from ignition sources.

See Section 8 for information on personal protection equipment.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilitiesRequirements to be met by storerooms and receptacles:

Store in a cool location.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.	1,	.:	. * *	1,	, :		1,	.:	, * *	1,	.:
Additional inform											
No data	, '			. '		• • • •					
Exposure contro											
Personal protect	tive equi	pment					111				
Follow typical pr	otective	and hy	gienic pr	actices	for har	ndling che	micals.	, ;	.**	:.	.:
Keep away from	foodstu	iffs, bev	erages a	and fee	d.						٠
Remove all soile	ed and c	ontamiı	nated clo	thing in	nmedia	tely.	,			,	
Wash hands bef	ore brea	aks and	l at the e	nd of w	ork.		: ' '			: • •	
Maintain an ergo	onomica	lly appr	opriate v	vorking	enviror	nment.					
Breathing equip	ment:	.:			. :	. * *	1.		. **	1.	.:
Use suitable res	pirator v	vhen hi	gh conce	ntration	ns are p	oreșent.					٠
Recommended to	filter dev	vice for	short teri	m use:							
Use a respirator controls.	with typ	e P100) (USA) o	or P3 (E	N 143)	cartridge	s as a b	ackup	to engine	eriņg	
Dil					,						
Risk assessmen	it should	be per	formed to	o deteri	mine if	air-purifyii	ng resp	irators a	are appro	priate. 0	Only
use equipment to		-								priate. (Only
	ested ar	-								priate. (Only
use equipment to	ested ar	nd appr	oved und	der app	ropriate	e governm	ient sta	ndards.			٠,,
use equipment to	ested ar	nd appr	oved und	der app	ropriate	e governm	ient sta	ndards.			٠,,
use equipment to Protection of har Impervious glove	ested ar nds: es rior to u	nd appr	roved und	der app	ropriate	governm	ent sta	ndards.		: : : : : : : : : : : : : : : : : : :	
use equipment to Protection of har Impervious glove Inspect gloves p Suitability of glov by	ested ar nds: es rior to u	nd appr se.	oved und	der app	ropriate	e governm	ent sta	ndards.	er of whic	ch may v	/ary
use equipment to Protection of har Impervious glove Inspect gloves p Suitability of glove	ested ar nds: es rior to u	nd appr se.	oved und	der app	ropriate	e governm	ent sta	ndards.	er of whic	ch may v	/ary
use equipment to Protection of har Impervious glove Inspect gloves p Suitability of glov by	ested ar nds: es rior to u	nd appr se. uld be c	oved und	der app	ropriate	e governm	ent sta	ndards.	er of whic	ch may ν	/ary
use equipment to Protection of har Impervious glove Inspect gloves p Suitability of glov by manufacturer. Material of glove Nitrile rubber, NI	ested ar nds: es prior to us ves shou	nd appr se.	oved und	der app	by mat	e governm	quality,	ndards.	er of whic	ch may v	/ary
use equipment to Protection of har Impervious glove Inspect gloves p Suitability of glove by manufacturer. Material of glove	ested ar nds: es prior to us ves shou	nd appr se.	oved und	der app	by mat	e governm	quality,	ndards.	er of whic	ch may v	/ary
use equipment to Protection of har Impervious glove Inspect gloves p Suitability of glov by manufacturer. Material of glove Nitrile rubber, NI	ested arends: es erior to unives shoulds es es erior glove	se. uld be c	oved und	der app	by mat	e governm	quality,	ndards.	er of whic	ch may v	/ary
use equipment to Protection of har Impervious glove Inspect gloves p Suitability of glove by manufacturer. Material of glove Nitrile rubber, NE Penetration time	ested arends: es erior to unives shoulds es es erior glove	se. uld be c	oved und	der app	by mat	e governm	quality,	ndards.	er of whic	ch may v	/ary
use equipment to Protection of har Impervious glove Inspect gloves p Suitability of glove by manufacturer. Material of glove Nitrile rubber, NI Penetration time 480	ested ar nds: es rior to us ves shou	nd appr se. uld be c	determine	der app	by mat	e government and	quality,	ndards.	er of whice	ch may v	/ary

Safety glasses

Body protection:

Protective work clothing

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIESInformation on basic physical and chemical properties

Appearance:

Form: Powder

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available.

Boiling point/Boiling range: No data available.

Sublimation temperature / start: No data available

Flammability (solid, gas)

Highly flammable.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Relative density

No data available.

Vapor density

N/A

Evaporation rate			:,	, ;		1,	, :		:.	
N/A										
Solubility in Water (Η						'			
2 O): Insoluble		"						*	:"	
Partition coefficient	(n-octano	l/water):	No data	availab	le.,··	1,	, :		1,	,;
Viscosity:										
Dynamic: N/A			,			,			,	
Kinematic: N/A										
Other information										
No data available	.:		1.	, ;	. * *	1,		. * *	1.	
• • • • • • • • • • • • • • • • • • • •			. '	٠		, '			. '	
Reactivity No data available Chemical stability	.i					4, 12			4, 21	
Stable under recom		storage c	onditions	S.						
Thermal decomposi	tion / cond	ditions to	be avoid	ded:		: ' '				: '
Decomposition will r	not occur	if used a	nd store	d accor	ding to s	pecificati	ons.		1,	
Possibility of hazard	ous react	ions								
Reacts with strong of	oxidizing a	agents		'		'	'			'
Conditions to avoid										
No data available			:			; , ,			:	
Incompatible materia	als:	. * *	:.	, ;	. * *	1,		. * *	1,	.:
Oxidizing agents	1								,	
Hazardous decompo										
Niobium oxide			:**			:**			: ' '	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

SECTION 1	3. D	ISPO	OSAL	CON	ISIDI	ERAT	TONS	;		:	:
: 1				111				: '		: "	
No data available		·			' 			· · · ·		<u>'</u>	···
Other adverse effe	ects										
N/A	:,	.:	, * *	1,		, **	1,	.:		1,	, :
vPvB:	: ' '			111		'	111			: "	
N/A											
PBT:	. '	٠		. '	1			1			٠
Results of PBT and	d vPvI	3 asse	ssment	٠,	. '	.''	1.	. '	.''	٠.	. '
Avoid transfer into	the er	nvironi	ment.	:	!		:	:		1	
Additional ecologic	cal info	rmatio	on:	: ' '		'	111			111	: '
No data available											
Mobility in soil	. • '	٠						1			٠
No data available	:.	. :	.**	1,	, !	.**	1.	, ;	. * *	1.	.:
Bioaccumulative p	otentia	al									
No data available	: ' '			: ' '						;**	
Persistence and de	egrada	ability									
No data available	, ,										٠
Aquatic toxicity:	:,	.:	. * *	:.		. * *	1,	.:	.**	1,	.:

Waste treatment methods

Recommendation

Toxicity

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

SECTION	14. 1	[RAI	NSPO	RT IN	FOR	RMATI	ON		
UN-Number	: ' '			111			: "		
DOT, IMDG, IAT	A ;	.;			.:		:.	.;	
UN3089				, '					
UN proper shipp				,			,		
DOT	;**		"	: ' '		'			
Metal powders, f									
IMDG, IATA	1,	.;	.**	1,		. * *	1.		. ' '
METAL POWDE	R, FLA	AMMAE	BLE, N.O	.S. ,				٠	
Transport hazard	d class	(es)							
DOT	;**			: ' '		"	;**		
Class									
4.1 Flammable s			active sub						
Label		1			1			1	
4.1									
Class	: ' '			: ' '			111		
4. ₁ 1 (F3) Flamma	ble so	lids, se	lf-reactiv	e substa	nces a	nd solid	desensiti	ised exp	plosives
Label	,	,		,	,	,		,	
4.1									
IMDG, IATA									
Class	: ' '			: ' '		'			
4,1 Flammable s	solids,	self-rea	active sub	ostançes	aņd so	olid dese	nsitised (explosiv	/es.
Label									
4.1	. '			. '			, '		
Packing group			'				111		

DOT, IMDG, IATA

Environmental hazards	: ;:		1,	.:		:,	.:		1,
N/A									
Special precautions for	user		. '	'	• • •		'		
Warning: Flammable so									
EMS Number: F-G,S-G	i '							'	
Segregation groups	.:	. * *	:,	. :	. **	1.		.**	:,
Heavy metals and their	salts (i	ncluding t	heir org	janome	tallic com	pounds), powc	lered meta	als
Transport in bulk accor	ding to	Annex II o	of MARI	POL73/	78 and the	e IBC C	ode		,
N/A				1 1		111	1 1		
Transport/Additional inf	ormatio	n:							
DOT	.:	. * *	:.		. **	:.	, ;	.**	1.
Marine Pollutant (DOT)	i						٠.,		
No									
UN "Model Regulation"	:UN308	9, Metal p	powders	s, flamr	nable, n.o	.s., 4.1,	$\Pi_{\frac{1}{2}}(\cdot)$	'	;**
ji ja 1	.:		1,	.:		1,	.:		:.
SECTION 15. F	REGL	JLATC	RYI	NFO	RMAT	ION	1		
Safety, health and envi	ronmen	tal regula	tions/le	gislatio	n specific	for the	substar	nce or mix	ture
GHS GHS label elemer	nts, incl	uding pre	caution	ary stat	ements	111	1	'	: ' '
Hazard pictograms			1			1,			
GHS02									
Signal word	1		. '						
Danger									
Hazard statements		'	1	1	'			'	1
H228 Flammable solid.	.:		1,	.:	. * *	1,			:,
Precautionary statemer	nts		, e'	1			٠		

Wear protective gloves/protective clothing/eye protection/face protection.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ventilating/lighting/equipment.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.