

SAFETY DATA SHEET

· · .			··.,	1	1.1.1	· · .	1		Date /	Accessed:	25/08	/2023
1. 1.									Date	e Revised:	08/11	/202
- E	:	1 - 1 1		: Contraction of the second se	1 I			1 - 1 1		i.	1 - 1 1	1
SE	CTION	1. ID	ENT	IFICA [.]	TION							
	uct Name					· · · .	1		11	1	; • •	۰.
C 4 6	#• 7//0_0	3_1	iiii inain	oparticles		1.	1 - 1 1		1. 1.			÷.,
			ses of t	ne subst	ance: S	scienti	ric resea	rcn and	develo	pment		:
	olier detai		toriolo									
Starn E-ma	il: sales@	samate	rials.co	m	; • •	· · .	1. n.		11.	1		۰۰,
	_					·			÷.,	1 - 1 1		
	ess: 2366											
1			:	:					:			: 1
Class GHS(Flam	02 Flame . Sol. 1 H2	of the su 228 Flan	bstance nmable	e or mixtu solid.	re in ac	cordan	ce with 2	9 CFR 1	910 (O	SHA HCS)		1. 1.
11	rds not ot		classifi	ed		· · · .	5			1		··.
	ata availal		· .			· .			· .			
GHS	label elen	nents			i.	i.	,	1		,		÷.,
												14. 14.
The p	product is	classifie	d and la	abeled in	accorda	ance w	ith 29 CF	R 1910	(OSHA	HCS)		
	product is rd pictogr		d and l	abeled in	accorda	ance w	ith 29 CF	R 1910	(OSHA	HCS)		
Haza	rd pictogr	ams				1				HCS)		:
Haza GHS(rd pictogr	ams				1			· · ·			:

	1 1 1	· · ·		1 1 1		· · ·			· · ·		114	· · ·
Hazard statement	S	·	н н н		·						·	
H228 Flammable	solid.											
Precautionary stat	emen	ts	1		:	: ¹		:	t.		i.	
P210 Keep away	from h	ieat/sp	arks/oper	n flames	s/hot sı	urfaces. N	No smok	ing.				
P280 Wear protec	tive g	loves/p	orotective	clothing	g/eye p	rotection	/face pro	otection	' I.		11.	· · ·
P240 Ground/bon electrical/ventilatir				ving equ	uipmen	t.P241 U	se explo	sion-pr	oof	· · ·	÷.,	
P370+P378 In cas	se of fi	ire: Use	e for extin	iction: (CO2, po		water sp	oray.			1	1
WHMIS classificat	ion											
B4 - Flammable se	olid	· · .	·		· · .	1	; • •	· · .	1. a.	111	11	1
Classification syst	em	1. 1.	н н н		÷.,	1 - 1 1		1. 1.			1. 1.	
HMIS ratings (sca	le 0-4)										-
(Hazardous Mater	ials Id		ation Syst								:	
HEALTH FIRE		··.	1		· · .	1		···.	1		···,	·
REACTIVITY		14. 14.	н н н		1. 1.	н н Н		14			14	
1 : · · · · · · · · · · · · · · · · · ·		;	ť		1	:	• •	;	ť	· · · ·	:	:
1 ,	; · ·	· · .	1	; • •	· · .	5		· · .	1			·
Health (acute effe	cts) =	1										
Flammability = 3		<u>'</u>	1 I	1		1		1				
Physical Hazard =	: 1		:	1 I 1		:		:	e ^r		:	
Other hazards												
Results of PBT an	id vPv	B asse	essment:		· · ,	1	: • •	· · .	1	111		÷.,
PBT: N/A.		1. 1.	1 - 1 1	· · ·					н н н			
vPvB: N/A.												
												1

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:			'.,			·			· .	
7440-03-1 Niobium										
Identification number(s):			:	1						
EC number: 231-113-5	1			1	111		1	111	· · .	۰.
SECTION 4. FIRST						14		1 - 1 1	14	
Description of first aid measu		· · ·	;			:	i.		1	:
If inhaled:	165									
								111	· · .	۰.
Supply fresh air. If not breath Seek immediate medical adv	ing, provi	de artific	ai resp		ep pat	ient wa	rm.			
In case of skin contact:						:			:	
Immediately wash with soap	and wate	r; rinse tl	horoug	hly.						
Seek immediate medical adv	ice.	1.1.1	· · .		: * *	· · .	1	111	· · .	۰.
In case of eye contact:						• .			· .	
Rinse opened eye for severa	l minutes	under ru	unning	water. Cor	nsult a j	ohysicia	an.	1	1	
If swallowed:			÷.			÷.	ľ		÷	
Seek medical treatment.										
Information for doctor	1		· · · .	1.0	: * *	•••	1.0	111	··.	۰.
Most important symptoms an	d effects,	both ac	ute,and	delayed						
No information available.	,	,								,
Indication of any immediate n	nedical at	tention a	and spe	ecial treatn	nent ne	eded			÷	
No information available.										
$(\alpha_1,\ldots,\alpha_{n-1}$		1.1.1		1. 	111	· · · ·	1	111	· · .	۰.
SECTION 5. FIREF						· .				
Extinguishing media	e'		:	ť		ť	a' i		ť	
Suitable extinguishing media	·			1			1			
Special powder for metal fires	s. Do not	use wate	er.							
For safety reasons unsuitable	e extingui	shing me	edia	н н Н		1. 1.	н н н		14	

	114				· · ·		11	· · ·		11	
Water	5. 1			۰.			÷.,			1. 1.	
Special hazards arisi											
If this product is invol	ved in a f	ire, the fol	lowing	can be	release	d:		t.			:
Niobium oxide											
Advice for firefighters	· · · .	1 			1			1			·
Protective equipment	:	· · ·		۰.	1 I		۰.	н н Н		1. 1.	
Wear self-contained r	espirator	- ;'									
Wear fully protective	imperviou		,	I			I			I	
	· · · .	1. 			1			1		· · .	·
SECTION 6. A		ENTA	L RE	LEA	SE M	EASL	JRES	5			
Personal precautions	, protectiv	/e equipm	ent _e an	d emer	gency pr	ocedure	S	i.			:
Wear protective equip	oment. Ke	ep unprot	tected	person	s away.						
Ensure adequate ven	tilation	1		· · ,	1		· · .	1	111	· · .	·
Keep away from ignit	ion sourc	es									
Environmental precau	utions:			· .						· .	
Do not allow product	to reach s	sewage sy	vstem o	or any v	vater cou	irse.	1	t.		1	:
Methods and materia	l for conta	ainment ar	nd clea	nup:							
Ensure adequate ven	tilation.	1.0			1		· · .	1.1		11	·
Prevention of second	ary hazar	ds:		· .			۰.			1. 1.	
Keep away from ignit	ion sourc										
Reference to other se	ections				: ¹						:
See Section 7 for info	ormation o	on safe ha	ndling								
See Section 8 for info	ormation o	on persona	al prote	ection e	quipmen	it.		1.1	; · ·		·
See Section 13 for di	sposal inf	ormation.		14. 14.	н н н	1 - 1 1	14. 14.	н н н	1 - 1 1	14	
- atomatico da	:			1				:		; '	

SECTION 7. HANDLING AND STORAGE

Handling Precautions for safe handling

		1.1		· · .	1.1	1.1.1	· · .	1.1		11	
Keep container t	ightly sealed.	· · ·		· .			1. 1.			÷.,	
Store in cool, dry				ers.							
Ensure adequate	e ventilation.	:	1 1					:			
Information abou				s and fi	es:						
Protect against e	electrostatic ch	arges.	1 1 1	· · .	· · ·		· · ·	1		11	1
Conditions for sa	afe storage, inc	luding ar	ny incor	npatibil	ities		14	н н н		1	
Storage Requirements to	be met by sto						e ^r		• •	:1	:
Store in a cool lo	ocation.	5			·			·			·
Information abou	1										
Store away from	oxidizing age	nts.	1 I	· · ·			14			14	
Further informati	ion about stora	ige condi	tions:	:				:			
Keep container t	ightly sealed.										
Store in cool, dry	y conditions in	well-seal	ed;cont	ainers.	1	: • •	· · .	1	:**		·
Specific end use	(s)No informat	ion availa	able.		н н н					1. 1.	
SECTION	8. EXPOS								• •		:
PROTECT	ION	·	1 1 1 1		·			·			

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that should be

monitored at the workplace.

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical general protective and industrial hygiene measures for handling chemicals.

Keep away from foodstuffs, beverages a	ind fee	d.						·
Remove all soiled and contaminated clo	thing in	nmedia	itely.					
Wash hands before breaks and at the er	nd of w	ork.			1	: ¹		:
Breathing equipment:								
Use suitable respirator when high conce	ntratior	ns are	present.	1		'		••••
Recommended filter device for short terr	n use:	· · ·			1. 1.	н н н		÷.,
Use a respirator with type P100 (USA) o controls.	r P3 (E	N 143)) cartridge	es as a l	backup	to engin	eering	ť
Risk assessment should be performed to	o deteri	mine if	air-purify	ing resp	irators	are appr	opriate. (Only
use equipment tested and approved und	ler app	ropriate	e governr	nent sta	ndards	·	111	•••
Protection of hands: Impervious gloves	1 I 1							÷.,
Inspect gloves prior to use.								
Suitability of gloves should be determine by	ed both	by ma		1				/ary
manufacturer.	· · · · ·		1. 	111	· · .	1	;**	··.
Material of gloves		· .			1. 1.			÷.,
Nitrile rubber, NBR Penetration time of glove material (in min	nutes)		ť	, , ,	:	;	н н н	e ^r
480 Glove thickness	1 1 1 1	···.	5	;	···.	·		··.
0.11 mm		· .	н н н		1. 1.			1. 1.
Eye protection: Safety glasses								
Body protection: Protective work clothing		i	i.			i		i
and the state of t						1		
SECTION 9. PHYSICAL A	ND (CHE	MICAI	- PRO	OPEF	RTIES		14
Information on basic physical and chemi	cal pro	perties			1	e ^r		: '
Appearance:								

Form: Powder

Color: gray

	· · · · · · · · · · · · · · · · · · ·		11				· · ·		· · · ·	
Odor: Odorless			1.		1 - 1 1	۰.			÷.,	
Odor threshold: No data	a available.									
pH: N/A.						1				
Melting point/range: 24	77 °C (4491 °F)									
Boiling point/range: 492	27 °C (8901 °F)		· · · .	1 		11.	1		· · ·	
Sublimation temperatur	e / start: No dat	a availa	ble.	н н н		1			1. 1.	
Flammability (solid, gas	s): Highly flamm	able.	,				,			
Ignition temperature: N	o data available	.Decom			ature: No					
Auto igniting: No data a	available.									
Danger of explosion: N	o data available									
Explosion limits:		· · ·	14	н н н		1. 1.			14	
Lower: No data availab	le.									
Upper: No data availab			'							
Vapor pressure: N/A.				1	111		5		· · .	·
Density at 20 °C (68 °F										
Relative density: No da	ta available.		· · .						14. 1	
Vapor density: N/A.	ti di					:	e ^r		, ¹	:
Evaporation rate: N/A.										
Solubility in Water (H	$\alpha_{1}=-2\alpha_{1}$: * *	· · .	1			1		· · .	·
2 O): Insoluble			14. 1	1 - 1 1		14. 14.			14	
Partition coefficient (n-c	octanol/water): I	No data	availab	le.	1 - 1 1	:	e ^r		i.	:
Viscosity:	,									
-		: * *	· · ·	1	111		1	:**	· · .	
Kinematic: N/A.			۰.,						۰.	
Other information										
No further relevant info	rmation availab	le	t.			;	:			1
10 10 10. 10.	and the second			1			1	: * *	· · .	۰.

SECTION 10. STABILITY AND REACTIVITY

		· · ·	· · ·	111	· · ·		1 1 1			1.1.1	11	· · ·
Reactivity		·			•			·			·	
No data availabl	<u>م</u>											
Chemical stabilit	iy	ť	1		:	:			:			
Stable under rec			-									
Thermal decomp	position	n / conc	litions to	be avoid	led:	1 		Ч.,	1		· · .	<u>'</u>
Decomposition v	vill not	occur i	f used a	nd stored	accor	ding to s	pecificati	ons.			1. 1.	
Possibility of haz	zardous	s reacti	ons									
Reacts with stro	ng oxic	lizing a	gents	1	1	;			1			
Conditions to av	oid					·						
No information a												
Incompatible ma	terials	· · ·	н н Н				· · ·	14. 14.	· · ·		14	
Oxidizing agents	6	:	:		:	:			:			
Hazardous deco												
Niobium oxide	:	··.,	1			1		· · .	1		· · .	÷
		1. 	н н н		1. 1.		1 1	1	1 1		1. 1.	
SECTION	11. T		COLO	OGICA		IFORI	MATIO	DN				
Information on to	oxicolo	gical ef	fects									
Acute toxicity:	; • •	· · .	1 		· · .	1	; • •	· · .	1		· · .	÷.,
The Registry of	Toxic E	Effects	of Chem	ical Subs	tances	(RTECS	6) contaii	ns acut	e toxicity	data for	this	
substance.	,	,		,	,	,				,		
LD/LC50 values	that ar	e relev	ant for c	lassificati	ion: Nc	o data	· · ·	1		1 - 1 1		

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: N/A

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: N/ASpecific target organ system toxicity - repeated exposure: N/A

Specific target organ system toxicity - single exposure: N/A

Aspiration hazard: N/A

Subacute to chronic toxicity: N/A

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity			·			·			·
Aquatic toxicity:									
No information available.			н н н	1 1					
Persistence and degradability:						e ^r		÷	
No information available.									
Bioaccumulative potential:			1. 			1	111	· · .	·
No information available. Mobility in soil:		14				н н н		14. 14.	
No information available.	· · ·	1			i.	d.		÷.	
Additional ecological information:									
General notes:		· · · ,	1	111		1	111	· · .	÷.,
Avoid transfer into the environment.		· .		1 1	· .			·	
Results of PBT and vPvB assessment:									
PBT: N/A.						t.		i.	1
vPvB: N/A.									
Other adverse effects			1. a.			1	111	· · .	·
No further relevant information available			н н Н			· · ·		14. 14.	

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation:

				,			1					
Consult state, lo	ocal or r	nationa	l regulat	ions to e	nsure p	proper dis	posal.	·			·	
Uncleaned pack	agings											
Recommendatio	on:	1	1		:		1 1		:			:
Disposal must b			-		-							
			1			1			1 		111	
											14	
SECTION									:			
UN-Number	1	,		ı	1	,	,	,		1	1	
DOT, IMDG, IAT	TA _, ,		1			·			·			· .
UN3089												
UN proper shipp	ping na	me		1				1.1			1	
DOT		l.	t.	1 - 1 1				:			:	:
Metal powders,	flamma	able, n.	o.s. (Nio	bium po\	wder)							
IMDG, IATA		· · .	1.1		· · .	1 		· · .	5		11	۰.
METAL POWDE	ER, FLA	AMMAE	BLE, N.C).S. (Niol	bium po	owder)		· .			· .	
Transport hazar												
DOT			l.			1			:			:
Class												
4.1 Flammable	solids, s	self-rea	ictive su	bstances	s and so	olid desei	nsitised	explosi	ves.Label		11	1.
4.1		1. 1.	н н н	1 - 1 1	· .	н н н		1. 1.	н н н		14. 14.	
Class												
4.1 (F3) Flamma	able so	lids, se	lf-reactiv	ve substa	ances a	nd solid o	desensit	ised ex	plosives			
Label 4.1			·			·			·			
IMDG, IATA		1						1.		1		
											:	:
4.1 Flammable	solids, s	self-rea	ictive su	bstances	s and so	olid desei	nsitised	explosi	ves.			
		· · .			· · .	1 		· · .	1	111		۰.
4.1 Packing group	1 1											
Packing group				,		1						

·										
DOT, IMDG, IATA	1. 1.				1 - 1 1					÷.,
11										
Environmental hazards:	1				:					:
N/A.										
Special precautions for u	user				·		11. 1	1 		۰۰.
Warning: Flammable so	lids, se	elf-reactive	e substa	nces a	nd solid de	esensiti	ised ex	plosives	н н н	÷.,
EMS Number:										
F-G,S-G	i	i.	,	i	1		i			i
Segregation groups		·						·	· · ·	
Heavy metals and their										,
Transport in bulk accord	ling to	Annex II c	of MARF	POL73/	78 and the	BC C	ode			14
N/A.										. '
Transport/Additional info	ormatic	on:								
	· · .	1			1		· · .	1	:	· · .
Marine Pollutant (DOT):										
No										÷.,
UN "Model Regulation":	:					1 I		1		: '
UN3089, Metal powders	, flamr	nable, n.o	.s. (Nio	bium po	owder), 4.′	1, II				
	,	·		,						
SECTION 15. R	EGL	JLATO	RY I	NFO	RMATI	ON				÷.,
										. 1

Safety, health and envir	onment	al regulati	ons/leg	islation	specific fo	or the s	ubstan	ce or mixtu	ure
GHS label elements									
The product is classified	l and la	beled in a	ccordar	nce with	29 CFR	1910 (C	SHA F	ICS)	
Hazard pictograms	1.	н н н	1 1	1.	н н н	1 I 1	۰.	н н н	
GHS02 Signal word	:	:		e ^r	:			: ¹	
Danger Hazard statements	···.	5		· · .	1	;	11.	1	;
H228 Flammable solid.							14. 1		

Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings)Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

		•	1. 1.	н н н	1 - 1 1	1. 1.	н н н	· · ·	14			14	
 e ^r			i.	;		1	ť		i.		• •	:	÷
	·	:**		·	:	· · ·	1	111		1	:	· · .	·
					1 - 1 1		н н н	1 - 1 1			1 - 1 1	1. 1.	
 a' i	:		e l'	:		: ¹	i'		e ^r	ť	• •	:	:
 · · .	1		· · .	·	;	· · .	1. 	111	· · .		:**		·
 14	н н н		14	н н н	1 - 1 1	1. 1.	н н Н	1 - 1 1	14	н н Н	1 - 1 1	1. 1.	
 l'	, , ,		1	1	· · ·	;		1 - 1 1	l.			;	:
 · · .	·	: * *	· · .	1		· · .	1	:**	· · .	1		· · · .	·
 14			14	н н н	· · ·		н н Н	· · ·		н н Н		14. 14.	
 :								1 1	:			;	:
 · · .	·	:	· · .	·	:	· · ·	1	111		1	:	•••	·
				н н н	1 - 1 1			н н н					
 1	1					I							