

# SAFETY DATA SHEET

						1	111	Date	Accesse	ed: 25/08	8/202
			1			1 1 1		Dat	e Revise	ed: 05/01	/202
al an	1 - 1 1			1 - 1 1			1 - 1 1			1 - 1 1	
SECTIO	)N 1. I	DENT									
Product Na	me: Pota	assium B	orohydri	de							
CAS #: 137	62-51-1	1 I 1								1. <sup>1</sup>	
Relevant id	entified	uses of	the sub	stance: S	Scienti	fic <u>r</u> esea	rch and	develo	opment		*
Supplier de	etails:										
Stanford Ad	vanced	/laterials				1			1		
E-mail: sale	s@sama	terials.co			,						
Tel: (949) 40	07-8904	1 I 1	1	· · · <sup>1</sup>		1	· · · '		1		
A -I -I	CC4 Dista	bor Dr I	aka Ear	CA C		101					
Address: 23								*			*
SECTIO	)N 2. I	HAZA	RDS	IDENT	TIFIC		N	. et	1	:	
<b>SECTIO</b> Classificatio	<b>DN 2. I</b>	HAZA	RDS	IDENT	TIFIC		N	. et	<b>1</b> 8	:	
Address: 23 SECTIO Classificatio GHS02 Flar Water-react	<b>DN 2. I</b> on of the s	<b>HAZA</b>	RDS I	IDENT	<b>TIFIC</b>	ce with 2	<b>N</b> 29 CFR 1	910 (C	SHA HC	s)	
<b>SECTIO</b> Classificatio GHS02 Flar Water-react GHS06 Sku	<b>DN 2. I</b> on of the s me . 2 H261 Il and cro	<b>HAZA</b> substance	RDS   e or mixt	IDENT	<b>TFIC</b> cordan	Ce with 2	<b>N</b> 29 CFR 1 gas.	910 (C	SHA HC	S)	
SECTIO Classificatio GHS02 Flar Water-react GHS06 Sku Acute Tox. 3	<b>DN 2. I</b> on of the s me . 2 H261 Il and cro	<b>HAZA</b> substance In contac	RDS I	IDENT	<b>TIFIC</b> cordan	ATIO	<b>N</b> 29 CFR 1 gas.	910 (C	SHA HC	S)	
SECTIO Classificatio GHS02 Flan Water-react GHS06 Sku Acute Tox. 3 H301 Toxic	<b>DN 2. I</b> on of the s me 2 H261 Il and cro 3 if swallow	<b>HAZA</b> substance In contac ossbones wed.	RDS I	IDENT	<b>TIFIC</b> cordan	ATIO	<b>N</b> 9 CFR 1 gas.	910 (C	SHA HC	S)	
<b>SECTIO</b> Classificatio GHS02 Flan Water-react GHS06 Sku Acute Tox. 3 H301 Toxic Acute Tox. 3	<b>DN 2. H</b> on of the s me 2 H261 Il and cro 3 if swallov 3	<b>HAZA</b> substance In contac ossbones wed.	RDS I	IDENT	<b>TIFIC</b> cordan	ATIO	<b>N</b> 9 CFR 1 gas.	910 (C	SHA HC	S)	
SECTIO Classificatio GHS02 Flan Water-react	<b>DN 2. H</b> on of the s me . 2 H261 Il and cro 3 if swallov 3 in contac	<b>HAZA</b> substance In contac ossbones wed.	RDS I	IDENT	<b>TIFIC</b> cordan	ATIO	<b>N</b> 9 CFR 1 gas.	910 (O	SHA HC	S)	

		1	1 1 1	1							
GHS05 Corrosion											÷.,
Skin Corr. 1B H314 C	auses se	evere skir	n burns	and ey	e damag	e.					
Eye Dam. 1	'									<sup>1</sup>	
H318 Causes serious	eye dan	nage.									
Hazards not otherwise	e classifi	ed		, ' <sup>'</sup>							
No data available		1	'	1 I 1				1	1.1		1
GHS label elements											
GHS label elements, i						1					
Hazard pictogram				.'	· .						
GHS02				,							
GHS05		1	'	· · ·		<sup>1</sup>		1.			1
GHS06				· · · <sup>1</sup>							
Signal word											
Danger					`:	; • •					
Hazard statements H261	1 - 1 1	1 1 1	<sup>1</sup>	r r 1	1	'		, ,		1 I 1	1.
In contact with water r	eleases	flammab	le gas.	<sup>1</sup>							
H301+H311+H331 To	oxic if sw	allowed,	in conta	ct with	skin or if	inhaled.					
H314			:**			111			111		
Causes severe skin b	urns and	l e <u>y</u> e dan	nage,					:			
Precautionary stateme	ents	,		,	r.			1			
P280	<sup>1</sup>			'						'	
Wear protective glove	s/protec	tive									
clothing/eye protectior	n/face pr	otection.			1			1			1
P303+P361+P353 If o	on skin (d	or hạir): T	ake off	immed	iately all o	contamir	nated c	lothing. I	Rinse ski	n with	
water/shower.											
P305+P351+P338 IF		S: Rinse c									
lenses, if present and	easy to	do. Conti	nue rins	sing.							
P310											
Immediately call a PO	ISON C	ENTER/d	octor/	1 I 1	1,	'	1 I 1	Ξ.	'	1 I	1.

				1 1 1		1			1 1 1		
P370+P378			1			1		 1			:
In case of fire: Us				-							
P402+P404		'			· · '		н н н	 		'	
Store in a dry plac											
WHMIS classifica	tion		1								1
B6 - Reactive flan	nmabl	e mate	rial		1 I 1			 ÷.,			1
D1A - Very toxic r	nateri	al caus	ing imme	ediate ar	nd serio	ous toxic	effects	 			
D2B - Toxic mate	rial ca	using c	other toxi	c effects			r.				
E - Corrosive mat	erial	. '			. '	· .		 · .	111	. '	
Classification syst					1					,	
HMIS ratings (sca	ale 0-4	·) ''		<sup>1</sup>	1	1	<sup>1</sup>	 1	1. <sup>1</sup>		1
(Hazardous Mater	rials Ic	dentifica	ation Sys	tem)	<sup>1</sup>			 			
Health (acute effe	ects) =	3									
Flammability = 3	: • •			; • •			: • •		; · · ·		1
Physical Hazard =	= 3		÷.			1					
Other hazards			'.		i.	1.		· .			
Results of PBT ar	nd vPv	/B <sup>r</sup> asse	essment		<sup>1</sup>			 		<sup>1</sup>	
PBT:											
N/A				:**			111	1	111		1
vPvB:								 1			1
N/A	1 1							 	1 1		

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	· · · <sup>1</sup>		<sup>1</sup>	 1	1. <sup>1</sup>		;
CAS No. / Substance Name:						'	
13762-51-1 Potassium borohydride		 	,	 	1		
Identification number(s):					: "		
EC number:237-360-5							

### SECTION 4. FIRST AID MEASURES

Description of first aid measures		'		
General information				
Immediately remove any clothing soiled by the product.	1.1.1			
Remove breathing apparatus only after contaminated clothing ha	is beer	compl	etely remo	oved.
In case of irregular breathing or respiratory arrest provide artificia	al respi	ration.		
If inhaled:	1 I	<sup>1</sup>		
Supply patient with fresh air. If not breathing, provide artificial res	piratio	n. Keep	patient w	varm.
Seek immediate medical advice.				
In case of skin contact:	'			
Immediately wash with soap and water; rinse thoroughly.				
Seek immediate medical advice.	1			1
In case of eye contact:			1	
Rinse opened eye for several minutes under running water. Cons				
If swallowed:	'	1 1		
Do not induce vomiting; immediately call for medical help.		'		
Information for doctor				
Most important symptoms and effects, both acute and delayed			1	111
Causes severe skin burns.				
Causes serious eye damage.		1		
Indication of any immediate medical attention and special treatme	entinee	eded		
No data available				

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing agents

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

For safety reasons unsuitable extinguishing agents

Water	'						'					÷.,
Special hazards a												
Reacts violently w	vith wa	ter		1	· · · <sup>1</sup>			'			'	
If this product is in	volve	d in a f	ire, the fo	ollowing	can be	release	d:					
Potassium oxide	; • •		1				111		1	111		
Boron oxide						÷.,			÷.,		1 - 1 1	1
Advice for firefight	ters											
Protective equipm	ent:											
Wear self-contain	ed res	pirator							`:			
Wear fully protect	ive im	perviou	ıs suit.									
						1			1	1.1		÷.,

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment	nt and	emerge	ency proce	edures		1	: 11		,
Use personal protective equipment. Keep	unprot	ected p	ersons av	vay.					
Ensure adequate ventilation			<b>`</b> ,			· .			
Keep away from ignition sources	· ·	'			'			1.1	,
Environmental precautions:Do not allow m	aterial	to be r	eleased to	o the en	vironm	ent withou	it officia	al	
permits.							111		,
Methods and materials for containment and	d clear	nup:							
Keep away from ignition sources.	1.1	1		1 1		4.			
Use neutralizing agent.	i i i	'		· ·	'			'	,
Dispose of contaminated material as waste	e acco	rding to	section 1	3.					
Ensure adequate ventilation.						`: 	111		,
Do not flush with water or aqueous cleansi	ing age	ents	1			:			
Prevention of secondary hazards:									
Keep away from ignition sources.									
Reference to other sections									
See Section 7 for information on safe hand	lling					1			
See Section 8 for information on personal	protec	tion equ	uipment.	'	, , ,	1			

					1	. '				
See Section 13 for disposal infor	mation.	'	1 - 1 1		'		÷.,	'		
		1 I			· · ·					
SECTION 7. HANDLI	NG A	ND	STO	RAGE						
Handling		:		`: `:				;**		
Precautions for safe handling	÷.,	'		1						
Handle under dry protective gas.										
Keep container tightly sealed.						1.1				
Store in cool, dry place in tightly	closed c	onțain	ers.							
Ensure good ventilation at the w	orkplace	-	. '	:	,	. '		ł	. '	
Open and handle container with	care.	'	1 1		<sup>1</sup>	1 I	1. 1.			
nformation about protection aga	inst expl	osions	s and fi	res:						
Protect against electrostatic char	rges.									
Conditions for safe storage, inclu	iding any	/ incor	npatibil	ities	: • •			:		
Requirements to be met by store	erooms a	nd rec	eptacle	es:						
No special requirements.	'.	1 1		' .	· · · '			1.1		
nformation about storage in one	commoi	n stora	age faci	ility:		'		· · ·	'	
Store away from water/moisture.										
Store away from strong bases.					111		`: `:			
Store away from oxidizing agent	S.	'								
Further information about storag										
Store under dry inert gas.			· · · '			1.1 <sup>1</sup>			'	
This product is moisture sensitive										
Protect from humidity and water.	1				111					
Keep container tightly sealed.		'	1 1	1		, , ,				
Store in cool, dry conditions in w	ell-seale	d cont	ainers.							
Specific end use(s)			1 1							
No data available	`:				;				al a	
			1 1	:						
	1			1			1			

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information at	oout de	sign of teo	chnical	system	6:									
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute														
face velocity of at least ?	100 feet	per minu	te			'		÷.						
Control parameters														
Components with limit v	alues th	at require	monito	oring at	the workp	lace:				1.1				
None.														
Additional information:					1									
No dataExposure contro	ls		'			'		1						
Personal protective equi	pment													
Follow typical protective														
Keep away from foodstu	iffs, bev	rerages ar	nd feed	-				4						
Remove all soiled and c	ontamir	nated cloth	ning im	mediate										
Wash hands before brea	aks and	at the end	d of wo	rk.	1		1 I	1.	'					
Store protective clothing	separa	itely.												
Avoid contact with the e	yes and	l skin.												
Maintain an ergonomica	lly appr	opriate wo	orking e	environr	nent.				: • •					
Breathing equipment:														
Use self-contained respi						uations.								
Protection of hands:				<sup>1</sup>										
Impervious gloves														
Inspect gloves prior to u	se.	· .							: • •					
Suitability of gloves shou by	uld be d	letermined	d both k	oy mate	rial and qu	uality, tł	ne latter	r of which	may va	ary				
manufacturer.			1 I											
Penetration time of glove	e mater	ial (in min	utes)											
No data available		· .							: ' '					
Eye protection:	1 1	:		1 1	:		1 1							

Tightly sealed goo	gles			'			'					:
Full face protectio												
Body protection:		'			'							
Protective work cl	othing		· .									
											. '	
										*		
SECTION 9												
Information on bas	sic phy	/sical a	and chemi	cal prop	perties							
Appearance:							: "					
Form: Powder												
Color: White			÷.,	'	1	1				'		
Odor: Odorless		'			'							
Odor threshold: N	o data	availa	ble.									
pH: N/A	; • •		`: :	; • •		`.	; • •			;**		1
Melting point/Melt	ing rar	nge: >4	00 °C (>7	′52 °F)	(dec)		'					
Boiling point/Boilir	ng rang	ge: No	data avai	lable	1							
Sublimation tempe	erature	e / starl	: No data	availab	le		· · ·	<sup>1</sup>			<sup>1</sup>	
Flammability (solid							-	-				
Ignition temperatu	ire: No	data a	available				;**			111		1
Decomposition ter	mperat	ture: N	o data ava	ailable								
Autoignition: No d	ata av	ailable										
Danger of explosi	on: No	data a	available.									
Explosion limits:												
Lower: No data av	ailable	Э '	1	1 1 1								1
Upper: No data a	ailable	Ð <sup>r</sup>	1									÷.
Vapor pressure: N	I/A											
Density at 20 °C (				ı								
3 (9.764 lbs/gal)			1. 1.	; · ·		1	;		1	:**		1
Relative density: I	No data	a avail	able.	<sup>1</sup>		1		1 - 1 1		<sup>1</sup>		1

				. '	1		. '				
Vapor density: N/	<b>4</b> ,				1			1			:
Evaporation rate:											
Solubility in / Misc	ibility wit	h Water at 2	20 °C (68	3 °F):			'			· · · '	
193 g/l											
Reacts violently								1	1.1		1
Contact with wate available.	r release	s flammabl	e gasesF	Partition	coefficie	ent (n-oc	tanol/w	ater): No	data		:
Viscosity:	· · · · · · · · · · · · · · · · · · ·					1 I	<sup>1</sup>			'	
Dynamic: N/A											
Kinematic: N/A								1			
Other information:	No data	available	<sup>1</sup>			'		÷.,			:
											1.1.7
<b>SECTION 1</b>	ο στ										
SECTION											
Reactivity											
Reacts violently w	rith water	-		1				1			
In contact with wa	ter releas	ses flaุmma	ble gase	s which	i mạy igr	nite spon	taneou	sly.			
Chemical stability											
Stable under reco	mmende	d storage c	onditions	S				1	111		1
Thermal decompo	sition / c	onditions to									
Decomposition wi	ll not occ	ur if used a	nd stored	d accor	ding to s	pecificati	ons.	· .			
Possibility of haza	rdous rea	actions	1 - 1 1	'		1 - 1 1			· · ·		
Reacts with strong	g oxidizin	g agents									
Contact with wate	r release	s flammabl	e gases		1	111		1	111		1
Reacts violently w	rith water				1			:			:
Conditions to avoi											
No data available	· · · · · · · · · · · ·					1 I					
Incompatible mate											
Bases	: · · · · ·		111	. '		111		1	111		1
Oxidizing agents		:	*			*		1			:

		1	i.									1
Water/moisture				'	1 1		*		:			:
Hazardous deco	mpositio	on prod	ducts:									
Potassium oxide								'				
Boron oxide				: ' '								
SECTION	11. T	OXI	COLC	GIC/	AL IN	IFOR		ON				
Information on to					'			<sup>1</sup>				
Acute toxicity: Toxic in contact						1	;		1 1 1	;		1
Toxic if inhaled.				<sup>1</sup>	1 I			· · ·	÷.,			1
Toxic if swallowe Danger through s							1 - 1 1	<sup>1</sup>			'	
Swallowing will le		-		ve effec	t on mo	outh and	throat ar	nd to th	e danger	of perfo	ration	
of esophagus an			<b>y</b>									;
The Registry of 1	1. C						S) contai					1
components in th						-			-			
LD/LC50 values	that are	releva	ant for cl	assificat	tion:							
Oral				; • •			111		1	:**		1
LD50 167 mg/kg				'	· · ·	4. 1	'		÷.,	*		:
Dermal LD50 23 Skin irritation or o					<sup>1</sup>			'		• •	'	
Causes severe s Eye irritation or c	kin burr	ns.	· .		. '	· .			· .			
Eye irritation or c	orrosio	n:			I			,				
Causes serious e	eye dan	nage.			1		<sup>1</sup>		1			÷.,
Sensitization:								'		• •	'	
No effects knowr Carcinogenicity:	ו. ייי		· :	:		<b>`</b> :	;** ;	e <sup>n</sup>		:		:
EPA-I: Data are	inadequ	iate foi	r an asse	essment	t of hun	nan carc	inogenic	potenti	al.			Ξ.

	i.	i.			1		,			
Reproductive toxicity:			<sup>1</sup>							 1
No effects known.										
Specific target organ sy	/stem to	xicity - rep	peated	exposu	re:					 
No effects known.										
Specific target organ sy	/stem to	xicity - sir	ıgle exp	oosure:						
No effects known.			'			<sup>1</sup>			'	 Ξ.
Aspiration hazard:										 
No effects known.			,			,				
Subacute to chronic to	kicity:				4				; • •	
No effects known.										
Additional toxicological	informa	tion:	'		1.	<sup>1</sup>	1 I 1		'	 1
To the best of our know	/ledge tl	ne acute a	and chr	onic tox	icity of thi	s subst	ance is	not fully k	nown.	 

SECTION 12. ECOLOG		NFO	RMA	ΓΙΟΝ	, '	:		
Toxicity	· · · *	1 1	1		1 I 1	:	*	
Aquatic toxicity:	1 I 1	'		· · ·	<sup>1</sup>			
No data available								
Persistence and degradability				111		1	111	11
No data available	<sup>1</sup>		1			:		
Bioaccumulative potential								
No data available	1 I 1				· · · <sup>*</sup>			
Mobility in soil								
No data available								
Additional ecological information:	· · · <sup>1</sup>			<sup>1</sup>				
Do not allow material to be released	to the env	vironme	nt withou	ut official	permits	6.		
Do not allow undiluted product or la	rge quantit	ies to re	each gro	undwate	, water	courses	, or sewa	ige
systems.		. '	• .		. '	· .		
Avoid transfer into the environment.		1						

Results of PBT and vPvB assessment

	eatment met		OSAL						1			· :
				1 - 1 1			1 - 1 1			1 - 1 - 1		
No data	available	н н Н	1	'			'					1
N/A Other ad	lverse effects		1	:		1	; <i></i>		1	; · ·		
N/A vPvB:		*			'			*			*	
PBT:			1	'							• •	1
			i.			1						

Recommendation		÷.,	· · · <sup>*</sup>		÷.,	· · *	 1		
Consult official regulat	ions to e	ensure p	roper dis	sposal.			 		
Uncleaned packagings	8:								
Recommendation:					`:	111		111	
Disposal must be mad	e accor	ding to c	official reg	gulatior	IS.				

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number		1			1				
DOT, IMDG, IATA			'	· · ·	:	 			 1.
UN1870 UN proper shipping nar									
DOT Potassium borohydride		1			1	 	6	;••	
IMDG, IATA	1 - 1 1		'	1 I		1 - 1 1			 1
POTASSIUM BOROHY						 			
DOT Class	, , ,	1			1	 - 1 - 1 - 1 - 1	3		

4.3 Substances which, in contact with water, emit flammable gases.

				1		,	1			1			
Label	1			1		1 I 1	÷.,		1 I				:
4.3													
Class						' 							
4.3 (W2	2) Substa	nces wł	nich, in	contact w	/ith wat	er, emi	t flammab	le gase	s				
Label	1	;**		1						1			1
4.3				1	<sup>1</sup>					÷.,			;
IMDG,	ΙΑΤΑ	1 - 1 1	<sup>1</sup>					1 I 1				'	
Class													
4.3 Sul Label				act with wa						1	: • •	al a	1
4.3	÷.,		1 I 1		<sup>1</sup>			<sup>1</sup>		÷.			:
Packing	ggroup												
DOT, II	MDG, IAT												
$\mathbf{I}_{j,\ell}$	· :	1 1 1 1			1 1 1 1								
Enviror	nmental h	azards:				1 1			1 1				
N/A				I		1	1		1			,	
Specia	l precauti	ons for	user		1 I 1	<sup>1</sup>		· · ·	'				
Warnin	g: Substa	ances w	hich, ir	n contact v	vith wa	ter, em	it flammat	le gase	es				
Transp	ort in bulk	c accord	ling to	Annex II c	of MAR	POL73/	78 and th	e IBC C	Code		:**		
N/A	:				'		:			÷.			:
Transp	ort/Additio					,	ı						
Marine	Pollutant	(DOT):	No		1 I.	<sup>1</sup>		1 - 1 1	'		1 I		
				70, Potass	sium bo	orohydri	ide, 4.3, I						
	_					-				· .	: ' '		

# **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements Hazard pictograms

GHS02

			1		. '		;	. '				1
GHS05											•	÷.,
GHS06												
Signal word												
Danger												
Hazard statemen	nts							. '				
H261			÷.,									:
In contact with was skin or if inhaled.		leases	flammabl	e gas.H	I301+H	311+H33	1 Toxic	if swall	owed, in	contact	with	
H314												
Causes severe s	kin bu	rns and	eye dam	age.	. '	1		. '				
Precautionary sta	atemer	nts		'								1
						ion/faca n					<sup>1</sup>	
Wear protective						·			athin a D	in e e elvi		
P303+P361+P35	53 IT ON	i skin (c	or nair): Ta		Immeal	ately all c	ontamir		otning. R	Inse ski	n with	1
water/shower.												
									, Demo			:
P305+P351+P33												1
lenses, if present												÷.
lenses, if present P310	t and e	asy to o	do. Contir	nue rins	ing.					• •	*	
lenses, if present P310 Immediately call	t and e	asy to o	do. Contir	nue rins	ing.					• •	*	
lenses, if present P310 Immediately call P370+P378	t and e a POIS	asy to o	do. Contir ENTER/do	nue rins	ing.	 19	·::		 3			1
lenses, if present P310 Immediately call P370+P378 In case of fire: Us	t and e a POIS se for e	SON CE	do. Contir ENTER/do on: Fire-e:	nue rins octor/	ing. hing po	owder.						
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404	t and e a POIS se for e	SON CE	do. Contir ENTER/do on: Fire-e:	nue rins octor/	ing hing po	owder.						
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404 Store in a dry pla	a POIS se for e	SON CE extinction	do. Contir ENTER/do on: Fire-e: closed co	octor/ xtinguis	ing hing po	owder.						
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404 Store in a dry pla National regulatio	a POIS se for e nce. Ste	SON CE	do. Contir ENTER/do on: Fire-e: closed co	octor/ xtinguis	ing hing po	owder.						
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404 Store in a dry pla	a POIS se for e nce. Ste	SON CE	do. Contir ENTER/do on: Fire-e: closed co	octor/ xtinguis	ing hing po	owder.						
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404 Store in a dry pla National regulation All components of Substances Cont	a POIS a POIS se for e nce. Ste ons of this p trol Ac	SON CE Extinction ore in a product	do. Contir ENTER/do on: Fire-e: closed co are listed ical subst	octor/ xtinguis ontainer	ing hing po r. U.S. Er ventory	owder. nvironmer	ntal Prof	tection <i>i</i>	Agency T	ōxic		
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404 Store in a dry pla National regulation All components of	a POIS a POIS se for e nce. Ste ons of this p trol Ac	SON CE Extinction ore in a product	do. Contir ENTER/do on: Fire-e: closed co are listed ical subst	octor/ xtinguis ontainer	ing hing po r. U.S. Er ventory	owder. nvironmer	ntal Prof	tection <i>i</i>	Agency T	ōxic		
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404 Store in a dry pla National regulation All components of Substances Cont	a POIS a POIS se for e ons of this p trol Ac	SON CE SON CE extinction ore in a product t Chem product ecific to:	do. Contir ENTER/do on: Fire-ex closed co are listed ical subst are listed xic chemi	octor/ octor/ xtinguis ontaine I in the ance In I on the cal listir	ing hing po r. U.S. Er ventory Canac ngs)	owder. nvironmer /. lian Non-I	ntal Prot	tection <i>i</i>	Agency T tances Li	ōxic st (NDS		
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404 Store in a dry pla National regulation All components of All components of	a POIS a POIS se for a nce. Sta ons of this p trol Ac of this p 13 (spe	SON CE SON CE extinction ore in a product t Chem product ecific to:	do. Contir ENTER/do on: Fire-ex closed co are listed ical subst are listed xic chemi	octor/ octor/ xtinguis ontaine I in the ance In I on the cal listir	ing hing po r. U.S. Er ventory Canac ngs)	owder. nvironmer	ntal Prot	tection <i>i</i>	Agency T tances Li	ōxic st (NDS		
lenses, if present P310 Immediately call P370+P378 In case of fire: Us P402+P404 Store in a dry pla National regulation All components of Substances Cont All components of SARA Section 31	a POIS a POIS se for e ons of this p trol Ac of this p 13 (spe listed.	SON CE SON CE extinction ore in a product t Chem product ecific to:	do. Contir ENTER/do on: Fire-ex closed co are listed are listed xic chemi	octor/ xtinguis ontainer I in the ance In I on the cal listir	ing hing po r. U.S. Er ventory Canac ngs)	owder. nvironmer /. lian Non-I	ntal Prof	tection <i>i</i>	Agency T tances Li	oxic st (NDS		

	1 1 1								
Prop 65 - Chemicals known to cause ca	ncer	1 1							1
Substance is not listed.									
Prop 65 - Developmental toxicity		'			· · · '			'	
Substance is not listed.									
Prop 65 - Developmental toxicity, female	; • •								
Substance is not listed.	'	1 1				1			1
Prop 65 - Developmental toxicity, male									
Substance is not listed.	,								
Information about limitation of use:		. '	1	; • •		· .		. '	
For use only by technically qualified indiv	viduals		ı						
Other regulations, limitations and prohibi	itive re	gulatior	IS	1. <sup>1</sup>					1
Substance of Very High Concern (SVHC	c) acco	rding to	the REA	CH Reg	Julation	s (ĘC) No	o. 1907/	2006.	
Substance is not listed.									
The conditions of restrictions according t	to Artic	le 67 ai	nd Annex	XVII of	the Re	gulation (	EC) No		
1907/2006 (REACH) for the manufacturi	ng, pla	icing on	the mark	et and u	use mu	st be obs	erved.		
Substance is not listed.									
Annex XIV of the REACH Regulations (r	equirin	ig Autho	orisation f	or use)	<sup>1</sup>				
Substance is not listed.									
Chemical safety assessment:				: • •			:**		1
A Chemical Safety Assessment has not	been c	arried o	out.		1 - 1 - 1	:			1

#### **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.