

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 26/11/2022

SECTION 1. IDENTIFICATION

Product Name: Potassium Heptafluorotantalate

CAS #: 16924-00-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R25: Toxic if swallowed. Xi; Irritant R36/37/38: Irritating to eyes, respiratory system and skin. Information concerning particular hazards for human and environment: N/A Hazards not otherwise classified No data available Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictograms GHS06 Signal word Danger Hazard statements H301 Toxic if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/... P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

Classification sys	stem			1 1					. * *	: '	
HMIS ratings (sc											
(Hazardous Mate	erials I	dentific	ation Sy	stem)	;		;				
HEALTH FIRE	:''		:	: "		:	:"		:	:**	
REACTIVITY					1	. * *					
2 :	;	;	1	1	:	1	1	1	1	:	:
1, Health (acute effo	ects) =	= 2									
Flammability = 0			.**			. * *			. * *		
Physical Hazard	= 1	;	1	:	;	1	;		1		
Other hazards											
Results of PBT a	nd vP	vB ass	essment	: ' '			: ' '			;**	
PBT: N/A				: '		.**	: '			: '	:
vPvB:	;	;	٠	:	;		;	;	1		:
N/A											
···				111				,	:	111	
SECTION 3	3. C	ОМР	OSIT	ION/II	NFO	RMA1	TION (II NC	NGRE	DIEN	TS
Substances	:	:	1.,	;	;	1	1	:	10	:	:
CAS No. / Substa											
16924-00-8 Pota	ssium	heptaf	luorotant	alate (V)		:"	***		;''	
Identification nun	nber(s	s): ¦									
EC number:											

SECTION 4. FIRST AID MEASURES

240-986-1

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Rub in calcium gluconate solution or calcium gluconate gel immediately.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to enter drains, sewage systems, or other water courses.

Do not allow material to penetrate the ground or soil.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No data available Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed containers. Specific end use(s) No data available SECTION 8. EXPOSURE CONTROLS/PERSONAL **PROTECTION** Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace:

Fluorides (as F)

mg/m3

ACGIH TLV 2.5

Austria MAK 2.5

Belgium TWA 2.5

Finland TWA 2.5

France TWA 2.5

Germany MAK 2.5

Hungary TWA 1; 2-STEL

Netherlands MAC-K 3.5										
Norway TWA 0.6										
Poland TWA 1; 3-STEL					1	:	:			
Sweden NGV 2										
Switzerland MAK-W 1.5	; 3-KZ0	3-W				1			:''	• • •
United Kingdom TWA 2.	5,	. * *								
Russia TWA 2	:		:	:		:	:		:	
Denmark TWA 2.5	i		i	i		i	i		i	
USA PEL 2.5Additional i	informa	ation:	: ' '		:	: ' '		:	; • •	
Exposure controls		.**			. * *			.**		:
Personal protective equi	pment								:	
Follow typical protective	and hy									
Keep away from foodstu	iffs, be	verages a	ınd feed	d. , ,	:	111			: ' '	
Remove all soiled and co	ontami	nated clo	thing in							
Wash hands before brea	aks and	d at the er	nd of wo	ork.	.**					
Avoid contact with the ey	yes an	d skin.	;	1	1	;	1	1	;	:
Maintain an ergonomica	lly app	ropriate w	orking/	enviror	nment.					
Breathing equipment:		:	: ' '	1.1	:	111		:	: ' '	
Use suitable respirator v	vḥen hi	igh conce	ntratior	ns are p	resent.					
Protection of hands:		,	,		,	,		,	,	
Impervious gloves	:		;	}		;	;		:	:
Inspect gloves prior to us	se.									
Suitability of gloves shou	ıld be o	determine	ed both	by mat	erial and c	uality,	the latt	er of whicl	n may v	/ary
by										
manufacturer.										
Eye protection:					1					
Safety glasses										
Body protection:					:					
Protective work clothing										

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder or crystalline solid

Color: White

Odor: No data available

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 730-775 °C (1346-1427 °F)

Boiling point/Boiling range: 790 °C (1454 °F) ((dec))

Sublimation temperature / start: No data available

Flash point: N/A

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 4.56 g/cm

3

(38.053 lbs/gal)

Relative density

No data available.

Vapor density

N/A

Evaporation rate								, **		
N/A										
Solubility in Water (H		1		;				'		
2										
O): No data availablePa	artition	coefficien	t (n-oct	anol/wa	ater): No	data ava	ailable.		:	
Viscosity:		.**			. * *			. * *		: .
Dynamic: N/A	;	1	;	;		:	:		:	;
Kinematic: N/A	,		,	'						,
Other information			: ' '		;			:	: ' '	
No data available	,	,								
<u>. 11</u>										
		1			·	;	;		;	;
SECTION 10. S	STAE	BILITY	AND	RE	ACTIV	ITY				
Reactivity			111		;	111		1	111	
No data available										
Chemical stability			,			,			,	
Stable under recomme	nded st	orage cor	nditions	. :		:	:	1	:	:
Thermal decomposition	n / cond	itions to b	e avoid	led:						
Decomposition will not	occur if	f used and	stored	l accord	ding to sp	ecificati	ons.	:	: ' '	٠٠,
Possibility of hazardous	s reaction	ons								
No dangerous reactions	s know	n								
Conditions to avoid	:		:	;	1	:		1	:	:
No data available										
Incompatible materials:		:			:	1			: '	
Oxidizing agents										: .
Hazardous decomposit	ion pro	ducts:	:	:	٠,	:	:		:	:
Hydrogen fluoride	;		;	i	* *	;	;	.,	;	;
Metal oxide fume		:			:			:		
	1	,			; 	-				

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Fatal if swallowed. LD/LC50 values that are relevant for classification: Oral LD50 110 mg/kg (mouse) 2500 mg/kg (rat) Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard:No effects known Subacute to chronic toxicity: Tantalum compounds may cause skin and eye irritation. Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by

weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney

damage.

Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Behavioral - convulsions or effect on seizure threshold.

Behavioral - muscle weakness.

Behavioral - muscle contraction or spasticity.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Additional ecological information:

Do not allow material to be released to the environment without official permits.


Do not allow undiluted product or large quantities to reach groundwater, water courses, or sewage systems.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT:

N/A	: '					,		
vPvB:								
N/A				:				;
Other adverse								
No data availab	ole			!''			; ' '	
SECTION	13. [DISP	OSAL	CON	ISIDI	ERAT	IONS	:
Waste treatmer	nt metho	ods	;			;		
Recommendati		,						
Consult official	regulati	ons to	ensure p	roper dis	posal.	. * *		: .
Uncleaned pack	kagings	: ;		;	;		;	
Recommendati	on:							
Disposal must b	oe made	e accor	ding to c	official req	gulațior	ns.	111	
1								
SECTION	14. 1	KAI	NSPO	KIIIN	FOR	KIVI,A I I	ION	:
UN-Number								
DOT, IMDG, IA	TA	٠٠,	1	111	• • •	;	111	
UN3288								
UN proper ship	ping na	me						
DOT	:			;				:
Toxic solid, inor	_	-		-		-		
IMDG, IATA	: ' '			111	٠٠,	:	111	
TOXIC SOLID,	INORG	ANIC,	N.O.S. (Potassiu	m hepta	afluorota	ntalate (\	√))¦
Transport haza	rd class	(es)						
DOT	1	;		:	;		:	;
Class						,		
6.1 Toxic subst		'',	:		'',	:	,	''',
Label							: '	: .



SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicitySubstance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is

believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.