

## SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 29/11/2022

#### **SECTION 1. IDENTIFICATION**

Product Name: PZT (Lead Zirconate Titanate)

CAS #: 12626-81-2

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

#### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS08 Health hazard

Repr. 1A H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified

No data available Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictograms GHS07GHS08 Signal word Danger Hazard statements H302+H332 Harmful if swallowed or if inhaled. H360 May damage fertility or the unborn child. H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P281 Use personal protective equipment as required. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. WHMIS classification D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) **HEALTH** 

**FIRE** 

REACTIVITY

11		1.1	1.								
0											
0		·:			';			<u>'</u> ;			·:
Health (acute e	-	= 1									
Flammability =	) ;,,						; ' '			:	. :
Physical Hazard	g = 0	1	٠,	1	1	1		1	1.	٠	٠
Other hazards											٠,
Results of PBT					,	,		,	,		,
PBT: N/A	:				. :			. :			
D' D	٠	٠	1.	1	1	10	1	1	14.	٠	٠
vPvB:											
SECTION	:''		OSITI				:"		<u> </u>	:"	
SECTION	3. C	ОМР	OSITI	ION/II	NFO	RMAT	TION (	II NC	NGRE	DIEN	TS
N/A	3. C	ОМР	OSITI	ION/II	NFO	RMAT	ION (	II NC	NGRE	DIEN	TS
SECTION	3. C	ОМР	OSITI	ION/II	NFO	RMAT	ION (	II NC	NGRE	DIEN	TS
SECTION Substances CAS No. / Substances	3. Co	OMP Name:	<b>OSIT</b> I	 ION/II 	NFO	RMAT	; TION (	II NC	NGRE	DIEN	TS
SECTION Substances CAS No. / Subs	3. Co	OMP Name:	<b>OSIT</b> I	 ION/II 	NFO	RMAT	; TION (	II NC	NGRE	DIEN	TS
SECTION Substances CAS No. / Substances	tance Noted and Zirco	OMP Name: nate tit	<b>OSIT</b> I	;:·· ION/II ··	NFO	RMAT	; TION (	ON II	NGRE	EDIEN	TS
SECTION Substances CAS No. / Substances 12626-81-2 Lead Identification nu EC number: 235-727-4	tance N	OMP Name: nate tit	OSITI anate	: ION/II 	NFO	RMAT	: TION (	ON II	NGRE	EDIEN	TS
SECTION Substances CAS No. / Substances 12626-81-2 Leadentification nutering	tance N	OMP Name: nate tit	<b>OSIT</b> I	: ION/II 	NFO	RMAT	: TION (	ON II	NGRE	EDIEN	TS
SECTION Substances CAS No. / Substances 12626-81-2 Lead Identification nu EC number: 235-727-4	tance Noted Zirco	OMP Name: nate tit	<b>OSIT</b> I	::: ION/II :::: :::: ::::	NFO	RMAT	:: TION (	ON II	NGRE	EDIEN	TS

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

If inhaled:

Seek immediate medical advice.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No data available Indication of any immediate medical attention and special treatment needed No data available SECTION 5. FIREFIGHTING MEASURES Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Lead oxide fume Zirconium oxide Titanium oxides Advice for firefighters Protective equipment: Wear self-contained respirator.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Wear fully protective impervious suit.

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

No data available

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

12626-81-2 Lead Zirconate titanate (100.0%)

PEL (USA) Long-term value: 0.05 mg/m

3

as Pb; See 29CFR 1910.1025

TLV (USA) Long-term value: 0.05 mg/m

3

as Pb; BEI

Ingredients with biological limit values:

12626-81-2 Lead Zirconate titanate (100.0%)

BEI (USA) 30 μg/100 ml

Medium: blood

Time: not critical

Parameter: Lead

Additional information:

No data

Exposure controls

Personal protective equipment

Follow typical protective and hygienic practices for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious glovesInspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Penetration time of glove material (in minutes)

No data available

Eye protection:

Safety glasses

Body protection:

Protective work clothing

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: Solid in various forms

Color: Silvery-white

Odor: Odorless

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: No data available

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density: No data available

Relative density

No data available.

Vapor density

N/A

Evaporation rate

N/A

Solubility in Water (H

2

O): Insoluble

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A


Kinematic: N/A

Other information

No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Generally the product does not irritate the skin.



Eye irritation or corrosion:	1.			٠.,	1	٠	٠.,		٠
No irritant effect.									
Sensitization:		'	';		1	`;			<u>'</u> :
No sensitizing effects know	n.								
Germ cell mutagenicity:		; ' '			: ' '			:	
No effects known.	1	1		1.	1		4.	1	٠
Carcinogenicity:									
EPA-B2: Probable human c	arcinogen,	sufficier	nt evide	nce fron	n animal s	studies	; inadeqı	uate evide	ence
no data from epidemiologic	studies.	111			: ' '			: '	
NTP-R: Reasonably anticipa	ated to be a	a carcino	ogen: lii	mited ev	idence fro	om stu	dies in hu	ımans or	٠
sufficient evidence from stud	dies in exp	erimenta	al anima	als.					
ACGIH A3: Animal carcinog dose,	jen: Agent i	is carcin	ogenic	in exper	imental a	nimals	at a rela	tively hig	h
by route(s) of administration	n, at site(s),	of histo	logic ty	pe(s), or	by mech	anism	(s) not co	nsidered	
relevant to worker exposure	. Available	epidem	ologic s	studies d	o not cor	ıfirm ar	n increas	ed risk of	٠.,
cancer in exposed humans.						,			
Available evidence suggest	s that the a	gent is r	not likel	y to caus	se cance	in hur	mans exc	ept unde	r
uncommon or unlikely route	s or levels	of expos	sure.						
IARC-2A: Probably carcinog	genic to hu	mans: lir	nited h						
experimental animals	14	1		10		1	1		٠.,
Reproductive toxicity:									
May damage fertility or the			1	,		,	,		,
Specific target organ system	n toxicity - ı	repeated	d expos	ure:	:**			: ' '	
May cause damage to the rethrough				ood, the	brain an	d the e	ndocrine	system	
prolonged or repeated expo	sure, Rout	e of exp	osure: (	Oral, Inh	alative.	,			
Specific target organ system	n toxicity - s	single ex	; cposure	): :		1	,		:
No effects known. Aspiration	n hazard:					,			
No effects known.					: ' '				
Subacute to chronic toxicity	:	٠		10		1	1		'

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed. **SECTION 12. ECOLOGICAL INFORMATION Toxicity** Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data available **Ecotoxical effects:** Remark: Very toxic for aquatic organisms Additional ecological information: Do not allow product to reach groundwater, water courses, or sewage systems, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

PBT:			;	,		;	•		;	,		;
N/A												
vPvB:	: .	:			; ' '			: ' '		: .		
N/A	1.	٠	1	٠.,		1	1	1	1	10	٠	٠.,
Other	adverse	effects	·:		٠.,	·:			·:		100	•
No da	ta availab	ole										
. :		111	1 1	: .	: ' '	1 1	1	111		: .	111	
SEC	TION	13. [	DISP	OSAL	CON	ISID	ERAT	IONS	1	9,	1	٠.,
Waste	treatmer	nt metho	ods		1	·:		1	1		1	
Recon	nmendati	on										
Consu	ılt official	regulati	ons to	ensure p	roper dis	sposal.		: "				
Unclea	aned pacl	kagings	i				4.					
Recon	nmendati						`'			,		
Dispos	sal must b	oe mad	e accor	ding to c	official re	gulation	ns.	1	1		1	·:
											:**	
SEC	TION	14.	ΓRAN	NSPO			RMAT				4	
LINI NI.	una la aur			,			,					

Class

N/A

N/A

DOT, ADN, IMDG, IATA

UN proper shipping name

DOT, ADN, IMDG, IATA

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

N/A

Packing group DOT, IMDG, IATA N/A Environmental hazards: Environmentally hazardous substance, solid Special precautions for user N/A Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A Transport/Additional information: DÖT Marine Pollutant (DOT): No **SECTION 15. REGULATORY INFORMATION** Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) 12626-81-2 Lead Zirconate titanate California Proposition 65 Prop 65 - Chemicals known to cause cancer 12626-81-2 Lead Zirconate titanate Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

This substance is included in the Candidate List of Substances of Very High Concern (

SVHC) according to Regulation (EC) No. 1907/2006 (REACH).

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

# **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.