

H228

SAFETY DATA SHEET

			1 	н н н				: * *	Date	Accesse	d: 25/08	8/2023
'		· · .	1		· · .	1		11. 1	Dat	e Revise	d: 24/01	/2023
			1 I.	:	1	· · ·			· · ·		1	
_					_							
	· · ·					1.00	н н н		1.1		111	·
	ct Name		-			·			·			·
CAS #	: 7440-2	0-2										
Releva	ant ident	ified us	ses of t	the subs	tance: S	Scienti	fic resea	rch and	develo	opment	÷.,	
Suppli	ier detai	ls:										
Stanfo	rd Advan	iced Ma	iterials			·			·			·
E-mail	: sales@	samate	rials.co	m			ı			,		
Tel: (9	49) 407-8	8904	1		· · · .	1.00		· · · .	1		· · · .	÷
Addres	ss: 23661									:	:	
Addre:	ss: 23661											
	ss: 23661			:	: <u>.</u>	1 1						
SEC	:	2. H	AZA	RDS I	DENT	ſIFIC		N	1	1 - 1 1	111	·
SEC Classif	TION	2. H	AZA bstance	RDS I	DEN1 ure	ſIFIC		N ^{ent}	5 5		arr 11.	•
SEC Classif GHS C	TION fication o	2. H f the su tion in a	AZA bstance accorda	RDS I	DEN1 ure	ſIFIC		N ^{ent}	5 5		arr 11.	•
SEC Classif GHS C Flamm	FION fication o Classifica nable soli	2. H f the su tion in a ds(Cate	AZAI bstance accorda egory 1	RDS I e or mixtu ince with), H228	DEN1 ure 29 CFR	T IFIC 1910 (ATIO OSHA H	N CS)			атт 112 412	
SEC Classif GHS C Flamm For the	FION fication o Classifica nable soli e full text	2. H f the su tion in a ds(Cate of the F	AZA bstance accorda egory 1 H-State	RDS I e or mixtu ince with), H228 ments me	DEN1 ure 29 CFR entioned	TIFIC 1910 (I in this	OSHA H	N CS)			arr 11.	
SEC Classif GHS C Flamm For the GHS L	fication o Classifica nable soli e full text abel eler	2. H f the su tion in a ds(Cate of the F ments, i	AZA bstance accorda egory 1 I-State ncludin	RDS I e or mixtu ince with), H228 ments me g precau	DEN1 ure 29 CFR entioned tionary s	TIFIC 1910 (I in this	OSHA H Section,	N CS) see Sec	tion 16	•	атт 112 412 411	
SEC Classif GHS C Flamm For the	fication o Classifica nable soli e full text abel eler	2. H f the su tion in a ds(Cate of the F ments, i	AZA bstance accorda egory 1 I-State ncludin	RDS I e or mixtu ince with), H228 ments me g precau	DEN1 ure 29 CFR entioned tionary s	TIFIC 1910 (I in this	OSHA H Section,	N CS) see Sec	tion 16		атт 112 412 411	
SEC Classif GHS C Flamm For the GHS L	FION fication o Classifica nable soli e full text abel eler ram	2. H f the su tion in a ds(Cate of the H ments, i	AZA bstance accorda egory 1 I-State ncludin	RDS I e or mixtu ince with), H228 ments me g precau	DENT ure 29 CFR entioned	TIFIC 1910 (I in this	ATIO OSHA H Section,	N CS) see Sec	tion 16	•	211 112 123 124 124 124	
SEC Classif GHS C Flamm For the GHS L Pictogi	TION fication o Classifica nable soli e full text abel eler ram word	2. H f the su tion in a ds(Cate of the H ments, i	AZA bstance accorda egory 1 I-State ncludin	RDS I e or mixtu ince with), H228 ments me g precau	DENT ure 29 CFR entioned	TIFIC 1910 (I in this	ATIO OSHA H Section,	N CS) see Sec	tion 16	· · · · · ·	211 112 123 124 124 124	

1												
Flammable solid.	· · .			· · .	1		· · .	1		· · .	1	
Precautionary sta	atemen	nt(s)										
P210	1.			1	1 I					4		
Keep away from			•				•					
P240		1 			1 	н н Н		1			1	
Ground/bond cor	ntainer	and ree	ceiving eq	uipmen	ıt.P241		· · · .	1		· · .	1.1	
Use explosion-pr	oof ele	ctrical/	ventilatinç	g/ lightir	ng/ equ	ipment.			:			
P280		,	i		,		<u></u>		;			I
Wear protective g	gloves/	protec	tive clothir	ng/ eye	protect	tion/ face	protect	ion.			·	
P370 + P378			i.									
In case of fire: Us	se dry :	sand, d	ry chemic	al or al	cohol-re	esistant f	oam for	extinct	ion.	· · ·	1.1	
Hazards not othe	rwise	classifie	∋d <u>(</u> HNOC) or not	t covere	ed by GH	S-none	1 - 1 1		4		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS Formula: Sc Molecular Weight: 44.96 g/mol CAS-No.: 7440-20-2 EC-No.: 231-129-2 No ingredients are hazardous according to OSHA criteria. No components need to be disclosed according to the applicable regulations. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. FIRST AID MEASURES

Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move pe	rson int	o fresh air	. If not	breathi	ng, give a	rtificial	respira	ition, Coi	nsult a	·
physician.										
In case of skin contact				1					1	
Wash off with soap and	l plenty									
In case of eye contact	1			'	1 - 1 1		1			1
Flush eyes with water a	as a pre	caution.	•••	1 - 1 - 1		· · ·	1		· · .	1
If swallowed										
Do NOT induce vomitir										
water. Consult a physic	cian.				1 - 1 1		1			
Most important sympto	ms and									
The most important kno	own syn	nptoms an	d effec	ts are c	lescribed	in the I	abellin	g (see se	ection 2)	1
and/or			1			1			:	
in section 11										
Indication of any imme	diate me	edical atte	ntion a	nd spec	cial treatm	ent ne	eded			·
no data available		,			,			,		
the second second	1.1			1. 			1.1.1			1.1
SECTION 5. FI	REFI	GHTIN	IG M	EAS	URES					
Extinguishing media	1	1 I		·	1 I	; • •	1			5
Suitable extinguishing										
Use water spray, alcoh	ol-resis	tant foam,	dry ch	emical	or carbon	dioxide	Э.		114	1
Special hazards arising	, from th	ne substar	nce or r	nixture					÷.,	
Scandium oxide										
Advice for firefighters	1	н н н	1 1 1 1	·	н н н		1	1 - 1 1	111	1
Wear self contained bro	eathing	apparatus	s for fire	e fightin	g if neces	sary.				
Further informationUse	water s	spray to co	pol uno	pened o	containers				· · ·	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner

or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected

vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition -No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8. EXPOSURE CONTROLS/PERSONAL

PROTECTION

Control parameters Components with workplace control parameters Contains no substances with occupational exposure limit values. Exposure controls Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.Body Protection Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use

respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9. P	HYS		AND	CHE	MICA	LPR	OPEI	RTIES	· · .	1	,
Information on basic p	hysical	and che	mical pro	operties	•	1		-	1		
Appearance											
Form: powder	1	н н н	:	1				н н Н	: • •	1	
Color: gray Odor	5		ст. С	5		· · .	1		···.	1	
no data available		1	÷.,			1.		1	1		
Odor Threshold											
no data available	5. C	н н Н	:			111	1		:	1	
рҢ											
o data available											
/lelting point/freezing	point	1	1.			÷.,	1 - 1 1		1		
lelting point/range: 1,	,540 °C	(2,804 °	F)-lit.								
nitial boiling point and	l boiling	range	111	·		1.1	·			1.1	
,836 °C (5,137 °F)-lit.	-		···.			· · .	·		· · .	1	
lash point	1 - 1 1		:						1		
ot applicable					·						
evaporation rate	5	н н Н		1			5		:	1	
o data available											
lammability (solid, ga	is)		· · · .			· · · ·			11		
he substance or mixt	ure is a	flammat	ole solid	withthe	e catego	ry 1. :	1 1	1	1		
Jpper/lower flammabil	lity or ex	xplosive	limits								
o data available	1	н н Н		·	н н Н	1 - 1 - 1 1	1		:**	1	
apor pressure	·			·			·			·	
o data available											
/apor density			1	1 1		1	1 - 1 1		1		
no data available											
Relative density	1			1		111	'			1	
2.99 g/cm3 at 25 °C (7	7°F)		· · .	·		· · ·	·		· · .	÷	

			1 1 1			1 1 1			1 1 1	·	
Water solubility	·		· · .	·		· · .	1			1	
no data available											
Partition coefficient: n-o	octanol/	water									
no data available											
Auto-ignition temperatu	re	1	1	1.1		1		1	1		
no data available	1 					· · .	1			1	
Decomposition tempera	ature	1	;	i i		:	1 1	:	:		:
no data available		1	,	,		,	,				
Viscosity	·			· • • •			·			5	
no data available											
Explosive propertiesno	data av	/ailable		·		11.	1		11	1.1	
Oxidizing properties				1 1		1	1 1				
no data available											
Other safety informatior	n .,,	н н н	; • •	1 - 1 - 1	н н н		1		1.11	1	
no data available											
the second second											
							1 1	:	÷.,		
SECTION 10. S			AND	KE/	ACTIV	II Y					
Reactivity		н н Н	1.1.1			1.1.1	1. i			1.0	
no data available	·		· · .	·		· · .	1			5	
Chemical stability											
Stable under recommer	nded st	orage co	nditions.	1		1					
Possibility of hazardous											
no data available	1 			- 			1 			1	
Conditions to avoid	1			1 		· · .	1		· · · .	1	
Heat, flames and spark	s. Extre	emes of to	emperati	ure and	d direct s	unlight.					
Incompatible materials		1	÷.	1		· .	i.	:	÷.		
Halogens, Strong acids	, Stron	g oxidizin	g agents	5							
Hazardous decompositi	ion pro	ducts			ı	,					
1											

Other decomposition products-no data available

				1			1			
In the event of fire: see se	ection 5	· · ·	1		· · · ·	1. 		··.	÷.,	
		:						÷.		
SECTION 11. TO	DXICOL	OGICA		IFORI	ΜΑΤΙΟ	ON				
Information on toxicologic	cal effects		'	1 - 1 1	; • •	1 1		111	1	
Acute toxicity		· · .	1		· · .	·		· · .	1	
no data available					,					
Inhalation: no data availa	ble	· ·	1		۰,	,	1	· .		
Dermal: no data available	9		·			·			·	
no data available										
Skin corrosion/irritation	·	· · .	'			·		11	'	
no data available				1			1			
Serious eye damage/eye	irritation									
no data available					111	1	н н н	:**	1	
Respiratory or skin sensit			·						·	
no data available										
Germ cell mutagenicity		1	· ·	1	1					
no data available										
Carcinogenicity						1.1		111	1	
ARC:	·	· · .	·		· · .	1		· · .	÷	
No component of this pro	duct presen	t at levels	greate	r than or	-					
probable, possible or con	firmed huma	an carcino	gen by	IARC.	1					
ACGIH:										
No component of this pro	duct presen	t at levels	greate	r than or	equal to	0.1% i	s identifie	ed as a		
carcinogen or potential ca	arcinogen by	/ ACGIH.	·		· · · .	1.1		· · · .	1	
NTP:					;		;			
No component of this pro										
known or anticipated card	cinogen by N		·			1. 			1	1
OSHA:	1									
No component of this pro	duct presen	t at levels	greate	r thần or	equal to	0.1% i	s identifie	ed as a	1	

		1	1								,
carcinogen or potential	carcino	ogen by C	SHA.R	eprodu	ctive toxi	city	·			5	
no data available											
no data available				1	1	1			÷.,		1
Specific target organ to		· ·									
no data available	·						'		1.1.1	<u>'</u>	
Specific target organ to	xicity -r	epeated	exposur	e		11	1.		11	1.1	
no data available Aspiration hazard	н н н	:	÷.		-	÷.,		1			
no data available	·	1 I		·			·			5	
Additional Information											
RTECS: Not available	1.1		· · .			11	1. i i i		11	1	
To the best of our know	vledge,	the chem	ical, ph	ysical,	and toxic	ological	proper	ties have	not bee	n ,	
thoroughly investigated											

SECTION 12	. ECOL	.OGIC/	AL IN	IFOF	RMATI	ON	·		···,	·
Toxicity				1 I	-		1 I	1		
no data available										
Persistence and dec	gradability:	н н н	1 1 1 1		н н Н	1 1 1 1	1			1
no data available	1			·			1		· · .	1
Bioaccumulative pot	tential:									
no data available			1	1		1				
Mobility in soil:										
no data available	1 1	н н н	1.1.1			1.1.1				1
Results of PBT and	vPvB asse	ssment:	· · .	1		· · .	1		с. С.	1
PBT/vPvB assessm										
Other adverse effec	ts									
no data available	1	1 - 1 1		1		1.1.1	1. 	1 - 1 1		1
·										·

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods	÷	1	· · ·	1	1					
Product										
Burn in a chemical incinerator	equipped	with ar	n afterb	urner and	scrubb	er but	exert ext	ra care ir	י ' ר	
igniting as this material is high	ly flamma	ble.	·			·			·	
Offer surplus and non-recyclat	ole solutio	ns to a	license	ed disposa	l comp	any.				
Contaminated packaging		1			1			1	1 1	
Dispose of as unused product.										
<u>in an an</u>	1 I	1.1.1	1.00	1 I		1.0			1.1.1	
SECTION 14. TRAN	ISPOF	RT IN	FOR		DN					,
DOT (US)									1	
UN number:3089 Class: 4.1	1 I	· · · · ·	·				1 1 1		1.0	1
Packing group: II		· · .	1		· · .	'		11. 11.	·	
Proper shipping name: Metal p	powders, f	lamma	ble, n.c).S.			:	:		
Marine pollutant: No	,	ı	,	1	,	,			ł	
Poison Inhalation Hazard: No	1 1 1	· · · · ·							·	
		···,			· · · .	1		· · .	1 1	
Packing group: II EMS-No: F-G, S-G	1	1	1 I			1 - 1 1				
Proper shipping name: METAL	_ POWDE	R, FLA	MMAB	LE, N.O.S	.	·			·	
Marine pollutant ⁻ No										
ΙΑΤΑ			<u>'</u>	1.1.1		1		· · · .	'	
UN number: 3089	1	1	· · ·		1		:		• •	
Class: 4.1										
Packing group: II			1. i i	1 I		1. s.			1	
Proper shipping name: Metal p	bowder, fla	ammab	ole, n.o.	S. , , ,		·			·	

SECTION 15. REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard

Mässachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Scandium CAS-No. 7440-20-2 **Revision Date**

New Jersey Right To Know Components

Scandium

CAS-No.

7440-20-2

Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

	1	н н Н	: • •					1 1 1	1 1 1 1			:	1	
· · ·	1 1		· · .									· · .	÷	
1.			÷.,	1 I 1				-			1			
						111	·	1 - 1 1	:**				1	
	5		· · ·	1		· · ·	5		11. 11.	5		· · .	1.1	
÷.		1		1 I 1		1	· · ·		1,	· · ·		4,		
	5			1	н н 1		5	н н 1		5			1	
												· · .		
	5	н н н		1	н н 1		5			5		; · ·	·	
· · .			· · .			· · ,						· · .	1	
÷.			1	r 1			1 I 1			1 I 1	1			-
	1	: 1		·		:	·	1 - 1 1		·			1	
· · .	5		· · .	1		· · .	5		· · ·	5		···,	1	
1.	· · ·	1		1 I 1		1		1	1			4,	•	}
· · ·	5	н н н	;	1			5			5			1	
1		·				<u> </u>	1 1				1	·		1