

# SAFETY DATA SHEET

		: ' '		н н Н			1 I		Date	Accesse	d: 25/08	8/2023
'						<sup>1</sup>	1 1 - 1		Dat	te Revise	d: 17/12	2/2022
	1. 	· · ·	1	1	1 I		1	· · ·		1	· · ·	1
SEC	CTION	1. ID	ENT	IFICA								
							1 - 1 1	111			111	
	uct Name											
CAS	#: 409-21	-2			. * *	'						
Relev	vant iden	tified us	sesiof	the subs	tance: S	Scienti	fic resea	rch and	devel	opment		
Supp	lier detai	ls:										
Stanfo E-mai	ord Advar il: sales@	nced Ma )samate	iterials rials.co	m	: • •		н н н		:			:
Tel: (§	949) 407-	8904										
Addre	ess: 2366	1 Birtche	er Dr., I	_ake For	est, CA §	92630	U.S.A.			1		
SEC	CTION	2. H	AZA	RDS I	DENT	IFIC		N :"	:		:	
Class	ification c	of the su	bstance	e or mixt	ure							
Class	ification a	according	g to Re	gulation	(EC) No	1272/2	2008			1		
GHSC	)8 Health	hazard										
Carc.	2 H351 S	Suspecte	ed of ca	ausing ca	incer.							
GHSC		I.						I.			1	
Skin I	rrit. 2 H3 <sup>-</sup>	15 Caus	es skin	irritation		'			*			'
Eye Ir	rit. 2A H3	819 Cau	ses	ious eye	irritation	l. :	1	1 1		1	1 1	
	- SE 3 H3							,				
Class	ification a	accordin	g to Dir	ective 67	7/548/EE	C or D	irective 1	999/45/	EC			:
	armful	·		i.		1	r.		1	1		
,												

R40: Limited evidence of a carcinogenic e	effect.		. :						
Xi; Irritant									
R36/37/38: Irritating to eyes, respiratory s						1			·
Information concerning particular hazards	s for hu	man ar	nd environ	ment: N	I/A				
Hazards not otherwise classified									
No data available	- 1 - 1 1				'			<sup>1</sup>	
Label elements		1	·		1	·		1	• .
Labelling according to Regulation (EC) No					ı				
The substance is classified and labeled a	ccordir	ng to the	e CLP reg	ulation.			; · ·		
Hazard pictograms		,	,		,	,		,	
GHS07 GHS08			1 1 1		'	1 1 1			
Signal word: Warning	· ·		·		1	1			•
Hazard statements									
H315 Causes skin irritation.				: • •	1	н н н	; • •		
H319 Causes serious eye irritation.									
H351 Suspected of causing cancer.							, ''		
H335 May cause respiratory irritation.	· ·		1		1	1 			·
Precautionary statements									
P261 - Avoid breathing dust/fume/gas/mis	st/vapo	ors/spra	y.	111	1	1 I			
P280 - Wear protective gloves/protective	clothin	g/eye p	rotection/	face pro	otection	l			
P281 - Use personal protective equipmen	nt as re	quired.							
P305+P351+P338 IF IN EYES: Rinse cau	utiously	/ with w	ater for se	everal m	ninutes	Remove	contact		
lenses, if present and easy to do. Continu	ie rinsi	ng.							
P405 - Store locked up.							111		
P501 - Dispose of contents/container in a	ccorda	nce wit	h local/reg	gional/n	ational	/internatio	nal		
regulations.	· · ·	:	1. 	1 I		1. 	•	-	
WHMIS classification	<i></i>								
D2B - Toxic material causing other toxic e	enects	}	н н н	:	1	н н н	; • •		
Classification system HMIS ratings (scale 0-4)		'							
niviio raungs (scale 0-4)	1		1 1			1 1			

			1						1	1 1 1		
(Hazardous Mate	erials lo	dentific	ation Syst	em)								
HEALTH												
FIRE			1 	1 1		1			1.1			1.
REACTIVITY												
1	: ' '		н н н							111		
1		'	н 1 - 1		<sup>1</sup>							
1 Health (acute effe			1			1		1	1 1		1	÷.,
		. 1										
Flammability = 1	: ' '						: * *			111		
Physical Hazard	= 1											
Other hazards		<sup>1</sup>								111		
Results of PBT a	ndvPv	vB asse	essment	1 I 1		1			1	· · ·		1
PBT: N/A												
vPvB: N/A	: • •		1 - 1 1		-					1.1.1		

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances							
CAS No. / Substance Name:	н н Н		н н Н	: * *		: · · ·	
409-21-2 Silicon carbide		 					
Identification number(s):							
EC number: 206-991-8	1 		1 		1 		

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.Seek immediate medical advice.

In case of skin contact:

		1					i.	1		i.	1
Immediately wash with s	oap ar	nd water; r	inse the	orough	ly.						
Seek immediate medical											
In case of eye contact:		1 	1 1	-	1 	1 I		·	1		·
Rinse opened eye for se	veral n	ninutes ur	nder run	ining w	ater. Cons	sult a ph	iysiciar	۱.			
If swallowed:	1				1 - 1 1		1				
Seek medical treatment.				1						'	
Information for doctor Most important symptom						1 1	-	1	1 1		·
					aciayea						
No data available			: • •			111			: * *		
Indication of any immedi				•							
No data available	'			· · *			'				
											·

### SECTION 5. FIREFIGHTING MEASURES

Extinguishing media								
Suitable extinguishing agents								
Carbon dioxide, extinguishing powder	or water	spray.	Fight large	er fires v	vith wa	ter spray o	or alcoh	ol
resistant foam.								
Special hazards arising from the substa	ance or r	nixture				н н Н	: ' '	
If this product is involved in a fire, the f	ollowing	can be	released:					'
Carbon monoxide and carbon dioxide								
Silicon oxide			1	1 1		1	1 I	
Advice for firefighters								
Protective equipment:		1			-			
Wear self-contained respirator.		<sup>1</sup>			'			'
Wear fully protective impervious suit.	1 - 1 1		1		-	5		

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

		,	,			
Use personal protective equipment. Keep unprotected personal	ons away.					
Ensure adequate ventilation						
Environmental precautions:			1			
Do not allow material to be released to the environment with	nout official	permits	<b>.</b>			
Do not allow product to enter drains, sewage systems, or ot	her water c	ourses.				
Do not allow material to penetrate the ground or soil.		1.1				
Methods and materials for containment and cleanup:			·			
Dispose of contaminated material as waste according to se		:		,		
Ensure adequate ventilation.						
Prevention of secondary hazards:		:	i.	,		,
No special measures required.		1.1 <sup>1</sup>				
Reference to other sections			1			
See Section 7 for information on safe handling						
See Section 8 for information on personal protection equipn	nent.					
See Section 13 for disposal information.						
ente de la companya d La companya de la comp						
let uit verfret uit verriet uit an te tribular te tribular te						
SECTION 7. HANDLING AND STORA	1 1				*	•
let up let up let up let up let te til de te til de te	GE	:				•
SECTION 7. HANDLING AND STORA Handling	GE :	:		:	:	
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling	GE :	:		:	:	
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling Keep container tightly sealed.	GE :			;		
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers.	GE 			;		
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling Keep container tightly sealed.	GE			;** .** . ;		
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires:	GE			;** .** . ;		•
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No data available	GE					•
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No data available Conditions for safe storage, including any incompatibilities	GE			;  :		•
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No data available Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: No special requirements	GE					
SECTION 7. HANDLING AND STORA Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No data available Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles:	GE					

Further information abo Keep container tightly s		ons:		, , ,		'	,		'
Store in cool, dry condit		d conta		1	1 - 1 1		1		
Specific end use(s)									
No data available				н н Н	111		· · ·	:**	
SECTION 8. EX		ON <sup>®</sup>	TRO	LS/PI	ERSO	NAL	* -		
PROTECTION									
					: ' '		1	: * *	
Additional information a				1					
Properly operating cher		_					-		-
face velocity of at least	100 feet per minu	te.		1			1 		
Control parameters									
Components with limit v	alues that require	monit	oring a	at the wo	rkplace:	-	н н 1	: * *	
409-21-2 Silicon carbide	e (100.0%)								
PEL (USA) Long-term v	/alue: 15* 5** mg/i	n							
3				1 1	н н н	:	1		1
fibrous dust: *total dust									
REL (USA) Long-term v	value: 10* 5** mg/	m		1 I				111	
3,			'						
*total dust **respirable f	raction								
TLV (USA) Long-term v	alue: 10* 3** mg/r	n		1 			1		
3									
fibrous dust:0.1 f/cc; no	nfibrous:*inh.,**re	sp.			111	:		111	
EL (Canada) Long-term	value: 10* 3** mg	g/m							
3 *inhalable, **respirable	(		:	<b>1.</b>		:	<b>'</b>		:
EV (Canada) Long-term	n value: 10* 3** m	g/m				:		: **	;
i i i i i i i i i i i i i i i i i i i	1 I I I I I I I I I I I I I I I I I I I			1			1		

3

, 0.1f/cc\*\*\* ppm

	111		1	1 1 1			1		
nonfibrous: *inh.,**resp.; ***fibrous, res	p.	'			'				
Additional information: No data									
Exposure controls			1			1			·
Personal protective equipment									
Follow typical protective and hygienic p			ndling che						
Keep away from foodstuffs, beverages	and fee	d. •••				н 1 — 1		'	
Remove all soiled and contaminated clo	othing ir	nmedia	ately.						·
Wash hands before breaks and at the e	end of w	ork.							
Avoid contact with the eyes and skin.		:							
Maintain an ergonomically appropriate								i	
Breathing equipment:		· · · <sup>*</sup>	1 1 1	. * *	· · · <sup>1</sup>	н 1 — 1	19	'	
Use suitable respirator when high conc	entratio	ns are	present.			5			·
Recommended filter device for short te	rm use:								
Use a respirator with type P100 (USA)		EN 143	) cartridge	s as a t	packup	to engin	eering	:	
Use a respirator with type P100 (USA) controls.Risk assessment should be pe	or P3 (E rformed	I to det	ermine if a				-	:	
Use a respirator with type P100 (USA) controls.Risk assessment should be pe appropriate. Only	or P3 (E rformed	l to det	ermine if a	air purify	/ing res	pirators	-		
Use a respirator with type P100 (USA) controls.Risk assessment should be pe appropriate. Only use equipment tested and approved un	or P3 (E rformed der app	l to det	ermine if a	air purify nent sta	ying res Indards	pirators	are		· · ·
Use a respirator with type P100 (USA) controls.Risk assessment should be pe appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves	or P3 (E rformed der app	l to det	ermine if a e governn	air purify nent sta	ying res Indards	pirators	are		· · ·
Use a respirator with type P100 (USA) controls.Risk assessment should be per appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves Inspect gloves prior to use.	or P3 (E rformed der app	l to det	ermine if a e governn	air purify nent sta	ving res	pirators			
Use a respirator with type P100 (USA) controls.Risk assessment should be per appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determin	or P3 (E rformed der app ed both	l to det propriat	ermine if a e governn terial and	air purify nent sta quality,	ving res indards the lat	pirators	are	/ary	
Use a respirator with type P100 (USA) controls.Risk assessment should be per appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determine by	or P3 (E rformed der app ed both	l to det propriat	ermine if a e governn terial and	air purify nent sta quality,	ving res indards the lat	pirators	are	/ary	
Use a respirator with type P100 (USA) controls.Risk assessment should be per appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determine by manufacturer.	or P3 (E rformed der app ed both	l to det propriat	ermine if a e governn terial and	air purify nent sta quality,	ving res	pirators	are	/ary	
Use a respirator with type P100 (USA) controls.Risk assessment should be per appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determine by manufacturer. Material of gloves: Nitrile rubber, NBR	or P3 (E rformed der app ed both	l to det	ermine if a e governn terial and	air purify nent sta quality,	ving res	pirators	are	/ary	
Use a respirator with type P100 (USA) controls.Risk assessment should be per appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determine by manufacturer. Material of gloves: Nitrile rubber, NBR Penetration time of glove material (in magnetic states)	or P3 (E rformed der app ed both	l to det propriat by ma	ermine if a e governn terial and	air purify nent sta quality,	ving res	pirators	are	/ary	· · · · ·
Use a respirator with type P100 (USA) controls.Risk assessment should be per appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determine by manufacturer. Material of gloves: Nitrile rubber, NBR Penetration time of glove material (in ma Glove thickness: 0.11 mm	or P3 (E rformed der app ed both	l to det propriat by ma	ermine if a e governn terial and	air purify nent sta quality,	ving res	pirators	are	/ary	· · · · · ·
Use a respirator with type P100 (USA) controls.Risk assessment should be per appropriate. Only use equipment tested and approved un Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determine by manufacturer. Material of gloves: Nitrile rubber, NBR Penetration time of glove material (in material)	or P3 (E rformed der app ed both	l to det propriat by ma	ermine if a e governn terial and	air purify nent sta quality,	ving res	pirators	are	/ary	

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

		,		1		1				1	
Appearance:				'							
Form: Various form	ns (powder/	/flake/crys	stalline/b	beads,	etc.)						
Color: Grey to blac	ж	1			1			1		1	· · ·
Odor: Odorless											
Odor threshold: No	o data availa	able.	:**						1.1	1	
pH: N/A				<sup>1</sup>			<sup>1</sup>			<sup>1</sup>	
Melting point/Meltin	ng range: 2 <sup>°</sup>	700 °C (4	1892 °F)	;	·		:	·			·
Boiling point/Boilin	g range: Nc	) data ava	ailable	1			,				
Sublimation tempe	rature / star	rt: No dat	ta availa	ble	1 - 1 -			1 1			
Flammability (solid	l, gas): No c	lata avail									
Ignition temperatur	re: No data	available	<u>}</u>	· · · <sup>1</sup>	, , ,		' 			<sup>1</sup>	
Decomposition ten	nperature: N	√o data a	vailable		1			1. I.			·
Autoignition: No da	ata available	Э.									
Danger of explosio	n: No data	available	<u>.</u>		· · ·	111		н н н	: * *	1	
Explosion limits:					,						1
Lower: No data av	ailable	1 I							. **		
Upper: No data av	ailable		· · ·		1			1 		1	·
Vapor pressure: N	/A										
Density at 20 °C (6	38 °F): 3.16	g/cm	111			111		н н н	:**	1	
3				<sup>1</sup>							
(26.37 lbs/gal)											
Relative density: N	lo data avai	lable.			1 			'		1	
Vapor density: N/A	<b>L</b>										
Evaporation rate: N	√/A		i -		•	1.1.1				-	
Solubility in Water	,(H			<sup>1</sup>						11	
2 O): Insoluble		·		;	1		:	·		1	÷.
Partition coefficien	t (n-octanol	/water): N	No data a	availab	ole.						
Viscosity:			·				:				
Dynamic: N/A											

Kinematic: N/A			'			'			
Other information: No d									
							1 		
SECTION 10. S	TABILITY	ANE	RE	ΑΟΤΙ	/ITY			111	
Reactivity: No data ava	ilable		'		, <sup>11</sup>	*			
Chemical stability: Stab	le under recom	mended	storag	je conditi	ons.				
Thermal decomposition	/ conditions to	be avoid	ded:						
Decomposition will not	occur if used an	d stored	d accor	ding to s	pecificati	ons.			
Possibility of hazardous	s reactions: Rea	cts with	strong	oxidizing	g agents	Conditi	ons to av	void: No d	data
available			<sup>1</sup>			'			
Incompatible materials:	Oxidizing agen	ts							
Hazardous decomposit	ion products:	i.				1		1	
Carbon monoxide and	carbon dioxide								
Silicon oxide									

Information on toxicological effects Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: Suspected of causing cancer. ACGIH A2: Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered

relevant to worke	er exposure. Av	vailable ep	idemiol	logic st	udies are	conflicti	ng or ir	nsufficient	to confi	ŗm
an increased risk	of cancer in e	xposed hu	mans.							
The Registry of T	oxic Effects of	f Chemical	Substa	ances (	RTECS) c	ontains	tumor	igenic and	/or	
carcinogenic and	/or neoplastic	data for thi	is subs	tance.						
Reproductive tox	icity: No effect	s known.								
Specific target or	gan system to	xicity - rep	eated e	exposu	re∷No effe	cts kno	wn.	н 1 - 1		'
Specific target or	gan system to	xicity - sing	gle exp	osure:	May cause	e respir	atory ir	ritation.		
Aspiration hazard	l: No effects ki	nown.	,							;
Subacute to chro	nic toxicity:	1 1			1 - 1					
The Registry of T	oxic Effects of	f Chemical	Substa	ances (	RTECS) c	ontains	multip	le dose to:	xicity da	ita
for	(1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,	1 1 1					'			'
this substance.		·	1 1		5			1		
Additional toxicol	ogical informa	tion:		,						
To the best of ou	r knowledge th	ne acute ar	nd chro	nic tox	icity of this	substa	nce is	not fully kr	nown.	
Carcinogenic cat	egories	1		,	1			1		
OSHA-Ca (Occu	pational Safety	/ & Health	Admini	stration	ו) <sup>1</sup>		· · '			'
Substance is not	listed.	1			1.			1		
SECTION 1	12. ECOL	OGICA	LIN	FOR	MATIC	<b>DN</b>				
Toxicity				<sup>1</sup>			'	н н н		'
Aquatic toxicity: N	No data availal	ble			1			1		
Persistence and	degradability:	No data av	vailable							
Bioaccumulative	potential: No c	lata availa	ble		1 - 1 1	; • •		н н н	: • •	:
Mobility in soil: N	o data availab	le								
Additional ecolog	ical informatio		1		1 1	1			1	
Do not allow mat	erial to be rele	ased to the	e enviro	onment	without of	fficial pe	ermits.	1		
Do not allow und	iluted product	or large qu	antities	s to rea	ch ground	water, v	water c	ourses, or	sewage	е
systems.		1 I							: "	
Avoid transfer int	o the environn	nent.		1.1						'

Results of PBT and vPvB ass	sessment		'							
PBT: N/A										
vPvB: N/AOther adverse effe	cts: No da	ata avail	able	5 1			1 			·
	н н н			 		1	н н н	1 - 1 - 1 1		
SECTION 13. DISP	POSAL	CON	ISID	ERAT	IONS				*	
Waste treatment methods Recommendation	1.				1 I 1		1		1	·
Consult official regulations to	ensure p	roper dis	sposal.	н н н					1	
Uncleaned packagings: Recommendation:						'			'	
Disposal must be made acco	rding to o	fficial re	gulatior	าร.	1 - 1 - 1		1. 	1 - 1 1		·
SECTION 14. TRA	NSPO	RT IN	IFOF	RMAT	ION					
UN-Number		111				<sup>1</sup>				
DOT, ADN, IMDG, IATA	1			1	· · ·		1			·
N/A										
UN proper shipping name		; • •		н н н				111		
DOT, ADN, IMDG, IATA			'							
N/A										
Transport hazard class(es)							1 			
DOT, ADR, ADN, IMDG, IAT		;	:		10	:		1 I I 1		
N/A			'				. :			
Packing group DOT, IMDG, IATA	1		;	1		:	1	· · · ·		·
N/A			;	 	; · ·					
Environmental hazards: N/A										

	1 - 1 1				1.1.1		1 - 1 1	1 - 1 - 1 1		1 - 1 1			
Marin No	e Pollutant (	DOT):	:	·		:	1		:	1	• •	:	÷.,
DOT	. :		'			· · <sup>*</sup>			'				
N/A Trans	port/Addition	nal info	rmatio	on:	:		1 - 1 1				:		
N/A Trans	port in bulk	accord	ing to	Annex I	l of MAR	POL73	8/78 and	the IBC (	Code	5	• •	:	·
Speci	al precautio	nș for u	Iser			'			'				

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/l	legislatio	on specific	for the	substa	nce or mi	ixture	
National regulations							
All components of this product are listed in the	e U.S. Er	nvironmer	ntal:Prot	ection	Agency T	oxic	
Substances Control Act Chemical substance I	Inventory	/-					
All components of this product are listed on th	e Canac	lian Dome	estic Sul	bstance	es List (D	SL).	
SARA Section 313 (specific toxic chemical list	ings)	·			1. 		
Substance is not listed.							
California Proposition 65		1 - 1 1	111		н н н	111	
Prop 65 - Chemicals known to cause cancer				'			
Substance is not listed.							
Prop 65 - Developmental toxicitySubstance is	not liste	d.			1		
Prop 65 - Developmental toxicity, female							
Substance is not listed.		1					
Prop 65 - Developmental toxicity, male		1 1 - 1					'
Substance is not listed.	:	·		:			:
Information about limitation of use:	,						
For use only by technically qualified individual	S.			:			;
Other regulations, limitations and prohibitive re	egulatior	าร		,			
Substance of Very High Concern (SVHC) acc	ording to	the REA	CH Reg	ulation	s (EC) N	o. 1907/	2006

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use): Substance is not listed.

REACH - Pre-registered substances: Substance is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

prope		ne produ	<i>σι</i> .										
 '												'	
	5		1	1 1			1		1	1 1			÷.,
 -	н н н		1			1	1 - 1 1		1			-	
 	н 1 - 1		'			'			'			'	
:	1			·		;	1			1	• •	:	÷.,
 ;		:	1	· · ·	: • •	1	1 - 1 1	111	1	1 I	:	:	
 			<sup>1</sup>								, **	'	
	1	· · ·		°		}	1			÷		-	÷.,
 ;		:	1	· · ·	: • •	1	1 - 1 1	111	1	1 I	:	:	
 	.1		<sup>1</sup>			<sup>1</sup>	. :		<sup>1</sup>		. **	'	
1						1	ı.		1	I			