

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 01/02/2023

SECTION 1. IDENTIFICATION

Product Name: Sodium Peroxide

CAS #: 1313-60-6

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS03 Flame over circle

Ox. Sol. 1

H271 May cause fire or explosion; strong oxidizer.

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements

Hazard pictograms GHS03 GHS05 Signal word Danger Hazard statements H271 May cause fire or explosion; strong oxidizer H314 Causes severe skin burns and eye damage. Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P283 Wear fire/flame resistant/retardant clothing. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P306+P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification C - Oxidizing materials

D2B - Toxic material causing other toxic effects

Classification syster	n									
HMIS ratings (scale	0-4)		. ' '	'''	.;		'',	.;		
(Hazardous Materia	ls Identific	ation Sys	tem)							
Health (acute effects	s) = 3		: ' '							
Flammability = 3	: .			1 1				: .		
Physical Hazard = 3 Other hazards	· · · · · · · · · · · · · · · · · · ·	.:		4.	.:	'	٠,	.:		٠.
Results of PBT and	vPvB asse	essment	: ' '	٠,		111	4.	'	: ' '	
PBT:										
N/A						'			'	
vPvB:	1						1	,:		٠.,
N/A										
			:							•••
SECTION 3.	COMP	OSITI	ON/II	NFOF	RMAT	ION (ON IN	IGRE	DIEN [.]	TS

Substances

CAS No. / Substance Name:

1313-60-6 Sodium peroxide

Identification number(s):

E - Corrosive material

EC number: 215-209-4

Index number: 011-003-00-1

SECTION 4. FIRST AID MEASURES

Description of first aid measuresGeneral information

Immediately remove any clothing soiled by the product.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Indication of any immediate medical attention and special treatment needed No data available SECTION 5. FIREFIGHTING MEASURES Extinguishing media Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers. For safety reasons unsuitable extinguishing agents Halocarbon extinguisher Special hazards arising from the substance or mixture This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. If this product is involved in a fire, the following can be released: Sodium oxide Advice for firefighters Protective equipment:

Wear self-contained respirator.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow product to enter drains, sewage systems, or other water courses.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13,

Ensure adequate ventilation.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sectionsSee Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances. This substance is

oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Store away from air.

Do not store with organic materials.

Store away from metal powders.

Store away from water/moisture.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

This product is air sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average

face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

None.				'	1	1	'			'	: .
Additional informa											
No data		` · .	.:	.''	· · .	, i			, i		٠.
Exposure controls	3										
Personal protectiv	e equip	ment	'		· · .	'		``.	'	: '	٠.
Follow typical prot	tective a	and hy	gienic prac	ctices fo	or hand	ling chem	icals.				: .
Keep away from fo	oodstuf	fs, bev	erages an	d feed.	,	:	,		:		
Remove all soiled	and co	ntamin	ated cloth	ing imr	nediate	ly.		,			
Wash hands before	re breal	ks and	at the end	of wor	k.Avoid	l contact v	vith the	eyes a	nd skin.		
Maintain an ergon	nomicall	y appr	opriate wo	rking e	nvironn	nent.		,			
Breathing equipme	ent:			'							: .
Use suitable respi	irator w	hen hig	jh concent	trations	are pro	eșent.	, , ,	٠,			٠.,
Recommended fill	ter devi	ce for	short term	use:							
Use a respirator w	vith type	P100	(USA) or	P3 (EN	143) c	artridges a	as a ba	ckup to	engineeri	ng	٠.,
Risk assessment	should	be per	formed to	determ	ine if ai	r-purifying	respira	ators ar	e appropri	ate. On	ily
use equipment tes	sted and	dappro	oved unde	r appro	priate g	governmer	nt stand	lards.	.:	,	,
Protection of hand	ds:										٠,
Impervious gloves											
	S ;					'					
Inspect gloves price											
	or to us	e.									
Inspect gloves prid	or to us	e. Id be d	etermined	both b	y matei	rial and qu	ality, th	e latter	of which	may va	ry
Inspect gloves prior	or to us	e. Id be d	etermined	both b	y matei	rial and qu	ality, th	e latter	of which	may va	ry
Inspect gloves prid Suitability of glove by	or to us	e. ld be d	etermined	both b	y matei	rial and qu	ality, th	e latter	of which	may va	ry
Inspect gloves prid Suitability of glove by manufacturer. Material of gloves Nitrile rubber, NBF	or to us es shoul	e. ld be d	etermined	both b	y matei	rial and qu	ality, th	e latter	of which	may va	ry
Inspect gloves prices Suitability of gloves by manufacturer. Material of gloves	or to us es shoul	e. ld be d	etermined	both b	y matei	rial and qu	ality, th	e latter	of which	may va	ry
Inspect gloves prid Suitability of glove by manufacturer. Material of gloves Nitrile rubber, NBF	or to uses should	e. ld be d	etermined	both b	y matei	rial and qu	ality, th	e latter	of which	may va	ry
Inspect gloves price Suitability of glove by manufacturer. Material of gloves Nitrile rubber, NBF	or to uses should	e. ld be d	etermined	both b	y matei	rial and qu	ality, th	e latter	of which	may va	ry
Inspect gloves price Suitability of glove by manufacturer. Material of gloves Nitrile rubber, NBF Penetration time of	or to uses should	e. ld be d	etermined	both b	y matei	rial and qu	ality, th	e latter	of which	may va	ry

Tightly sealed goggles

Full face protection

Body protection:

Protective work clothing

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Solid

Odor: No data available

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: 460 °C (860 °F) (dec)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

Contact with combustible material may cause fire.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 2.805 g/cm3 (23.408 lbs/gal)

Relative density

No data available.

Vapor density

N/A
Evaporation rate
N/ASolubility in Water (H

O): Insoluble

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Dynamic: N/A

Kinematic: N/A

Other information

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

May intensify fire; oxidizer.

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Conditions to avoid

No data available

Incompatible materials:

Flammable substances

Reducing agents

Air

Water/moisture

Organic materials				: .	'				
Metal powders									
Hazardous decomposition produ	cts:	. '	· · ·			· · .			٠٠.
Sodium oxide	*	111					'		٠.,
		'				,			
SECTION 11. TOXIC									
Information on toxicological effect		.''			. '		.:	'	٠.,
Acute toxicity:	'				: ' '			: • •	
Swallowing will lead to a strong of	corrosive	effect o	n mou	th and thro	oat and	to the	danger of	perfora	ation
of esophagus and stomach.		'						'	: .
LD/LC50 values that are relevan	t for class	sificatio	n;			٠,,		, '	٠.,
No data									
Skin irritation or corrosion:	'	: ' '			; * *	٠.,	'	: ' '	٠.,
Causes severe skin burns.									
Eye irritation or corrosion:									
Causes serious eye damage.	.:	. '	1			٠.	.:		٠.
Sensitization:									
No sensitizing effects known.	'	111	٠,	'	: ' '	٠,	"	: ' '	٠.,
Germ cell mutagenicity:	1				'			'	
No effects known.									
Carcinogenicity:	.:	. '	· · .			``.	.;	. '	٠.
No classification data on carcino	genic pro	perties	of this	material is	s availa	ble fror	m the EPA	, IARC	,
NTP, OSHA or ACGIH.	'	111	· · .	'	: ' '	· .	'	: ' '	٠.
Reproductive toxicity:No effects	known.	'						'	: .
Specific target organ system tox	icity - repe	eated e	xposur	e:					
No effects known.	. '						, i		
Specific target organ system tox	icity - sing	gle exp	osure:						
No effects known.			' ,		,			•	٠,

Aspiration hazard:

No effects known.									
Subacute to chronic toxicity:									
No effects known.			'',			٠.,			
Additional toxicological infor	mation:								
To the best of our knowledg	e the acut	e and ch	ronic to	exicity of	this subs	stance i	s not full	y known.	٠,
Carcinogenic categories									
OSHA-Ca (Occupational Sa	fety & Hea	alth Adm	inistrati	on)					
Substance is not listed.	icty & Fice	· '	٠,	.'		',	, '	.'	
		111	1.	'		10		111	٠.,
SECTION 12. ECC	LOGI	CALI	NFO	RMA	ΓΙΟΝ				
Toxicity				.:		4.			٠.,
Aquatic toxicity:									
No data available		: '	٠,		: "	٠.,			٠.,
Persistence and degradabili	ty								
No data available									
Bioaccumulative potential	.;			.;;		٠.,			٠.
No data available									
Mobility in soil		: ' '	٠,			٠.,		: "	٠.,
No data available									
Additional ecological informa									
Do not allow undiluted produ	uct or large	e quantit	ies to re	each gro	undwate	r, wateı	courses	s, or sewa	age
systems.									
Avoid transfer into the enviro	onment.	111	' ' '		111	1		111	٠.,
Results of PBT and vPvB as	sessment	'							
PBT:									
N/A	, i			, i		· · · ·	, i		
vPvB:						٠,			٠.
N/A									
Other adverse effects							: .		

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Consult official regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-NumberDOT, IMDG, IATA

UN1504

UN proper shipping name

DOT

Sodium peroxide

IMDG, IATA

SODIUM PEROXIDE

Transport hazard class(es)

DOT

Class

5.1 Oxidising substances.

Label


5.1

Class

5.1 (O2) Oxidizing substances

Label

5 1



Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS GHS label elements, including precautionary statements

Hazard pictograms

GHS03

GHS05 Signal word Danger Hazard statements H271 May cause fire or explosion; strong oxidizer. H314 Causes severe skin burns and eye damage Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P283 Wear fire/flame resistant/retardant clothing. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P306+P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Theinformation in this document is based on the present state of our knowledge and is applicable to the

',	.:	, '	· · · ·	, i			, i	.''				· · ·
٠,		;**	٠,	'	:**	1			4,			٠.
,							:.	'		: .		
٠.	.:		٠,	.:	. '	1	.:		1	.;	.**	٠.
٠.		111	1			1		: • •	4.		: ' '	٠.
										: .		: .
٠,	.:		14.	.:	. '	1	.:		1.	.;		٠.
٠.			٠,			1		:	4.		: ' '	٠.
,										: .		: .
٠,	.:	<i></i>	1	.:		14.	.:	,e*	14.	.:		٠.
٠.		;**	٠,			1		:**	1		:**	٠.
								'	1			
٠,	,ŧ	<i></i> *	14.	.:		10	.:	.e*	1.	.:		٠.
٠,		111	٠,		:**			:**			:**	٠.
					'			'	: .			: .
٠.	.:		٠.	.1	. "	1	.;	. "				٠.
٠,	*	:"	4.			14.			4,			٠.
,	: .		: .	: .		,						: