

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 28/01/2023

SECTION 1. IDENTIFICATION

Product Name: Tantalum Powder

CAS #: 7440-25-7

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin. F; Highly flammable R11: Highly flammable. Information concerning particular hazards for human and environment: N/A Hazards not otherwise classified No data available. Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labeled according to the CLP regulation. Hazard pictograms GHS02 GHS07 Signal word Danger Hazard statements H228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.


P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

WHMIS classification

B4 - Flammable solid

D2B - Toxic material causing other toxic effects



SECTION 4. FIRST AID MEASURES

Identification number(s):

EC number:

231-135-5

Description of first aid measures If inhaled: Supply fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly, Seek immediate medical advice. In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No information available. Indication of any immediate medical attention and special treatment needed No information available. SECTION 5. FIREFIGHTING MEASURES Extinguishing media

Suitable extinguishing media

Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing media

Water

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Tantalum oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleanup:

Ensure adequate ventilation.

Prevention of secondary hazards:

Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure adequate ventilation.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No information available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7440-25-7 Tantalum (100.0%)

PEL (USA) Long-term value: 5 mg/m³

metal

REL (USA) Short-term value: 10 mg/m³

Long-term value: 5 mg/m³

Metal

TLV (USA) metal; TLV withdrawn due to insufficient data

EL (Canada) Long-term value: 5 mg/m³

metal

EV (Canada) Long-term value: 10 mg/m³

metal and oxide (total dust) Additional information: No data Exposure controls Personal protective equipment Follow typical general protective and industrial hygiene measures for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.	
Exposure controls Personal protective equipment Follow typical general protective and industrial hygiene measures for handling chemicals. Keep away from foodstuffs, beverages and feed.	.:
Personal protective equipment Follow typical general protective and industrial hygiene measures for handling chemicals. Keep away from foodstuffs, beverages and feed.	:
Follow typical general protective and industrial hygiene measures for handling chemicals. Keep away from foodstuffs, beverages and feed.	: '
Keep away from foodstuffs, beverages and feed.	:'
Remove all soiled and contaminated clothing immediately.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes and skin.	
Breathing equipment:Use suitable respirator when high concentrations are present.	;
Recommended filter device for short term use:	
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls.	. :
Risk assessment should be performed to determine if air-purifying respirators are appropriate.	Onlv
	,
use equipment tested and approved under appropriate government standards.	· · ·
	y
Protection of hands:	
Protection of hands:	
Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may	
Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may	vary
Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may by manufacturer.	vary
Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may by manufacturer. Eye protection:	vary
Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may by manufacturer. Eye protection: Safety glasses	vary
Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may by manufacturer.	vary

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Powder

Color: gray to black

Odor: Odorless

Odor threshold: No data available.

pH: N/A.

Melting point/range: 2996 °C (5425 °F)

Boiling point/range: 5429 °C (9804 °F)

Sublimation temperature / start: No data available.

Flammability (solid, gas):

Highly flammable.

Ignition temperature: No data available.

Decomposition temperature: No data available.

Auto igniting: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure: N/A.

Density at 20 °C (68 °F): 16.69 g/cm³ (139.278 lbs/gal)

Relative density

No data available.

Vapor density

N/A.

Evaporation rate

N/A.

Solubility in Water (H

2

O): Insoluble

Partition coefficient (n-octanol/water): No data available.

Viscosity:

Kinematic: N/A.								
Other information								. :
No information available.		;'	;	:**	:"	;'	:**	:'
SECTION 10. STABILITY								
Reactivity	• • •		: '					
No data available. Chemical stability	111	: '	:		;	;		:'
Stable under recommended storage co	onditions). -						
Thermal decomposition / conditions to	be avoid	ded:						
Decomposition will not occur if used a	nd stored	d accor	ding to s	pecificati	ons.			
Possibility of hazardous reactions	: ' '	;	:		;	:	: ' '	;
Reacts with strong oxidizing agents Conditions to avoid		'		: '		:.		
No information available.								
Incompatible materials:								
Acids : " : " : " : "	: ' '	; '	: '	: "	:	:"	: ' '	: '
Oxidizing agents Hazardous decomposition products:	: '		:.	: '		:.	: '	

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Tantalum oxide

Dynamic: N/A.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

No data										,
Skin irritation or corros	sion:									
Causes skin irritation.										,
Eye irritation or corros										
Causes serious eye da	amage.		:	; '	:	; ' '	:	; ·	!''	
Sensitization:	'						'			,
No sensitizing effects	known.				1 1					
Germ cell mutagenicity		1		1 1	•		1 1	,		,
N/A g Carcinogenicity:	:"	ť		:"	ť	:''	i'	i'	:"	
No classification data	on carcir	nogenic pr	ropertie	s of this	s material	is availa	able fro	m the EPA	A, IARC,	,
NTP, OSHA or ACGIH	I. ;									
The Registry of Toxic										
carcinogenic and/or ne	eoplastic	data for t	his sub	stance.		: ' '	; '	;		
Reproductive toxicity:	'			'	:.		"	:		,
Specific target organ s	system to	oxicity - re	peated	exposi	ıre:					,
N/A										
Specific target organ s	system to	oxicity - sir	ngle ex	posure:	:	: ' '	;	:"		
May cause respiratory	irritation	1. ,								
Aspiration hazard:						,			,	
N/A										,
Subacute to chronic to	-	i'	;**	;	i'			e'	:"	
Additional toxicologica	l informa	ation:								,
To the best of our known		he acute a		onic to	kicity of thi	s subst	ance is	not fully k	nown.	

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Waste treatment methods									
SECTION 13. DISP	OSAL	CON	ISIDI	ERAT	IONS		: .		
			1						-
No information available.									
Other adverse effects			1						
vPvB:			'	:.		'	1.		
N/A. ;·	:	: ' '	;	; '	: "	:	;	:''	:
Results of PBT and vPvB asserts:	essment:								
Avoid transfer into the environ	ment.		'	: .	: '		: .		
General notes:	,								
Additional ecological informati	on:				;**	, '		: ' '	
Mobility in soil: No information available.				: '					
No information available.						'	: .		
No information available. Bioaccumulative potential:	i'	:''	:"	:'	:''	;	:"	:"	:
Persistence and degradability:	:								,
No information available									
Aquatic toxicity:			'						

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number					'				
DOT, IMDG, IATA	A								
UN3089									
UN proper shippi	_								
DOT			i i					i e	
Metal powders, fl	lammab	ole, n.o.	s. (Tantalı	ım pow	der)	: .		"	
IMDG, IATA									
METAL POWDE									,
Transport hazard	l class(e	es)	:						
DOT		:	·		;			:	
Class		'						'	
4.1 Flammable se	olids, se	elf-reac	tive substa	aņçes a	nd solic	desensit	ised ex	plosive	S
Label									
4.1	: ' '	;	;	: '	;	;	: ' '	:	;
Class									
4.1 (F3) Flammal	ble soli	ds, self-	reactive s	ubstand	es and	solid des	ensitise	ed explo	sives
Label4.1									
IMDG, IATA									
Class	: ' '	:	;	: ' '	. '	:		;	:
1 1 Flammable se									
4. i i iairiiriabic si	olids, se	elf-reac	tive substa	aņçes a		d desensit	ised ex	plosive	ş.
Label				•	nd solic		•		
				•	nd solic		•		
Label 4.1 Packing group		.:			nd solic			. :	
Label 4.1		.:			nd solic			. :	
Label 4.1 Packing group					nd solic				
Label 4.1 Packing group DOT, IMDG, IATA II Environmental ha	A azards:	N/A.			nd solic				
Label 4.1 Packing group DOT, IMDG, IATA II Environmental ha	A azards:	N/A.			nd solic				
Label 4.1 Packing group DOT, IMDG, IATA II Environmental ha	A azards:	N/A. user	f-reactive	substar	nd solid	d solid de	sensitis	ed exp	
Label 4.1 Packing group DOT, IMDG, IATA II Environmental has Special precaution	A azards: ons for u	N/A. user		substar	nd solid	d solid de	sensitis	ed exp	

Heavy metals and their salts (including their organometallic compounds), powdered metals

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A.

Transport/Additional information: DOT

Marine Pollutant (DOT): No

UN "Model Regulation":

UN3089, Metal powders, flammable, n.o.s. (Tantalum powder), 4.1, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.