

# SAFETY DATA SHEET

1	14		1		111				Date	Accessed	1: 25/08	3/2023
:	.:			.:	<sup>1</sup>				Dat	e Revised	I: 12/11	1/2022
				· · · .			11. 11.			11	1	
_	CTION				_							
	uct Name							111			111	1
										.:		
	#: 39410-	-03-4										
Relev	vant iden	tified us	ses of t	the subs	stance: S	cienti	fic resea	rch and	devel	opment	1	
	lier detai											
	ord Advai			1 A				111			: • •	
	il: sales@											
	ess: 2366											
Class GHS(	12 Flame	of the sul	bstance	e or mixt	ure in ac	cordan	ce with 2	9 CFR 1	1910 (C	OSHA HCS	)	:
GHS( Skin I	07 Irrit. 2 H3							111	1		: • •	1
Eye lı	rrit. 2A H3	319 Cau	ses ser	ious eye	irritation			<sup>1</sup>	:			:
										· · ·		
	rds not ot							i				
										1.		
CHC	label eler			' ,	,	1	· .		1			1

	1	1							
GHS label elements, includin	g precautiona	y statem	ents			.:			.:
Hazard pictograms									
GHS02 GHS07						11			· · .
Signal word									
Danger									÷.,
Hazard statementsH228 Flan	nmable solid.					.:		: É	.1
H315 Causes skin irritation.				4					
H319 Causes serious eye irri			· · ·						
H335 May cause respiratory i	irritation.		1.			· .			
Precautionary statements									Ċ,
P210				<sup>1</sup>		.:	1. <sup>1</sup>	:	.1
Keep away from heat/sparks/	open flames/h	ot surfac	es. No sn	noking.		· · .			
P261									
Avoid breathing dust/fume/ga	s/mist/vapors/	/spray.	·		1	1. 1.			÷.,
P280									
Wear protective gloves/protective	ctive clothing/e	eye prote	ction/face	protectio	n.	.:			
P305+P351+P338 IF IN EYE	S: Rinse cauti	ously wit	h water fo	r several	minute	s. Remo	ve conta	ct 🗥	···,
lenses, if present and easy to	do. Continue	rinsing.							
P405				111		14	111		÷.,
Store locked up.		· · · ·			. '	:		. '	;
P501		i.	,			,			
Dispose of contents/containe	r in accordanc	e with lo	cal/region	al/nationa	al/intern	ational r	egulation	S.	۰۰,
WHMIS classification									
B4 - Flammable solid				111		1	111	1	11.
D2B - Toxic material causing	other toxic eff	ects				.: .:		i.	.1
Classification system									
HMIS ratings (scale 0-4)	· · · .			1		· · ·			
(Hazardous Materials Identifie	cation System	)	с.,						
Health (acute effects) = 1	Ч. С. С. С	1				· .		1	
Flammability = 2					1		<sup>1</sup>	:	.1

Physic	al Hazar	d = 1		.1		i.	.:			.:		1	.:
Other h	nazards												
	s of PBT			essment	1		· · .			· · · .			•••,
PBT: N/A	1.			÷.,			1.		,	1.			÷.,
vPvB:			1			: '	.1						.:
N/A	· · .			···.				1		· · .	1		···,

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS No. / Substance Name: 39410-63-4 Titanium aluminide Identification number(s): EC number: 234-461-6

#### SECTION 4. FIRST AID MEASURES

Description of first aid measures If inhaled: Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm. Seek immediate medical advice. In case of skin contact: Immediately wash with soap and water; rinse thoroughly. Seek immediate medical advice.In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician. If swallowed: Seek medical treatment. Information for doctor

Most important symptoms and effects,	, both ac	ute and	l delayed	L <sub>or</sub>	1	.1			.:
No data available									
Indication of any immediate medical a	ttention a	and spe	ecial trea	tment ne	eded	11			
No data available	:"		1. 1.	:**	· .		: **	· :	۰.
SECTION 5. FIREFIGHT					:	.:	'	:	
Extinguishing media	1		11.			۰۰,			
Suitable extinguishing agents	: * *		1. j		· .		:**		· .
Special powder for metal fires. Do not	use wat	er.							
For safety reasons unsuitable extingui	ishing ag	jents		· · · *					. :
Carbon dioxide	1		Ч.,			۰۰,	:		
Special hazards arising from the subs	tance or	mixture	9				: • •		۰.
If this product is involved in a fire, the Advice for firefighters	following	ı can be	e release		:	.:	'	e <sup>r</sup>	
Protective equipment:			· · · .			· · .			
Wear self-contained respirator.									
Wear fully protective impervious suit.	; · ·	1	14. 1	111	1	14. 1	:**		۰.
at de la set de la set					1			:	. :
SECTION 6. ACCIDENT	AL RE	ELEA	SE M	IEASL	JRES	5	`:		
Personal precautions, protective equip	oment an	id emer	gency pi	rocedure					
Use personal protective equipment. Ke	eep unpi	rotected	dperson	s away.					
Ensure adequate ventilation		:			:			:	. 1
Keep away from ignition sources							•		
Environmental precautions:	i			i			1		
Do not allow material to be released to	o the env	vironme	nt withou	ut official	permits	5.		· .	
Methods and materials for containmer	nt and cle	eanup:			i.			Ĩ	
Keep away from ignition sources.	· · '			· · · <sup>1</sup>	1			:	. :

				i						
Ensure adequate ventilation.		'			'		.:			.:
Prevention of secondary hazar	ds:									
Keep away from ignition source	es.				1					•••.
Reference to other sections										
See Section 7 for information of	n safe har	ndling								· · .
See Section 8 for information of	n persona	l prote	ction e	quipment.	'	1			e l'	.:
See Section 13 for disposal inf	ormation.	1		···.	1		· · ·			···.
SECTION 7. HANDL			o To	DACE			14. 14.			÷.,
			510	RAGE						
Handling				RAGE	'	: <sup>1</sup>	.÷	'	:'	.1
	.1			,i			Н		:	
Handling	.1			,i						
Handling Precautions for safe handling	.: 				`: 			1		
Handling Precautions for safe handling Keep container tightly sealed.	y closed c	ontaine	ers.			 13		ia art		
Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly	y closed c workplace	ontaine	ers.			 13		ia art		
Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightl Ensure good ventilation at the	y closed c workplace arges.	ontaine .Inform	ers. ation a	about prote		 13		ia art		

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in a cool location.

Store in cool, dry conditions in well-sealed containers. Specific end use(s) No data available

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

.

		· · .			14. 1						
Exposure controls		.:					1			e.	.:
Personal protective ec	quipmen	t									
Follow typical protectiv	ve and h	nygienic p	ractices	s for ha	ndling ch	emicals.		· · .			•••
Keep away from foods	stuffs, be	everages	and fee	ed.							
Remove all soiled and	l contam	ninated cl	othing ir	nmedia	ately.						
Wash hands before br	reaks an	id at the e	end of w	ork,	.1		:		<sup>1</sup>	e l'	.1
Avoid contact with the	eyes ar	nd skin.	· .			· .			· .		
Maintain an ergonomi	cally app	oropriate						,			
Breathing equipment:											
Use suitable respirato	r when h						,	,			
Protection of hands:	÷.					1.1 <sup>1</sup>	÷.			t,	.1
Impervious gloves		· · .	· .		· · .	`:					•••
Inspect gloves prior to	use.										
Suitability of gloves sh by	ould be	determin	ed both	by ma	terial and	quality,	the latt	er of whi	ch may v	vary	÷.,
manufacturer.	:		<sup>1</sup>	:			ť			e l'	.1
Eye protection:			· .			· .			4		
Safety glasses											
Body protection:		1.	1.1.1	1	1. 1.			1.	111	1	· .
Protective work clothin	0										
			· · · '							:	
		· · .									•••
SECTION 9. P	HYSI	CAL A	AND	CHE			OPEF	RTIES			
Information on basic p	hysical	and chen	nical pro	operties	· · · ·	111			:**	1	÷.,
Appearance:											
Form: Solid											
Color: Grey			1		· · · .				1		•••

Odor: Odorless

Odor threshold: No data available.

pH: N/A

										1	· · .
Melting point/Melting ran	ge: No	o data ava	ilable	:		'				e la compañía de la c	.:
Boiling point/Boiling rang	je: No	data avail	able								
Sublimation temperature	/ start	: No data	availab	ole							۰.
Flash point: N/A											
Flammability (solid, gas)											÷.,
Highly flammable.	:		<sup>1</sup>	:			ť		'	i.	, i
Ignition temperature: No	data a	availableD	ecomp	osition	temperatu	ire: No	data av	vailable	· .		
Autoignition: No data ava	ailable	-	1			,					
Danger of explosion: No	data a	available.	1 1 1 1	· .	1.			1.		· .	
Explosion limits:	·						'				,
Lower: No data available	<u>à</u>	.:	'	1		'	ť		'	i'	. 1
Upper: No data available	<b>.</b>	· · .		1.1.1				11. 11.			··.
Vapor pressure: N/A											
Density: No data availabl	le		1.1.1		1.		· .		111		۰.
Relative density				. 1	.:	'					
No data available.		.'		-						1	
Vapor density				1.1.1	· · .				1		۰۰,
N/A											
Evaporation rate	`: :					1.1.1			111	1	÷.,
N/A			'	;		'	:		'	:	
Solubility in Water (H											
2		11.									۰۰,
O): Insoluble											
Partition coefficient (n-oc	tanol/	water): No	o data a	vailable	Э.	i i			1		
Viscosity:	:			:			÷.		<sup>1</sup>	1	
Dynamic: N/A			۰.			· .			· .		
Kinematic: N/A			1		r.	1		,			
Other information				۰.	۰.		۰.	· .		· .	· .
No data available				ı			,				
	. '				.:						.1

				'							
SECTION 10. S	TAB	BILITY	ANC	) RE		/ITY	l'	.:	*	t.	.:
Reactivity		· · .			11. 1				· .		
No data available											
Chemical stability	1	1. 1.		`;			1				
Stable under recommer	ided st	orage co	nditions	5.	.:			:			:
Thermal decomposition	/ cond	itions to b	be avoid				ì			i	
Decomposition will not o	occur if	used an	d stored	d accor	ding to s	pecificat	ions.	1. L.			
Possibility of hazardous	reaction	ons									
No dangerous reactions	s knowi	n					1	14			
Conditions to avoid			'								
No data available											
Incompatible materials:		· · ·									
Oxidizing agents											
Hazardous decompositi		ducts:									
Metal oxide fume	÷		<sup>1</sup>				e <sup>r</sup>		'	÷.	.1
···· ··· ··· ···			1						1		
SECTION 11. T				<b>NI IN</b>							
		SOLO									۰.
Information on toxicolog											
Acute toxicity:		.:		1	. '		:	.'			
No effects known.		· · .	1		· · · .			11. 1			
LD/LC50 values that are	e releva	ant for cla	assificat	tion:							
No data	1		: • •	`:	14. 14.	111	1	1. 1.	:**	1	۰.
Skin irritation or corrosid	on:	.:									
Causes skin irritation.											
Eye irritation or corrosio	n:	11.	1		· · · .			11. 1	1		
Causes serious eye irrit											
Sensitization:No sensiti	zing ef	fects kno	wn.		14	111		14	;**	1	
Germ cell mutagenicity:											

No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease. Titanium compounds are considered physiologically inert. There are no reported cases in the literature where titanium as such has caused human intoxication. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. **SECTION 12. ECOLOGICAL INFORMATIC** Toxicity

Aquatic toxicity:

No data available

Persistence and degradability

No data available

		· .			· .	,	1	· .		1	
Bioaccumulative po	tential	.:	'		.:						.:
No data available											
Mobility in soil					11.						
No data available											
Additional ecologica	al informati	on:									
Do not allow materi	al to be rel	eased to	the env	ironme	nt withou	ut official	permits	<b>5.</b> ,		:	
Avoid transfer into t	he environ	iment.	4								
Results of PBT and	vPvB ass										
PBT:	1 - 11 1		1 1 1 1			1.1	1	14. 1	:	1	۰.
vPvB:							1	.÷	1.1	:	.:
N/A		· · .	· .		· · .			· · .			
Other adverse effect	cts										
No data available	· · · · ·		111		14. 14.	1.1		14. 1	111	`: 	۰.
								.1	1.1	:	.:
<b>SECTION 13</b>	. DISP	OSAL		ISIDI	ERAT	IONS					
Waste treatment me	ethods										
Recommendation		14. 14.			1. 1.	111	`:	14. 14.	111		۰.
Consult official regu	lations to	ensure p	roper dis	sposal.l	Jncleane	ed packa	gings:	:			:
Recommendation:		1		1			1				
Disposal must be m	ade accor	ding to o	fficial re	gulatior	IS.	1		···.	1		
ta tu ar	· · · · · ·	1.					1		;**	· .	۰.
<b>SECTION 14</b>	. TRAN	ISPO		FOR	MAT	ION	1			÷	.:
UN-Number DOT, IMDG, IATA		··.	1		11	1		··.	1		
UN3178 UN proper shipping	name	Ч. М.	:		Ч.,		`;	÷.,	;	`;	· ,
								1		:	.:

i i											
Flammable solid,	inorgar	nic, n.o.	.s. (Titaniu	ım alum	ninide)	.:		:	.:		et i
IMDG, IATA											
FLAMMABLE SO	LID, IN	ORGA	NIC, N.O.	S. (Titar	nium al	uminide)					
Transport hazard											
DOT											
Class	'	:		· · <sup>1</sup>	:		<sup>1</sup>	:		<sup>1</sup>	:
4.1 Flammable sc			tive substa	ances a	nd solid				s.		
Label			11.								
4.1		· .	1		· .	1.		· .			
Class		1						1			
4.1 (F3) Flammab	ole solid	ls, self-	reactive s	ubstanc	es and	l solid des	ensitis	ed explo	osives		:
Label	· .		· · · .			· · · ,			· · · .		
4.1											
IMDG, IATA	; • •		1.	; • •		1.	; • •			;**	
Class											
4.1 Flammable sc			1			d desensit			1	'	
Label	`:		· · .	`: :		· · · .					
4.1											
Packing group											`: 
DOT, IMDG, IATA	A., .			'		1					
II					1	1					
Environmental ha	zards:					11					
N/A											
Special precaution	ns for u	ser									1
Warning: Flamma	ble soli	ds, sel	f-reactive	substar	ices an	d solid de	sensiti	sed exp	losives		1
Transport in bulk											
N/A			11.			11.			· · .		
Transport/Addition											
DOT		1	1.			1.			<u>с</u>		
Marine Pollutant (	DOT):	1	.:	'	1	.÷		1	.:		:

No		:	.:		;		'	:	.1		
UN "Model Regu											
UN3178, Flamm	able soli	d, inor	ganic, n.o	o.s. (Tit	anium	aluminide	), 4.1, II		· · .		,
		·	· .	: ' '	· .				· .		
SECTION									,		
Safety, health ar	nd envirc	onment	al regula	tions/le	qislatio	n specific	for the	substa	nce or m		
GHS GHS label			· · .						· · .		
Hazard pictogram	me										
GHS02GHS07		`: 						1	14. 1	111	
Signal word		:	.:	· · '	t.		<sup>1</sup>	÷1			
Danger	· .		· · .				`;		· · .		
Hazard stateme	nts										
H228 Flammable	e solid.	· .		: • •	1		1 1 1 1		14. 14.		
H315 Causes sk	kin irritati		1	'		.:	'				
H319 Causes se	erious ey					,					
H335 May cause	e respira	tory irri	itation.	1		· · · .	1		· · .		
Precautionary st	atement	S									
P210	: **	1		: • •	1	1. 1.	1 / 1 1		1. 1.	111	,
Keep away from	heat/spa	arks/op	pen flame	s/hot s	urfaces	s. No smo	king.				
P261			,		1	,					
Avoid breathing	dust/fum	ne/gas/	mist/vapo	ors/spra	ay.				11. 1		
P280											
Wear protective	gloves/p	orotecti	ve clothir	ng/eye	orotecti	on/face p	rotectio	۰ ٦.	14		
P305+P351+P3	38 IF IN	EYES:	Rinse ca	autiousl	y with v	water for s	several	minute	s. Remov	ve conta	ct

lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically gualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

	1		1.1.1	- 		1.1.1	1		:	1			1	· .
'	ť	.:	'	1	.:			.:	'		.1	'	ť	.:
			1					1.1				1		•••
		1. 1.		· .								; • •		· .
		м. П												
		· · .			· · · ,	1		11.	1		11			
	1								1.1.1					۰.
'	:	.:	'	:	.:	'	:		'	e <sup>r</sup>	.1		e <sup>r</sup>	.:
:		··	`: `:		··.			Ч. 1				1		•••
											1			
'	:	1	'	: <sup>1</sup>		· · ·	:		<sup>1</sup>	t.	3	<sup>1</sup>	t.	.1