

## SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 02/02/2023

#### **SECTION 1. IDENTIFICATION**

Product Name: Vanadium Powder

CAS #: 7440-62-2

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

#### **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified

No data available.

GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms **GHS02 GHS07** Signal word Danger Hazard statementsH228 Flammable solid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. WHMIS classification B4 - Flammable solid D2B - Toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 3 Physical Hazard = 2 Other hazards Results of PBT and vPvB assessment:

PBT:

vPvB: N/A.		i'			i'	*:	:.	:		:.	;'
1		:		111	:		: "	1	: '	: ' '	:
SECTION	3. CC	MP	OSITI	ON/IN	IFOI	RMAT	ION (	וו אַכ	NGRE	DIEN	TS
Substances CAS No. / Subs					;	* ;	:.	;	• :	:.	:
7440-62-2 Vana	; ' '							:			:
EC number:	`:	:	.1	<b>'</b> :	;	.:	1:	:	.:	1	:
231-171-1	: .	:		: .	;'		: .	;'	• :	: .	:'
SECTION							:''	:	: '	:''	:
Description of fi				1	:	.;	1	:		1	
If inhaled:		:			;			;			:
Supply fresh air	. If not b	reathir	ng, provi	de artifici	al resp	iration. k	Keep pati	ent wa	rm.		
Seek immediate	e medica	l advid	ce.		;		: ' '	1		: ' '	
In case of skin o	:						1:	:	.;	1:	:
Seek immediate	e medica	l advid	ce.		:			;		: .	:
In case of eye of Rinse opened e	contact:	:			;				an.	:	:
If swallowed:	`:	:		1	;	.:	1	1	.:	1	:
Seek medical tr		;			; te and			:"			:'

Indication of any immediate medical attention and special treatment needed

N/A.

No information available.

No information available.

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing media

Water

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Methods and material for containment and cleanup:

Keep away from ignition sources.

Ensure adequate ventilation.

Prevention of secondary hazards:

Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure adequate ventilation.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

StorageRequirements to be met by storerooms and receptacles:

Store in a cool location.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with acids.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No information available.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average

face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that should be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment Follow typical general protective and industrial hygiene measures for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Inspect gloves prior to use. Suitability of gloves should be determined both by material and quality, the latter of which may vary by manufacturer. Penetration time of glove material (in minutes) No data available. Eye protection: Safety glasses Body protection: Protective work clothing

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties Appearance: Form: Powder Color: Pale gray Odor: Odorless Odor threshold: No data available.pH: N/A. Melting point/range: 1910 °C (3470 °F) Boiling point/range: 3407 °C (6165 °F) Sublimation temperature / start: No data available. Flammability (solid, gas): Highly flammable. Ignition temperature: No data available. Decomposition temperature: No data available. Auto igniting: No data available. Danger of explosion: No data available. **Explosion limits:** Lower: No data available. Upper: No data available. Vapor pressure: N/A. Density at 20 °C (68 °F): 6.11 g/cm³ (50.988 lbs/gal) Bulk density at 20 °C (68 °F): 4000 kg/m<sup>3</sup> Relative density No data available. Vapor density N/A. Evaporation rate N/A. Solubility in Water (H

2

O): Insoluble

Partition coefficient (n-octa	anoi/water): i	งง นลเล ส	avaliab	ile.	';			':	
Viscosity:									
Dynamic: N/A.									
Kinematic: N/A.									
Other information		,	1	•	,	1	•	,	:
No information available.	.:	';	:		1	:	.:	1	:
11 11 11	: : : :		( )		1	:			:"
SECTION 10. ST									
Reactivity		:			; ' '			: ' '	
No data available.	.:	`;	1		1:	:	.:	1:	;
Chemical stability	:		; '			; '			: '
Stable under recommende	ed storage co	onditions							
Thermal decomposition / c	conditions to	be avoic	led;		111	1		: ' '	:
Decomposition will not occ	cur if used ar								
Possibility of hazardous re	eactions	;	;	.'	1	;	.'	;	;
No dangerous reactions ki	nown		; '		: .	;		: .	:
Conditions to avoid									
No information available.		: ' '	1		111	1		: ' '	:
Incompatible materials:	.:		;		1	;	.:		:
Acids									
Oxidizing agents	:		; '			;		: .	: '
Hazardous decomposition	•								
Toxic metal oxide fume		!''			111			:"	
-: :	:		:	, '		:	, '		:

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effectsAcute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are	releva	int for clas	sification	า:		· ;			1	;
No data										
Skin irritation or corrosio	า:			;			;			: '
Causes skin irritation.										
Eye irritation or corrosion	n:		: ' '							
Causes serious eye irrita	tion.		`:	;	.:	`:	:	.:	`:	;
Sensitization: No sensitizing effects kno			: .	:"		: .	:		:.	: '
Germ cell mutagenicity:									:"	:
Carcinogenicity:	:		·:	:	.:	`:	:	.:	`:	;
The Registry of Toxic Eff	ects o	f Chemical	l Substa	nces (	RTECS) c	ontains	tumori	genic and	/or	;
carcinogenic and/or neop	olastic	data for th	is subst	ance.						
No classification data on	carcin	ogenic pro	perties	of this	material is	s⊹availal	ole fron	n the EPA	,;IARC,	:
NTP, OSHA or ACGIH.	,						,			
Reproductive toxicity:	:	.:	;	:	,'	:	:	.'	;	:
N/A " " " " " " " " " " " " " " " " " " "	:			;			:			;
Specific target organ sys	tem to	xicity - rep	eated e	xposur	e:					
N/A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	:		: ' '	:		: '	:		: ' '	:
Specific target organ sys	tem to	xicity - sin	gle expo	sure:	,;	4	1	;	٠,	
May cause respiratory irr			,							
Aspiration hazard:	:			;			:		: .	: '
N/A										
Subacute to chronic toxic	city:		: ' '	-			:		: ' '	:
The Registry of Toxic Eff for	,	,	,		,	,			, -	,
this substance.	;			;			;		: .	; '
Additional toxicological ir	nforma	tion:								
To the best of our knowle	edge th	ne acute a	nd chror	nic toxi	city of this	substa	nce is	not fully kr	nown.	:

# **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity				1	1		1			:
Aquatic toxicity:										
No information a	vailable.		: ' '			: ' '			: ' '	
Persistence and	degradab	ility:	1	1		1	1		1	:
No information a	vailable.								: .	
Bioaccumulative	potential:	,		1	•		1	,		1
No information a	vailable.		111	1			1		:"	:
No information a	vailable.		1	;	.1	1	:	.:	1	:
Additional ecolo	gical inforr	nation:								;
General notes:										
Do not allow ma	terial to be	e released to	the env	ironme	nt withou	ut official	permit	S. , ,	: ' '	
Avoid transfer in	to the env	ironment.								
Results of PBT a	and vPvB	assessment	:			<u>'</u> :			:	
PBT:				;			;			:
N/A.										
vPvB:	: ' '	: '	111			111	;		: ' '	;
N/A. Other adverse e					,i	3		.;	'n	:
				, '						

Waste treatment methods

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

## **SECTION 14. TRANSPORT INFORMATION**

<b>0_</b> 0.										
UN-Num	nber	: .	:			:				
	IDG, IATA									
; UN3089		111			111			: '	:	
UN prop	er shippin	ıg name	1	.1	·:	:	.1	`:	:	.:
DOT										
Metal po	wders, fla	mmable	e, n.o.s	s. (Vanadi	um pow	der)	1			,
IMDG, I	ATA									
METAL				E, N.O.S.				,	:	
Transpo	rt hazard	class(es	s <sup>(</sup> )	.1	`:	:	.1	`:	:	.:
DOT			;			;			;	
Class										
4.1 Flam	nmable so	lids, sel	f-react	ive substa	nces ar	nd solid	desensit	ised exp	losive	S.
Label								,		
4.1	. '	:		.:	;	;	.'	;		.'
Class			;			;			;	
4.1 (F3)	Flammab	le solids	s, self-ı	reactive su	ubstanc	es and	solid des	ensitise	d explo	sives
Label		: ' '	:		: ' '	:		: ' '	}	
4.1 ; IMDG, IA		·;	:	.:	1	:	j.	1	:	.:
Class		: .	;'			; '			;'	
				ive substa				-		
Label			:		: ' '	:		: '	:	
4.1	.:	·:	:	.:	·:	:		·:	-	.:
Packing	group									
DOT, IM	IDG, IATA		:			;			:	
II :		: ' '	:		: ' '	:		: ' '	:	
Environr	nental ha	zards:	:			:	•		:	•
N/A.	.:	' ;		.:	' ;	:	. :	'.		, ;

Special precautions for user

Warning: Flammable solids, self-reactive substances and solid desensitised explosives

EMS Number: F-G,S-G

Segregation groups

Heavy metals and their salts (including their organometallic compounds), powdered metals

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N/A.

Transport/Additional information:

DOT

Marine Pollutant (DOT):No

UN "Model Regulation":

UN3089, Metal powders, flammable, n.o.s. (Vanadium powder), 4.1, II

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS label elements

The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms

GHS02

GHS07

Signal word

Danger

Hazard statements

H228 Flammable solid.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

7440-62-2 Vanadium

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed. Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.