

SAFETY DATA SHEET

· · · · · ·	111					н 1. т.		Date	Accesse	d: 25/08	8/2023
	н н н	1. 1.	1 I 1	1 I 1		1 - 1 1	· · ·	Dat	e Revise	d: 02/02	2/2023
and the second											
SECTION	I 1. ID	ENT	IFICA								
					, , ,				н 1 — 1	111	
	-	_			1.			÷.,			· · ·
		Ses of 1	ine subs	stance: S	cienti	ric resea	rcn and	aeveid	opment	111	
		storiolo									
						1 1 - 1			1 1 1	: * *	
-	-				· .			· .			· .
									,		
									$= 10^{10}$	10	
Classification of	of the su										
Water-react. 1 spontaneously	H260 Ir ′.	n contac	ct with wa	ater relea	ises fla	immable	gases w	hich m	ay ignite		
Hazards not of	therwise	classifi	ed No in	formatio	n know	'n.		14. 14.	· · ·		÷.,
Supplier details: Stanford Advanced Materials E-mail: sales@samaterials.com Tel: (949) 407-8904 Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. SECTION 2. HAZARDS IDENTIFICATION Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS02 Flame Flam. Sol. 1 H228 Flammable solid. Vater-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously. Hazards not otherwise classified No information known. .abel elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (ACS) Hazard pictograms											
HCS)											
		1. 1.			14. 14.	1 - 1 1		1. 1.			1. 1.

Signal word Danger	· · ·		1.	1 I		1. 1.	1 - 1 1		1. 1.
Hazard statements									
H228 Flammable solid.									
H260 In contact with water	releases flar	nmable	gases	which ma	y ignite	sponta	neously.		
Precautionary statements									
P210 Keep away from heat under inert gas. Protect fror		n flämes	/hot su	rfaces I	No smo	king.P2	31+P232	Handle	
P280 Wear protective glove	es/protective	clothing	g/eye p	rotection/f	ace pro	otection	-	. * *	
P240 Ground/bond contain	er and receiv	/ing equ	iipment	-					
P241 Use explosion-proof e	electrical/ven	tilating/	lighting	/equipme	nt.		н н н	111	
P233 Keep container tightly	closed.		1.	1 - 1 1		14. 14.	1 - 1 1		1. 1.
P370+P378 In case of fire:	Use for extir	nction: S	Special	powder fo	or metal	fires.			
P335+P334 Brush off loose	particles fro	om skin.	Immer	se in cool	water/\	wrap in	wet band	ages.	
P402+P404 Store in a dry p	blace. Store i	n a clos	sed con	tainer.					
P501 Dispose of contents/c	ontainer in a	iccorda	nce wit	n local/reg	gional/n	ational/	internatio	nal	
regulations.			1. 1.	1 I		14	1 - 1 1		14
WHMIS classification				. '			. 1		
B4 - Flammable solid	,	ı					,		
B6 - Reactive flammable m	aterial								
Classification evotem									
HMIS ratings (scale 0-4)						1. 1.			
(Hazardous Materials Ident	ification Syst	iem)							
Health (acute effects) = 1									
Flammability = 3					1.1.1			: • •	
Physical Hazard = 2									
Other hazards						· ·			
Results of PBT and vPvB a	ssessment								
PBT: Not applicable.									
vPvB: Not applicable.				н 1 - 1	; • •		н 1 - 1	; • •	

1.

1.

.

۰,

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Substances				. **		111		. '
CAS# Description:								
7440-64-4 Ytterbium	1.1.1		н 1 - 1		н 1 - 1	 1.1		
Identification number(s):		С.			1. 1.		1. 1.	
EC number: 231-173-2								

SECTION 4. FIRST AID MEASURES

Description of first aid measures
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents Water

Special hazards arising	from the subst	ance or	mixture)		1. 1.		 1. 1.	
If this product is involved	l in a fire, the f	following	ı can be	e release	d:				
Ytterbium oxide		. * *			. **			 	. '
Advice for firefighters									
Protective equipment:	· ·						н 1. 1.	 	
Wear self-contained resp	oirator.	· · ·		н н н	· · ·	1. 1.	· · ·	 14	
Wear fully protective imp	pervious suit.							 	. '

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	5		
Wear protective equipment. Keep unprotected persons away.			
Ensure adequate ventilation			
Keep away from ignition sources			111
Environmental precautions: Do not allow product to reach sewage syste	em or a	ny water	course.
Methods and material for containment and cleaning up:	<u>'</u> .	ı	
Ensure adequate ventilation.			
Do not flush with water or aqueous cleansing agents			
Prevention of secondary hazards: Keep away from ignition sources.		н 1 - 1	111
Reference to other sections	·		
See Section 7 for information on safe handling			
See Section 8 for information on personal protection equipment.			
See Section 13 for disposal information.			

SECTION 7. HANDLING AND STORAGE

Handling Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed co	ontaine	rs,			1.			
Ensure good ventilation at the workplace.								
Information about protection against explo	osions a	and fire	s: Protect	agains	t electro	ostatic cha	arges.	
Conditions for safe storage, including any	-							
Storage		· ·						
Requirements to be met by storerooms ar	ndirece	ptacles	: Store in	a çool l	ocation	L		
Information about storage in one common	storag	je facilit	У:					
Store away from air.								
Store away from water/moisture.								
Do not store together with acids.								
Store away from oxidizing agents.	1	1. 1.		1				
Store away from halogens.								
Store away from acid chlorides.								
Further information about storage condition	ns:		н н н				:	
Store under dry inert gas.								
This product is moisture sensitive.		'						1.
This product is air sensitive.Keep containe	er tightl	y seale	d.					
Store in cool, dry conditions in well sealed	l contai	ners.						
Protect from humidity and water.		н 1 - 1	н н н					
Specific end use(s) No further relevant inf	ormatic	on avail	able.		·			

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be

monitored at the workplace.	
Additional information: No data	
Exposure controls	
Personal protective equipment	
General protective and hygienic measures	
The usual precautionary measures for handling chemicals	should be followed.
Keep away from foodstuffs, beverages and feed.	
Remove all soiled and contaminated clothing immediately.	
Wash hands before breaks and at the end of work.	
Maintain an ergonomically appropriate working environme	
Breathing equipment: Use suitable respirator when high co	oncentrations are present.
Recommended filter device for short term use:	
Use a respirator with type P100 (USA) or P3 (EN 143) cart	ridges as a backup to engineering
controls.	
Risk assessment should be performed to determine if airpu	
respirators are appropriate. Only use equipment tested and	d approved under appropriate government
standards.	
Protection of hands:	
Impervious gloves	and the the and the
Check protective gloves prior to each use for their proper of	
The selection of suitable gloves not only depends on the m	naterial, but also on quality. Quality will
vary	
from manufacturer to manufacturer.	
Penetration time of glove material (in minutes) 480	
Glove thickness 0.11 mm	
Eye protection:	
Safety glasses	
Full face protection	anno in the anno in
Body protection: Protective work clothing	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical prope	rties							
General Information								
Appearance:		1 1 1						
Form: Powder	· · .	1 I		1.	· · ·		1.	
Odor: Odorless								
Odor threshold: Not determined.		. '			.'			
pH-value: Not applicable.Change in condition								
Melting point/Melting range: 819 °C (1506 °F)			,					
Boiling point/Boiling range: 1196 °C (2185 °F)		1 1	1	14. 19	н н н		14. 1	
Sublimation temperature / start: Not determined								
Flammability (solid, gaseous) Highly flammable.		,	1		,			
Contact with water liberates extremely flammable	gases	•	1 1 1 1					
Ignition temperature: Not determined								
Decomposition temperature: Not determined							1	
Auto igniting: Not determined.								,
Danger of explosion: Not determined.								
Explosion limits:				н 1 - 1	н 1 - 1	: • •		
Lower: Not determined		1 1			1 - 1			
Upper: Not determined	1			,	,			
Vapor pressure: Not applicable.								
Density at 20 °C (68 °F): 6.97 g/cm³ (58.165 lbs/g	al)							
Relative density Not determined.			1 1 1	н 1 - 1	н 1 - 1			
Vapor density Not applicable.	· · ·				· ·		1. 1.	
Evaporation rate Not applicable.								
Solubility in / Miscibility with								
Water: Contact with water releases flammable ga	ses							,
Partition coefficient (n-octanol/water): Not determi	ined.							
Viscosity:	· .			1. 1.	н н н		1. 1.	,

dynamic: Not applicable.

kinematic: Not applicable.

Other information No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity In contact with water releases flammable gases which may ignite spontaneously. Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Contact with water releases flammable gases Conditions to avoid No further relevant information available. Incompatible materials: Acids Air Oxidizing agents Halogens Acid chlorides Water/moisture Hazardous decomposition products: Ytterbium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritationEye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed. **SECTION 12. ECOLOGICAL INFORMATION** Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available.

Additional ecological information:

General notes: Avoid transfer into the environment.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

		1	1		1				1	
UN-Number		1 1								
DOT, IMDG, IAT	A UN308	89	1 I	1 I		1 I				
UN proper shipp	ing name	9								
DOT Metal powo	ders, flam	nmable	, n.o.s. (Y	tterbiur	n powd	er)				
IMDG, IATA ME	TAL POV	VDER,	FLAMMA	BLE, N	1. ₀ .s. (Ytterbium	powde	r)		
Transport hazaro	· ·	,		1 I 1	· .		· ·	1.		
Class 4.1 Flamm	nable soli	ids, sel [:]	f-reactive	substa	nces ar	nd solid de	esensiti	sed exp	losives.	
Label 4.1Class 4	4.1 (F3) F	lamma	ble solids	s, self-re	eactive	substance	es and s	solid de	sensitised	l
explosives		1 1 1	1 1 1		н 1 — 1	н н н		1 1 1		;
Label 4.1 IMDG, IATA	н н н		1 I.		` .	1 I		1.		
Class 4.1 Flamm	nable soli	ids, sel	f-reactive	substa	nces ar	nd solid de	esensiti	sed exp	losives.	
Label 4.1										
Packing group		1	н н н		н 1 — 1			1 1 1	1 1 1	
DOT, IMDG, IAT		'	1 I	· ·		н н н	н н н	Ч.,		
Environmental h										
Special precaution	ons for u	ser Wa	rning: Fla	mmabl	e solids	, self-read	tive su	bstance	s and soli	d
desensitised explosives	;••				, , ,	1 1 1				
EMS Number E		· .			· .			· .		

Segregation groups Heavy metals and their salts (including their organometallic compounds), powdered

metals

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN "Model Regulation": UN3089, Metal powders, flammable, n.o.s. (Ytterbium powder), 4.1, II

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS02 Signal word Danger Hazard statements H228 Flammable solid. H260 In contact with water releases flammable gases which may ignite spontaneously. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P231+P232 Handle under inert gas. Protect from moisture. P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P233 Keep container tightly closed. P370+P378 In case of fire: Use for extinction: Special powder for metal fires. P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.