

SAFETY DATA SHEET

							н 1 — 1	1.1.1	Date	Accessed	d: 25/08	3/2023
				1,					Dat	e Revised	d: 29/12	2/2022
	11.			· · · .	- 1 - 1 - 1		11. 11.			· · · .		
	CTION											
	uct Name						н 1 - 1					. 1
		_					1					
	ant iden											
	lier detai											
	ord Adva		aterials									
E-mai	l: sales@)samate	rials.co			. '				1 I		
) راما	949) 407-	8904					:					
101. (,,						'			1		
								1				
ddre	ss: 2366	1 Birtch	er Dr., l	ake For	est, CA 9) 2630 l	U.S.A.					
Addre	ss: 2366	1 Birtch	er Dr., l	ake For	est, CA 9) 2630 l	U.S.A.					
\ddre	ss: 2366	1 Birtch	er Dr., L	ake For	est, CA S	92630 (U.S.A.					
Addre SEC	ess: 2366	1 Birtch	er Dr., L	ake For	est, CA S	02630 (U.S.A.	N ::**				
Addre SEC Class	ess: 2366	1 Birtcho 2. H	er Dr., L AZAI bstance	RDS I	est, CA S DENT ure in ac	D2630 (TFIC cordan	U.S.A.	N 9 CFR 1	910 (O	SHA HCS	; ; ;)	
Addre SEC Class GHSC	CTION	1 Birtch 2. H of the su	er Dr., L AZAI bstance	ake For RDS I	est, CA S DENT ure in ac	D2630 (TFIC cordan	U.S.A.	N 9 CFR 1	910 (O		; ; ;)	
Addre SEC Class GHSC Flam. Water	ess: 2366 CTION ification o 2 Flame	1 Birtch 2. H of the su 228 Flar H260 Ir	er Dr., L AZAI bstance	ake For RDS I	est, CA 9 DENT ure in ac	D2630 (TIFIC cordan	U.S.A.	N 9 CFR 1	910 (O	SHA HCS	; ; ;)	
Addre SEC Class GHSC Flam. Vater spont	ess: 2366 CTION ification c 2 Flame Sol. 1 H2 -react. 1 aneously	1 Birtch 2. H of the su 228 Flar H260 Ir	er Dr., L AZAI bstance mmable	ake For RDS I or mixto solid.	est, CA S DENT ure in act	TFIC cordan	U.S.A.	N 9 CFR 1 gases w	910 (O	SHA HCS		
Addre SEC Class GHSC Flam. Water spont Hazar	ess: 2366 CTION ification c 2 Flame Sol. 1 H2 -react. 1 aneously	1 Birtch 2. H of the su 228 Flar H260 Ir herwise	er Dr., L AZAI bstance mmable n contac classifi	ake For RDS I e or mixt solid. t with wa	est, CA 9	D2630 I CIFIC cordan	U.S.A.	N 9 CFR 1 gases w	910 (O	SHA HCS		201 201 201 201 201 201 201 201 201 201
Addre SEC Class GHSC Flam. Vater pont Hazar Label	ess: 2366 CTION ification of 2 Flame Sol. 1 H2 -react. 1 aneously ds not ot elements	1 Birtch 2. H of the su 228 Flar H260 Ir herwise s	er Dr., L AZAI bstance mmable n contac classifi	ake For RDS I or mixto solid. t with wa	est, CA 9 DENT ure in act ater relea	D2630 (CIFIC cordan	U.S.A.	N 9 CFR 1 gases w	910 (O	SHA HCS		

HCS)

Hazard pictograms

GHS02

Signal word Danger Hazard statements

H228 Flammable solid.

H260 In contact with water releases flammable gases which may ignite spontaneously. Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P233 Keep container tightly closed.

P370+P378 In case of fire: Use for extinction: Special powder for metal fires.

P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B4 - Flammable solid

B6 - Reactive flammable material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

Health (acute effects) = 1

Flammability = 3

Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Substances	 	11. 1		 11. 1	 	
CAS# Description:						
7440-64-4 Ytterbium		н 1 - 1		н 1 - 1		
Identification number(s):	1.1.1	1	1	 ÷.,		;
EC number: 231-173-2	 	· · .		 ···.	 	

SECTION 4. FIRST AID MEASURES

Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents Water

om the substa	ance or	mixture	9	1		1	-		:
				. * *		11			
rator.									:
ervious suit.			· · .			· · .		'	
	om the substa n a fire, the fo rator.	om the substance or n a fire, the following rator.	om the substance or mixture n a fire, the following can be rator.	om the substance or mixture n a fire, the following can be release rator.	om the substance or mixture n a fire, the following can be released:	om the substance or mixture n a fire, the following can be released:	om the substance or mixture n a fire, the following can be released:	an a fire, the following can be released:	rator. A.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipm	ent and	d emer	gency pro	cedure	S			
Wear protective equipment. Keep unpro	tected	person	s away.			· · .		
Ensure adequate ventilation								
Keep away from ignition sources	; • •				. 1		111	.:
Environmental precautions: Do not allow	/ produ	ct to re	ach sewa	ge syst	em or a	any water	course.	
Methods and material for containment a	nd clea	ning u	p:					
Ensure adequate ventilation.		¹	· · · .			11. 1		
Do not flush with water or aqueous clear	nsing a	gents						
Prevention of secondary hazards: Keep	away f	rom igr	nition sour	ces.	. l		111	.1
Reference to other sections			1					
See Section 7 for information on safe ha								
See Section 8 for information on persona	al prote	ection e	quipment			· · · ·		
See Section 13 for disposal information.								
						н 1 - 1		. :
						1		
SECTION 7. HANDLING A			_					

Handling

Precautions for safe handling Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.							:
Ensure good ventilation at the workplace.							
Information about protection against explosions and fir	es: Protec	t agains	st elect	rostatic ch	arges.		· · .
Conditions for safe storage, including any incompatibil							
Storage				н н н			
Requirements to be met by storerooms and receptacle	es: Store ir	n a cool	locatio	n.			:
Information about storage in one common storage faci	lity:						
Store away from air.							
Store away from water/moisture.							
Do not store together with acids.	1 1		1				
Store away from oxidizing agents.	1.			1			1
Store away from halogens.	· · .			· · .			
Store away from acid chlorides.							
Further information about storage conditions:		; • •					
Store under dry inert gas.							
This product is moisture sensitive.	1.						
This product is air sensitive.Keep container tightly sea	led.			· · · ·			•••
Store in cool, dry conditions in well sealed containers.							
Protect from humidity and water.	н 1. т.	; * *			; · · ·	.:	
Specific end use(s) No further relevant information ava	ailable.						;

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be

monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm Eye protection: Safety glasses Full face protection Body protection: Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical pro	operties	5			· · .			
General Information								
Appearance:							.:	
Form: Powder					÷.,			:
Odor: Odorless								
Odor threshold: Not determined.					· · .			
pH-value: Not applicable.Change in condition			:**					
Melting point/Melting range: 819 °C (1506 °F)				. '			. '	
Boiling point/Boiling range: 1196 °C (2185 °F)					÷.			
Sublimation temperature / start: Not determine	d			'				
Flammability (solid, gaseous) Highly flammable								
Contact with water liberates extremely flamma	ble gas	es.	:**			: **		
Ignition temperature: Not determined								
Decomposition temperature: Not determined					1.			
Auto igniting: Not determined.	¹	· · .		¹	· · .			
Danger of explosion: Not determined.								
Explosion limits:			; • •			: * *		
Lower: Not determined								
Upper: Not determined					·			
Vapor pressure: Not applicable.	1. C				11. 1	11	1. ¹	
Density at 20 °C (68 °F): 6.97 g/cm³ (58.165 lb								
Relative density Not determined.	.1	н 1 - 1	1.1.1			1.1.1	.1	
Vapor density Not applicable.								:
Evaporation rate Not applicable.								
Solubility in / Miscibility with				'				
Water: Contact with water releases flammable	gases							
Partition coefficient (n-octanol/water): Not dete	rmined	-	111	, i				
Viscosity:					1			

dynamic: Not applicable.

kinematic: Not applicable.

Other information No further relevant information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity In contact with water releases flammable gases which may ignite spontaneously. Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Contact with water releases flammable gases Conditions to avoid No further relevant information available. Incompatible materials: Acids Air Oxidizing agents Halogens Acid chlorides Water/moisture Hazardous decomposition products: Ytterbium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritationEye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

Carcinogenicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

No classification data on carcinogenic properties of this material is available from the EPA, IARC,

NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this

substance is not fully known.

Carcinogenic categories

OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity												
Aquatic toxicity: No further relevant infor		1	:									
Persistence and degradability No further		· · .		1. ¹								
Bioaccumulative potential No further rele	Bioaccumulative potential No further relevant information available.											
Mobility in soil No further relevant inform	nation a	vailable	e .	111		н 1 - 1	: "	1				
Additional ecological information:			:			:						
General notes: Avoid transfer into the er	nvironm	nent.										
Results of PBT and vPvB assessment	1.1	'			'			1.1 ¹				
PBT: Not applicable. vPvB: Not applicable.	;···	.:		111	.1		1 1 1 1	.:				
Other adverse effects No further relevan												

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

UN-Number		. '										
DOT, IMDG, IAT	A UN30	89		1			1			:		
UN proper shipp	ing nam	e,										
DOT Metal powd	lers, flar						,		,			
IMDG, IATA ME	TAL PO	WDER	, FLAMMA	ABLE, N	1.Q.S. (Ytterbium	powde	r)		:		
Transport hazaro	-						-					
Class 4.1 Flamm	able so	lids, se	lf-reactive	substa	inces ai	nd solid de	esensiti	sed ex	olosives.			
Label 4.1Class 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised												
explosives	: • •							.1		: ' '		
Label 4.1 IMDG, IATA	:		1	:			-			:		
Class 4.1 Flamm	able so	lids, se	If-reactive	substa	inces ai	nd solid de	esensiti	sed ex	olosives.	. * *		
Label 4.1												
Packing group			н 1 - 1							: ' '		
DOT, IMDG, IAT	AII		1									
Environmental h	azards:	Not ap	plicable.									
Special precaution	ons for u	user Wa	arning: Fla		e solids		ctive su	bstance	es and so	lid		
desensitised explosives	;••	.:	н н н	· · · · ·	.:	н н н			н н н			
EMS Number: F-	GS-G											

Segregation groups Heavy metals and their salts (including their organometallic compounds), powdered

metals

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:

Marine Pollutant (DOT): No UN "Model Regulation": UN3089, Metal powders, flammable, n.o.s. (Ytterbium powder), 4.1, II

SECTION 15. REGULATORY INFORMATION

DOT

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS02 Signal word Danger Hazard statements H228 Flammable solid. H260 In contact with water releases flammable gases which may ignite spontaneously. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P231+P232 Handle under inert gas. Protect from moisture. P280 Wear protective gloves/protective clothing/eye protection/face protection. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P233 Keep container tightly closed. P370+P378 In case of fire: Use for extinction: Special powder for metal fires. P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.