

<u>samaterials.com</u>

SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

										09/04/	2017
. • •			14	1997 - J. (1997) 1997 - J. (1997)	1			14			1.
1. P	RODUCT AND COMP	ANY IDE	NTIFICATIO	Ν							
1.1	Product identifiers Product name Brand	1	: Barium : saм	ı I	:	. * *		a' -		1	
	CAS-No.		: 7440-39-3	3	i.			1			:
.2	Relevant identified use	es of the	substance o	r mixture and	uses advis	ed agains	t				
	Identified uses		: Laborator	y chemicals, S	ynthesis of s	substances	5	· .			
3	Details of the supplier	of the sa	afety data she	eet	1						
	Company		: Materials 23661 Bi	Advanced rtcher Dr. est, CA 92630			:				
	Telephone Fax		USA : +1 (949) : +1 (949)		·.			· .			
4	Emergency telephone	nümber	1	i.							
:	Emergency Phone #	<u>+</u> ;	: +1 (949)	407-8904							
2. H	IAZARDS IDENTIFICA	TION			,						
1	Classification of the s	substan	ce or mixture	9							
	GHS Classification in Substances and mixtu						Category	2), H261		,	
	For the full text of the I	H-Statem	nents mention	ned in this Sec	tion, see Se	ection 16.					
2	GHS Label elements, i	ncluding	precautiona	ry statements				14			
	Pictogram				:						
	Signal word		Danger								
	Hazard statement(s) H261	1 - 1 1	In contac	t with water re	leases flam	ımable ga	ses.	e ⁿ			
	Precautionary stater P223 P231 + P232 P280 P335 + P334	nent(s)	Handle u Wear pro	low contact wi nder inert gas tective gloves, loose particles	. Protect fro / eye protec	ction/ face	protectio		o in wet		
	P370 + P378 P402 + P404		In case o extinguis	f fire: Use dry				-resistant f	foam tó		

2.3Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1Substances

Formula	: Ba
Molecular weight	: 137.33 g/mol
CAS-No.	: 7440-39-3
EC-No.	: 231-149-1

Hazardous components

	Component						Classification	า	Concentration
	Barium						110		
	-						Water-react.	2; H261	90 - 100 %
F	or the full text	of the H	-Statem	ents men	tioned in th	nis Sec	tion, see Sect	ion 16.	

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguishing media
- Dry powder

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage.

Store under inert gas.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL

PROTECTION 8.1 Control parameters

Components with workplace control parameters

Compone		CAS-No.	Value	Control	Basis
				parameters	
Barium		7440-39-3	TWA	0.500000	USA. ACGIH Threshold Limit Values
				mg/m3	(TLV)
		Remarks		& Gastrointestinal	irritation
			Muscular s		
			Not classif	iable as a human	
			TWA	0.500000	USA. Occupational Exposure Limits
				mg/m3	(OSHA) - Table Z-1 Limits for Air
					Contaminants
			TWA	0.500000	USA. ACGIH Threshold Limit Values
				mg/m3	(TLV)
			Eye irritatio		
1.	111	1. Sec. 1. Sec. 1.	Muscular s		
			Skin irritati		
				stinal irritation	
				iable as a human	
			TWA	0.500000	USA. NIOSH Recommended
				mg/m3	Exposure Limits
			TWA	0.5 mg/m3	USA. Occupational Exposure Limits
1					(OSHA) - Table Z-1 Limits for Air
					Contaminants
			TWA	0.5 mg/m3	USA. ACGIH Threshold Limit Values
					(TLV)
14		and the second second	Eye irritatio		
			Muscular s	stimulation	
			Skin irritati	on	
. 1		1		stinal irritation	
		1	Not classif	iable as a human	carcinogen

	TWA	0.5 mg/m3	USA. NIOSH Recommended Exposure Limits
	PEL	U U	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance	Form: Pieces Colour: grey					
b) Odour	No data available					;
c) Odour Threshold	No data available					
d) pH	No data available				 	;
e) Melting point/freezing	Melting point/range: 725	°C (1,337 °F) - lit.			

	f)	Initial boiling point and	1 640 °C (2 0	04 °⊏\ li+	÷		1	:		1	÷
	1)	boiling range	1,640 °C (2,98	04 Γ) - III.							
	g) [:]	Flash point	Not applicable	•							:
	h)	Evaporation rate	No data availa	ble							
	i)	Flammability (solid, gas)									
	j)	Upper/lower flammability or explosive limits	No data availa	ible							
	k)	Vapour pressure	No data availa	ble	:			1			÷
	I)	Vapour density	No data availa	ble							
1	m);	Relative density	3.6 g/cm3 at 2	25 °C (77 °F)							1
	n)	Water solubility	No data availa	able							
	o)	Partition coefficient: n- octanol/water	No data availa	ible	· .						
	p)	Auto-ignition temperature	No data availa	ible				· .			
	q) ;	Decomposition temperature	No data availa	able	t.		1	÷		1	:
	r)	Viscosity	No data availa	able							
	s)	Explosive properties	No data availa	ble	1						ì
	t)	Oxidizing properties	No data availa	ble							
2		safety information Ita available	ч. П.		1. 1.	; • •		1. 1.	:**		÷.,
10.	STABI	LITY AND REACTIVITY									
.1	React No da	tivity Ita available			:		1	:		1	
.2		nical stability e under recommended sto	orage conditions		1			÷			:
.3		ibility of hazardous reac is violently with water.	tions								
.4		itions to avoid sure to moisture		. **		111	. * *			. * *	· · .
.5	Oxidiz	n patible materials zing agents, Water, acids, carbon, Alcohols, Sulphur				on dioxide ((CO2), H	alogens, ł	Halogenate	ed	:
.6	Hazar Other	rdous decomposition produces decomposition produces - decomposition products - decomposition products - event of fire: see section	ucts formed und · No data availa	der fire cond ble	itions B	arium oxid	e	:			÷
11.	тохіс	OLOGICAL INFORMATI	ON			1		1			· ·
11.1	l Info	rmation on toxicological	effects								
		u te toxicity ita available	al construction					÷.	. **		:
	Inhala	tion: No data available									
,	Derma	al: No data available		1							1
	No da	ta available									
										Page 5	of 8
. ' '					1.			1.		. 490 0	

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

	IARC:	No componen as probable, p						qual to 0	.1% is ider	tified		·
	NTP:	No componen a known or ar				els greater	⁻ than or e	qual to 0	.1% is ider	ntified as		
:	OSHA:	No componen a carcinogen					⁻ than or e	qual to 0	.1% is ider	ntified as		:
	Reproducti No data ava		:			÷			ef.			:
	No data ava	ilable										
	Specific tar No data ava	get organ toxic illable	ity - single e	exposure) 		111			: * *		÷.,
	Specific tar No data ava	get organ toxic	ity - repeate	d expos	ure							
	Aspiration No data ava		,		,			,	,			
	Additional RTECS: CC	Information 8370000	1									:
12.		bizures. of our knowledge,		, physical	, and tox	icological p	properties h	nave not t	been thorou	ighly inves	tigated.	··.
	Toxicity					1						
• :	Toxicity to	fish	mortality NO h	EC - Cyp	orinodon	variegatus	s (sheepsh	nead min	now) - 500	mg/l - 96		:
			LC50 - Cyprii	nodon vai	riegatus (sheepshea	ad minnow) - > 500	mg/l - 96 h			
12.	2 Persisten No data ava	ce and degradat ilable	oility	: * *						: **		÷.,
12.3	Bioaccumu No data ava	lative potential										
12.4	Mobility in No data ava		:			:						
12.5		PBT and vPvB a assessment not a				sessment		ed/not co	onducted			:
				111		14	111		14	111	Page 6	of 8

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

	UN number: 1400	Class: 4.3		Packin	g group: l	I					
	Proper shipping name Reportable Quantity (F Poison Inhalation Haza	RQ): 1000 lbs	: • •		14. 1	111					14.
	IMDG UN number: 1400 Proper shipping name:	Class: 4.3 BARIUM		Packin	g group: l	, * * I	EMS-N	lo: F-G, S-(D D		:
					1						:
	IATA UN number: 1400 Proper shipping name:	Class: 4.3 Barium		Packin	g group: l	I :		5. 1			÷.,
15.	REGULATORY INFORM	IATION									
	SARA 302 Component No chemicals in this ma		t to the re	eporting re	equiremer	nts of SARA	Title III	, Section 3	02.		:
	SARA 313 Component The following componer Barium		o reportin	g levels e	stablishe	d by SARA ⁻ CAS-No. 7440-39-3	Title III,	Section 31 Revision 2007-07	Date		:
	SARA 311/312 Hazards	5									
. * *	Reactivity Hazard	and the second		111	14			14	111		÷.,
	Massachusetts Right 1	o Know Comp	onents			CAS-No.		Revision	Data		
1	Barium	1	. • •		1	7440-39-3	1	2007-07			:
	Pennsylvania Right To	Know Compo	nents								
	Barium				t.	CAS-No. 7440-39-3		Revision 2007-07			
	New Jersey Right To K	Know Compone	ents			CAS-No.		Revision	Date		
	Barium					7440-39-3		2007-07			· .
	California Prop. 65 Cor			, , , , , , ,		,			<i>.</i> .		
	This product does not co other reproductive harm		licals kno	wn to Sta	te of Cali	fornia to cau	ise cano	cer, birth de	etects, or a	any	:
16.	OTHER INFORMATION	· :									
	Full text of H-Statem	ents referred to	o under s	sections	2 and 3.						

In contact with water releases flammable gases.

H261

.

Water-react. Substances and mixtures, which in contact with water, emit flammable gases

HMIS Rating

0
3
1

NFPA Rating

Health hazard:	0	
Fire Hazard:	3	
Reactivity Hazard:	1	
Special hazard.I:	W	

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

 		111		14. 1	111		1.	; · ·			:		1. 1.
	:			:		-	:		-	:			÷
 	i.		r r r	i'		· ·	:						1
 		;••		5. 19	;••		14. 19			14. 14.	;		1.
			:	:		:	:		:			÷	÷
 	i.			e ^r			:			:		r r 1	÷
 		;••		·	;••			;••					1.
 1	1		:	:		:	:		:				÷
 н н н	i.			i'		н н н	i'		н н н	i.		· · ·	:
 	14. 14.	1 1 1 1		· .	1 1 1 1		1.			14. 14.	; · ·		1. 1.
				:		;	:		:		. • •	Page 8 of	8
 	i.		r r r	t.		н н н				1			:
 	5. 19	:		5. 19	:					5. 19	; · ·		1.