

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 26-Feb-2024

**Revision Number 4** 

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:

Thulium(III) nitrate hydrate

Cat No. : CAS No NA1546 100641-15-4

Molecular Formula

Tm(NO3)3. xH2O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Uses advised against Laboratory chemicals. No Information available

1.3. Details of the supplier of the safety data sheet

Company Stanford Advanced Materials

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

Tel: (949) 407-8904 Fax: (949) 812-6690

E-mail address sales@samaterials.com

1.4. Emergency telephone number Emergency Phone: (949) 407-8904

#### SECTION 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

## CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

**Physical hazards** 

Oxidizing solids Category 3 (H272)

Health hazards

Skin Corrosion/Irritation Category 2 (H315)

Serious Eye Damage/Eye Irritation Category 2 (H319)

#### Thulium(III) nitrate hydrate

Revision Date 26-Feb-2024

Specific target organ toxicity - (single exposure)

Category 3 (H335)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



## Signal Word

## Warning

#### **Hazard Statements**

H272 - May intensify fire; oxidizer

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

#### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P220 - Keep away from clothing and other combustible materials

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567		
Thulium(III) nitrate hydrate	100641-15-4	74 H	<=100	Ox. Sol. 3 (H272) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)		

Full text of Hazard Statements: see section 16

Revision Date 26-Feb-2024

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

## **Hazardous Combustion Products**

Nitrogen oxides (NOx), Thulium oxide.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### 6.2. Environmental precautions

#### Thulium(III) nitrate hydrate

Revision Date 26-Feb-2024

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

## 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.

Technical Rules for Hazardous Substances (TRGS) 510 Class 5.1B Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

#### SECTION 8: EXPOSURE CONTROL S/PERSONAL PROTECTION

## 8.1. Control parameters

## **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

## **Predicted No Effect Concentration (PNEC)**

No information available.

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** 

Goggles (European standard - EN 166)

**Hand Protection** 

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments		
Natural rubber Nitrile rubber Neoprene	See manufacturers recommendations	_ 11	EN 374	(minimum requirement)		
PVC	1,1	1.1	1.1		1,1	

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter Particulates filter conforming to EN 143

Solid

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical State Solid Crystalline

**Appearance** 

**Odor** Odorless

Odor Threshold
Melting Point/Range
Softening Point
Boiling Point/Range
No data available
No data available
No information available

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

Explosion Limits No data available

Solid

Thulium(III) nitrate hydrate

Revision Date 26-Feb-2024

Flash Point No information available Method - No information available

Autoignition Temperature

Decomposition Temperature

No data available

No data available

pH Not applicableViscosity Not applicable

Water Solubility Soluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure
Density / Specific Gravity
No data available
No data available
No data available

Vapor Density Not applicable Solid

Particle characteristics No data available

9.2. Other information

Molecular Formula Tm(NO3)3. xH2 O
Molecular Weight 354.95(anhy)
Oxidizing Properties Oxidizer

Evaporation Rate Not applicable - Solid

**SECTION 10: STABILITY AND REACTIVITY** 

10.1. Reactivity Yes

10.2. Chemical stability
Oxidizer: Contact with combustible/organic material may cause fire.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Combustible material.

10.5. Incompatible materials

Acids. Strong reducing agents. Combustible material.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Thulium oxide.

**SECTION 11: TOXICOLOGICAL INFORMATION** 

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information** 

(a) acute toxicity;

OralNo data availableDermalNo data availableInhalationNo data available

(b) skin corrosion/irritation; Category 2

Thulium(III) nitrate hydrate Revision Date 26-Feb-2024

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available No data available Skin

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; No data available

None known. **Target Organs** 

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects, both acute and. No information available.

delayed

11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

#### SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

**Ecotoxicity effects** May cause long-term adverse effects in the environment. Do not allow material to

contaminate ground water system.

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

**Persistence** based on information available, May persist.

Degradability Not relevant for inorganic substances.

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste treatment plant

water treatment plants.

May have some potential to bioaccumulate 12.3. Bioaccumulative potential

12.4. Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

Thulium(III) nitrate hydrate

Revision Date 26-Feb-2024

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information**This product does not contain any known of suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

#### SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number

UN1477

14.2. UN proper shipping name **Technical Shipping Name** 

NITRATES, INORGANIC, N.O.S. (Thulium(III) nitrate hydrate)

14.3. Transport hazard class(es)

5.1

14.4. Packing group

III

ADR

14.1. UN number

UN1477

14.2. UN proper shipping name **Technical Shipping Name** 

NITRATES, INORGANIC, N.O.S. (Thulium(III) nitrate hydrate)

14.3. Transport hazard class(es)

5.1

14.4. Packing group

Ш

IATA

14.1. UN number

UN1477

14.2. UN proper shipping name **Technical Shipping Name** 

NITRATES, INORGANIC, N.O.S. (Thulium(III) nitrate hydrate)

14.3. Transport hazard class(es)

5.1

14.4. Packing group

Ш

14.5. Environmental hazards

No hazards identified

14.6. Special precautions for user

No special precautions required.

Thulium(III) nitrate hydrate

Revision Date 26-Feb-2024

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

#### **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Inventories**

X = listed, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Thulium(III) nitrate hydrate	100641-15-4	-	-	-	-	-	-	1	-

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Ī	Thulium(III) nitrate hydrate	100641-15-4	-	=	-	-	-	-	-

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Not applicable

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High	
L	1	1	1.1	1.1	Concern (SVHC)	
E	Thulium(III) nitrate hydrate	100641-15-4		<u>.</u>	-	

## Seveso III Directive (2012/18/EC)

Component		onent	CAS No			Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -		
						Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report		
	111					Notification	Requirements		
	Thulium(III) n	itrate hydrate		100641-15-4		Not applicable	Not applicable		

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

Water endangering class = 3 (self classification)

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H272 - May intensify fire; oxidizer

#### Legend

Inventory

Substances List

TSCA - United States Toxic Substances Control Act Section 8(b)

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Ships

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

**Revision Date** 26-Feb-2024

New emergency telephone response service provider. **Revision Summary** 

## This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

	;.'	i / · · · · Thulium(III)			ja.	SAFE	TYDA	ATA SH	IEET	):/		on Date 26	-Feb-2024	
·:	١.	;).	<u> </u>	1.	;;.	End of	Safet	y Data	Sheet	1,		7.1	1,	- 2
, ,	<b>'</b> -:	17:	;"	<b>'</b> .;	ų.	;"	<b>'</b> -}	171	;"	44	¥2.	;"	44	Ŋ.
:	;·'	10	, , .	; '	ļa.	, .	; '	ja.	; ;	<i>;</i> /	ja.	<b>;</b> ;	)./	į'n.
Ċ	1.	())	(4)	4.	31	(4)	1.	31	14	₹,	31	14	<u>{</u> ,	
, ,	<b>'</b> -}	17.	;"	<b>'</b> :}	171	377	4	Ŋ.	311	4:	Ŋ.	377	49	γ.
	;·′	10	, · ·	7.	j.	, ,	;·'	Pa	, ·	?′	la.	<i>;</i> ;	27	ja.
.'.	1.	31	14	ł.	<u> </u>	10	<u> </u>	<u>)</u> ,	14	1.	þ	14	1,	20
, ,	<b>'</b> -}	<b>.</b>	"	<b>'</b> -}	171	"	<b>'</b> :}	ų.	′′′	4)	₩.	<i>"</i>	44	Ϋ́
	;· ′	i di	, ; , ,	; '	ja.	, · ·	;;′	la.	/ /	;/′	la.	;;;	)./	į'n.
Ċ	ł.	31	14	<u> </u>	;>·	23	4.	<u>)</u>	23	1.	<u> </u>	14	8.	3.
, ,	<b>'</b> -}	4.	;"	<b>'</b> -)	Ŋ.	;"	(1)	ų.	;"	14	ų.	:"	(4)	17.
	;· ′	i di	, : , .	; '	ļa.	, .	;:'	la	, ; , ;	;/	la	;;;	)./	ja.
Ċ	1.	34	14	<u> </u>	3.	23	4.	20	23	1.	30	14	8.	20
, ,	<b>'</b> -}	171	;**	4)	ų.	;"	4)	Ŋ.	:"	(4)	ų.	:**	(4)	17.
	;· ′	ia.	, .	;·'	10	,	;·*	ja.	, ; , .	′	ļ.		34	ļ.
.;	<i>'</i> .	() ·	(4)	1.	30	(4)	1.	ja.	141	1.	31	141	ł.	20
, ,	<b>'</b> -}	<b>:</b>	;"	<b>'</b> -}	ų.	,,,	(4)	ų.	;"	14	ų.	;**	14	· Y