

samaterials.com

SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

1. PF	RODUCT AND COMPANY I	DENTIFICATION			1	.1		1	.:
1.1P	roduct identifiers								
1	Product name Brand	SAM			1			1	
	CAS-No.	: 409-21-2							
1.2	Relevant identified uses of	of the substance or mixtur	e and uses ad	vised agai	nst				
	Identified uses	: Laboratory chemicals	s, Synthesis of	substances	6				
1.3	Details of the supplier of	the safety data sheet		: • •	÷.,		: * *	÷.,	
		Stanford Advanced							
	Company	: Materials 23661 Birtcher Dr.			1		. **	1	
		Lake Forest, CA 92 USA	.630						
	Telephone Fax	: +1 (949) 407-8904 : +1 (949) 812-6690				:			
1.4	Emergency telephone nu								
1	Emergency Phone #	: +1 (949) 407-8904							
	~ /								
	AZARDS IDENTIFICATION						. * *		
2.1	Classification of the subs								
·	GHS Classification in ac Carcinogenicity (Category	cordance with 29 CFR 19 / 1B), H350	910 (OSHA H0	CS)	1.1	-		1.1	
	For the full text of the H-S	tatements mentioned in thi	is Section, see	Section 1	6.				
2.2	GHS Label elements, incl	uding precautionary state	ments						
1	Pictogram					.:			
1	Signal word	Danger			1			1	
	Hazard statement(s) H350	May cause cancer.			·			·	
	Precautionary statement(s								
	P201 P202	Obtain special instru Do not handle until			va haan	read and			
÷.,	P280	understood. Wear protective glo					Э		.1
· .	P308 + P313 P405 P501	protection. IF exposed or conc Store locked up. Dispose of contents			1		olant		
2 2 L	azards not otherwise class								
Z.30	azarus not otner wise cidss	meu (mitoc) or not cove	ieu by Gho -						

3. COMPOSITION/INFORMATION ON INGREDIENTS 3.1Substances CSi Formula Molecular weight 40.10 g/mol CAS-No. 409-21-2 EC-No. 206-991-8 Hazardous components Component Classification Concentration Silicon carbide Carc. 1B; H350 <= 100 % For the full text of the H-Statements mentioned in this Section, see Section 16. **4. FIRST AID MEASURES** 4.1 Description of first aid measures **General advice** Move out of dangerous area. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. In case of skin contact Wash off with soap and plenty of water. In case of eye contact Flush eyes with water as a precaution. If swallowed Never give anything by mouth to an unconscious person. Rinse mouth with water. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 Indication of any immediate medical attention and special treatment 4.3 needed No data available **5. FIREFIGHTING MEASURES** 5.1 Extinguishing media Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. 5.2 Special hazards arising from the substance or mixture No data available 5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary. 5.4 Further information No data available 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures 6.1 Avoid dust formation. Avoid breathing vapours, mist or gas. For personal protection see section 8. 6.2 **Environmental precautions** Do not let product enter drains. 6.3 Methods and materials for containment and cleaning up Sweep up and shovel. Keep in suitable, closed containers for disposal. Page 2 of 7

6.4 **Reference to other sections** For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL

PROTECTION 8.1 Control parameters

Components with workplace control parameters

Compone	nt	CAS-No.	Value	Control parameters	Basis					
Silicon ca	rbide	409-21-2	TWA	15.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants					
	÷	·	TWA	5.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants					
			TWA	5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits					
			TWA	10.000000 mg/m3	USA. NIOSH Recommended Exposure Limits					
1			TWA	0.100000fibre/c m3	USA. ACGIH Threshold Limit Values (TLV)					
		Remarks		e fibers:length > 5 μn	n; aspect ratio >= 3:1, as determined I at 400-450X magnification (4-mm					
			objective) Suspected	, using phase-contras d human carcinogen	st illuminition.					
			TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)					
1					ritation matter containing no asbestos and < 1%					
			TŴA	3.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)					
	t.			espiratory Tract irritation e is for particulate matter containing no asbestos and < e silica						
	111		PÉL	10 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)					
			PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)					

8.2Exposure controls

Appropriate engineering controls General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eve protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum laver thickness: 0.11 mm Break through time: 480 min Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9.1	Info	rmation on basic physica	l and chemical prop	erties	1	111	÷.,	. 1	111	÷.,	1
	a)	Appearance	Form: powder Colour: light grey								
	b)	Odour	No data available								
	c)	Odour Threshold	No data available								
'	d)	рН	No data available	1.1		1	·			·	
	e)	Melting point/freezing point	Melting point/range	: 2,700	°C (4,892	2 °F) - lit.					
1	f) _{, ;}	Initial boiling point and boiling range	No data available	÷.,	.1	; • •	÷.,	, i	111	1	.:
	g)	Flash point	Not applicable								
1	h)	Evaporation rate	No data available	1			1			1	
	i)	Flammability (solid, gas)	No data available								
·	j)	Upper/lower flammability or	No data available	`		:	·	1		1	

Page 4 of 7

· .		explosive limits			· .	· · · ·		· .			· .	
	k)	Vapour pressure	No data av	vailable								
1.1	I)	Vapour density	No data av		1			1 		1	1	
	m)	Relative density	3.22 g/cm3		; (77 °F)							
	n)	Water solubility	0.01 g/l - i		()							
1	o)	Partition coefficient: n- octanol/water	No data av		÷.,		:			111	1	.:
	p)	Auto-ignition temperature	No data av	vailable	`:			`: 				
·	q)	Decomposition temperature	No data a	vailable	·			·			1	
	r)	Viscosity	No data a	vailable								
	s)	Explosive properties	No data av	vailable								
	t)	Oxidizing properties	No data av	vailable				1			1	
9.2		her safety information data available										
10. S	ΓΑΒ	LITY AND REACTIVITY			1	-,-,-		1	-, ,	,		-,,-
10.1		activity data available		e e	·		÷	1		i.	5	
10.2		emical stability ble under recommended s	storage cond	ditions.								
10.3		ssibility of hazardous reac data available	tions		1.	.1		1	1	: • •	1.	.:
10.4	No	nditions to avoid data available										
10.5	Str	ompatible materials ong oxidizing agents			·	;		·	:			;
10.6	Ha: Oth	zardous decomposition pro zardous decomposition pro her decomposition product: he event of fire: see section	oducts form s - No data	available		ditions Ca	rbon oxid	des, silico	on oxides			
11 T	<u>איר</u> אור							1				
11.1		ormation on toxicological										
1	Ac	ute toxicity 50 Oral - Rat - female - > 2		. * *	`: 	н н н		1	н н н			
1	Inh	alation: No data available		:	1			1		1	1	
	De	rmal: No data available										
	No	data available										
1	Ski	n corrosion/irritation n - Rat sult: No skin irritation		; · ·		.:	: · ·	÷.	.:	111		
1		r ious eye damage/eye irr data available	itation		1				н н н			•
1 1		s piratory or skin sensitis data available	ation	i'	·		e ⁿ	1 1		÷	1 1	
											Page 5 of	7

÷.												
	Germ cell mutagen in vitro assay	icity			1	н 1 - 1		1			1	
·	S. typhimurium Result: negative	·			1			1			·	
	Carcinogenicity											
	Reproductive toxic	ity										
· ·	No data available	· .									· ·	. '
· :	Specific target orga No data available	an toxici	ty - singl	e exposu	ire				1			
	Specific target orga No data available	an toxici	ty - repea	ated expo								
	Aspiration hazard No data available				1						- 1 - 1 	
	Additional Informat	-			1	.:			.:			
	To the best of our kn		, the cher	nical, phy	sical, ar	d toxicolog	gical prope	erties hav	ve not bee	n		
· .	thoroughly investigat	ed.							1.1			
12. E	COLOGICAL INFORM	ATION										
12.1	Toxicity No data available	1 1		÷.	1		e l'	1.1		÷.	1	
12.2	Persistence and deg No data available	radabilit	у									
12.3	Bioaccumulative pot	ential				.:						
12.4	Mobility in soil No data available	· :			1						1	
12.5	Results of PBT and v PBT/vPvB assessme				al safety	assessme	nt not requ	uired/not	conducte	d	1	
12.6	Other adverse effect	s										
	No data available											
13. D	ISPOSAL CONSIDERA	TIONS										
	Vaste treatment metho											
	Product											
•	Offer surplus and not disposal service to d chemical incinerator	ispose o	f this mate	erial. Diss	olve or i	nix the ma						
	Contaminated pack	aging			-							
14. TI	RANSPORT INFORM	ATION				.:						
	DOT (US) Not dangerous goods	6										
;	IMDG						111					
·	Not dangerous goods	5	1	÷	1	:	e ^r	1		÷	1	:
											Page 6	of 7
											-	

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards Chronic Health Hazard

Massachusetts Right To Know Components	3			
Silicon carbide		CAS-No. 409-21-2	 Revision Date	
Silicon carbide		409-21-2	 1993-04-24	
Pennsylvania Right To Know Components				
		CAS-No.	Revision Date	
Silicon carbide		409-21-2	1993-04-24	
New Jersey Right To Know Components		1.1		÷.,
		CAS-No.	Revision Date	
Silicon carbide		409-21-2	1993-04-24	

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Carc. H350	Carcinogenicity May cause cancer.	:	1	.:		÷.,	.1		÷.,	.:
HMIS Rating Health hazard: Chronic Health Haza Flammability: Physical Hazard	0 ard: * 0 0									:
NFPA Rating Health hazard: Fire Hazard: Reactivity Hazard:	0 0 0		÷.		: · ·	÷.		1	÷.	

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

Page 7 of 7