

# SAFETY DATA SHEET

Creation Date 15-Oct-2012

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

# **Product Name**

# Barium titanate(IV)

### Cat No. :

CAS No Synonyms

Recommended Use Uses advised against

Barium Titanium Oxide Laboratory chemicals. Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company Stanford Advanced Materials Address : 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A. Tel: (949) 407-8904 Fax: (949) 812-6690

**Emergency Telephone Number** 

(949) 407-8904

12047-27-7

(This telephone number is available 24 hours per day, 7 days per week.)

# 2. Hazard(s) identification

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Acute Inhalation Toxicity - Dusts and Mists Category 4 Category 4

#### Label Elements

Signal Word Warning

Hazard Statements Harmful if swallowed or if inhaled

۰.								 	· .	
		an an a	:		1 - 1 1	: * *		 111		
۰.	Precautionary Statemen Prevention Wash face, hands and an	y exposed sk	in thoroughly af				14. 14.	 	1. 1.	
۰.	Do not eat, drink or smoke Avoid breathing dust/fume Use only outdoors or in a Inhalation						1.		1. 1.	
	IF INHALED: Remove vic Call a POISON CENTER Ingestion IF SWALLOWED: Call a I	or doctor/phy	/sician if you fee	el unwell			Ū	 111		
۰.	Rinse mouth Disposal Dispose of contents/conta <u>Hazards not otherwise o</u> None identified	ainer to an ap	proved waste d							

# 3. Composition/Information on Ingredients

Component	CAS No Weight %							
Barium titanium oxide (Ba	TiO3) 12047-27-7 >95							
	4. First-aid measures							
General Advice	If symptoms persist, call a physician.							
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.							
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.							
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.							
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.							
Most important symptoms and effects	None reasonably foreseeable.							
Notes to Physician	Treat symptomatically							
	5. Fire-fighting measures							

Suitable Extinguishing Media	Water spray. Carbon	n dioxide	(CO 2). Dry	sistant foam	m.			
Unsuitable Extinguishing Media	No information availa	able						14

Flash Point Method -		No information ava			14			14
Autoignition Temperature	1 e	No information ava	ailable					
Upper Lower Sensitivity to Mechan	ical Impact				. * *	н н н		. * *
Sensitivity to Static D		No information ava	ailable		1. 1.			÷.,
pecific Hazards Arising eep product and empty co			ources of ignition	٦.				
azardous Combustion P hermal decomposition car rotective Equipment and s in any fire, wear self-cor	n lead to relea d <b>Precaution</b>	s for Firefighters	5		(approve	od or equiva	lent) and fu	<sup>.</sup>
otective gear.					(approve			
FPA Health		Flammability		Instability		Phy	vsical haza	rde
2		0		0	·	,	N/A	103
		6. Accident			20			
	f	Ensure adequate v ormation. Should not be relea	1					
nvironmental Precaution	ns f t and Clean H	ormation. Should not be relea Keep in suitable, c	ased into the en losed container	vironment.			into suitab	le
nvironmental Precaution lethods for Containment	ns f t and Clean H	ormation. Should not be relea Keep in suitable, c containers for disp	ased into the er losed container osal.	nvironment. s for disposal. S			into suitab	le
nvironmental Precaution lethods for Containment	ns S t and Clean H	ormation. Should not be relea Keep in suitable, c containers for disp 7. Hanc	ased into the el losed container osal.	storage	Sweep up	and shovel		
Personal Precautions Environmental Precaution Methods for Containment Jp	ns S t and Clean H	ormation. Should not be relea Keep in suitable, c containers for disp	ased into the en losed container osal. Iling and tective equipme	nvironment. s for disposal. S storage ent/face protecti	Sweep up	and shovel	ventilation	. Do no
nvironmental Precaution lethods for Containment p andling	f t and Clean H C S	ormation. Should not be relea Keep in suitable, c containers for disp 7. Hanc Wear personal pro	ased into the en losed container osal. Hing and tective equipmen, or on clothing I and well-ventil	nvironment. s for disposal. S storage ent/face protection d. Avoid ingestion ated place. Kee	Sweep up on. Ensui n and inh	and shovel re adequate palation. Ave	e ventilation bid dust form	. Do no mation.
Invironmental Precaution Iethods for Containment Ip	f t and Clean H t 8. Exp	ormation. Should not be relea Keep in suitable, c containers for disp 7. Hanc Wear personal pro get in eyes, on skir Keep in a dry, cool Materials. Strong of DOSURE CON	ased into the en losed container osal. <u>Iling and</u> tective equipmen, or on clothing I and well-ventil oxidizing agent trols / per	nvironment. s for disposal. S storage ent/face protection Avoid ingestion ated place. Kee s. Strong acids.	Sweep up on. Ensu n and inh p contain tectio	and shovel re adequate alation. Avo er tightly clo	e ventilation bid dust forr	. Do no nation. npatible
nvironmental Precaution lethods for Containment p landling torage.	t and Clean H	ormation. Should not be relea Keep in suitable, c containers for disp <u>7. Hanc</u> Wear personal pro get in eyes, on skir Keep in a dry, cool Materials. Strong	ased into the en losed container osal. <u>Iling and</u> tective equipmen, or on clothing I and well-ventil oxidizing agent trols / per not contain any	nvironment. s for disposal. S storage ent/face protection Avoid ingestion ated place. Kee s. Strong acids. sonal pro- hazardous mat	Sweep up on. Ensui n and inh p contain tectio erials wit	and shovel re adequate alation. Avo er tightly clo	e ventilation bid dust forr	. Do no nation. npatible
nvironmental Precaution lethods for Containment p andling torage. <u>xposure Guidelines</u>	ns f t and Clean H S 8. Exp	ormation. Should not be relea Keep in suitable, c containers for disp 7. Hanc Wear personal pro get in eyes, on skir Keep in a dry, cool Materials. Strong COSURE CON This product does	ased into the en losed container osal. <u>Hing and</u> tective equipment n, or on clothing and well-ventil oxidizing agent trols / per not contain any y the region sp	nvironment. s for disposal. S storage ent/face protecting. Avoid ingestion ated place. Kee s. Strong acids. sonal pro- hazardous mat ecific regulatory	Sweep up on. Ensur n and inh p contain tectio terials wit bodies.	and shovel re adequate alation. Avo er tightly clo	e ventilation bid dust forr	. Do no nation. npatible
nvironmental Precaution lethods for Containment p andling torage. <u>xposure Guidelines</u> ngineering Measures	ns f t and Clean H S 8. Exp	ormation. Should not be relea (eep in suitable, c containers for disp 7. Hanc Wear personal pro get in eyes, on skir Keep in a dry, cool Materials. Strong of COSURE CON This product does imitsestablished b	ased into the en losed container osal. <u>Hing and</u> tective equipment n, or on clothing and well-ventil oxidizing agent trols / per not contain any y the region sp	nvironment. s for disposal. S storage ent/face protecting. Avoid ingestion ated place. Kee s. Strong acids. sonal pro- hazardous mat ecific regulatory	Sweep up on. Ensur n and inh p contain tectio terials wit bodies.	and shovel re adequate alation. Avo er tightly clo	e ventilation bid dust forr	. Do no nation. npatible
nvironmental Precaution lethods for Containment p andling torage. <u>xposure Guidelines</u>	ns f t and Clean H 8. Exp 9 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ormation. Should not be relea (eep in suitable, c containers for disp 7. Hanc Wear personal pro get in eyes, on skir Keep in a dry, cool Materials. Strong of COSURE CON This product does imitsestablished b	ased into the en losed container osal. <u>Hing and</u> tective equipmen, or on clothing and well-ventil oxidizing agent trols / per not contain any y the region sp ventilation, espen	asses or chemid	Sweep up on. Ensur n and inh p contain tectio terials wit bodies. d areas.	and shovel re adequate alation. Avo er tightly clo n h occupatio	ventilation bid dust forr osed. Incor nal exposu	. Do no nation. npatible re
Invironmental Precaution Iethods for Containment Ip Iandling Itorage.	ns f t and Clean H 8. Exp 8. Exp pment	ormation. Should not be relea (eep in suitable, c containers for disp 7. Hanc Wear personal pro get in eyes, on skir (eep in a dry, cool Materials. Strong of COSURE CON This product does imitsestablished b Ensure adequate w Wear appropriate p OSHA's eye and fa	ased into the en losed container osal.	asses or chemic egulations in 29	Sweep up on. Ensur n and inh p contain tectio terials wit bodies. d areas. d areas. cal safety CFR 191	and shovel re adequate alation. Avo er tightly clo n h occupatio goggles as 0.133 or Eu	e ventilation bid dust forr osed. Incor nal exposu nal exposu	. Do no nation. npatible re

# **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

	9. P	nysical ar	nd c	hemical propert	ies		
Physical State Appearance Odor Odor Threshold		111		Powder Solid Off-white Odorless No information available No information available		  	
pH Melting Point/Range Boiling Point/Range Flash Point			1. 1.	1625 °C / 2957 °F No information available No information available	14		
Evaporation Rate Flammability (solid,gas) Flammability or explosive limits		19	1. 1.	Not applicable No information available	1. 1.		14. 14.
Upper Lower Vapor Pressure Vapor Density				No data available No data available No information available Not applicable			
Specific Gravity Solubility Partition coefficient; n-octanol/w	ater			6.080 Insoluble in water No data available			
Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula				No information available No information available Not applicable Ba O3 Ti			
Molecular Weight		10 Stabi	11+11	233.24	1.	 	1.
		10. Stabi	nty	and reactivity		 	

Reactive Hazard	None known, based on information available				 ,
Stability	Stable under normal conditions.				
Conditions to Avoid	Incompatible products.				,
Incompatible Materials	Strong oxidizing agents, Strong acids				,
Hazardous Decomposition Products	Thermal decomposition can lead to release of irritati	ing gases	and vapors		,
Hazardous Polymerization	No information available.				
Hazardous Reactions	None under normal processing.			:**	 ,

11. Toxicological information

# Acute Toxicity

Component Information Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Barium titanium oxide (BaTiO3)	LD50 > 12 g/kg ( Rat )	LD50 > 2000 mg/kg ( Rat )	LC50 = 4.89  mg/L (Rat) 4  h
Foxicologically Synergistic Products Delayed and immediate effects a	No information available as well as chronic effects from	short and long-term exposu	r <u>e</u>
rritation	No information available		
Sensitization	No information available	and the second	and the second

Barium titanate(IV)

Revision Date 24-Dec-2021

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH		OSHA	M	exico
Barium titanium oxide (BaTiO3)	12047-27-7	Not listed	Not listed	Not listed	1	Not listed		t listed
Iutagenic Effects		No information av	ailable	1.1			1.1.1	
eproductive Effects	,	No information ava	ailable.					·
evelopmental Effect	S ,	No information ava	ailable.		÷.,			1. 1.
eratogenicity		No information ava	ailable.					
TOT - single exposu TOT - repeated expo		None known None known		11	1	н 1. т.	. 11	1. 1.
spiration hazard		No information ava	ailable					
Symptoms / effects,b lelayed	oth acute and	No information av	ailable	111				
Endocrine Disruptor I	nformation	No information av	ailable		· .			· .
Other Adverse Effects	5	The toxicological p	properties have not	been fully in	vestigat	ed.		
		12. Ecol	ogical infor	mation	1			
Ecotoxicity Do not empty into drain	s.							
Persistence and Degr	adability	Insoluble in water						
Bioaccumulation/ Acc	umulation	No information ava	ailable.					
Mobility	1	Is not likely mobile	in the environmer	nt due its low	water se	olubility.		÷.,
		13. Dispo	sal conside	erations				
Vaste Disposal Metho	ods	Chemical waste g hazardous waste.	enerators must det Chémical waste g s waste regulations	ermine wheth enerators mu	ist also	consult local, i	egional, a	and
		14. Trar	nsport inform	mation				
DOT TDG		Not regulated Not regulated						
ATA		Not regulated						

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventor Active-I		tion -	TSCA - EPA F Flag	• •
Barium titanium oxide (BaTiO3)	12047-27-7	Х	ACT	IVE		-	
<b>Legend:</b> TSCA US EPA (TSCA) - Toxic Subs X - Listed '-' - Not Listed	tances Control Act, (40	) CFR Part 710)					
TSCA 12(b) - Notices of Export	Not applicable	e					
				1.			

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component CAS No DSL NDSL EINECS PICCS ENCS ISHL AICS IEC	
Barium titanium oxide (BaTiO3) 12047-27-7 X - 234-975-0 X X X X X	KE-02103

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

SARA 313 Component		CAS No	Weight %			SARA 313 - Threshold Values % 1.0		
Barium titanium oxide (Ba	TiO3)	12047-27-7						
SARA 311/312 Hazard Categories	See section 2 f	or more information	: * *			111		
CWA (Clean Water Act)	Not applicable							
Clean Air Act	Not applicable			14			14	
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable			1. 1.	: .		1. 1.	
CERCLA	Not applicable							

California Proposition 65

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

and the second		and the second			1.1			1.1	
Component	Massachusetts	New Jersey	Pennsy	Ivania	II	linois	Rhode	Island	
Barium titanium oxide	-	Х	X			-		-	
(BaTiO3)									
						1.1			
U.S. Department of Tran	sportation								
Reportable Quantity (RQ)	•								
DOT Marine Pollutant	Ν								
DOT Severe Marine Pollu	tant N								
U.S. Department of Hom Security	eland This pro	oduct does not conta	ain any DHS o	chemicals	6.				
Other International Regu					14			14	

Mexico - Grade

No information available

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	<b>U</b> (
Barium titanium oxide (BaTiO3)	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

#### **Barium titanate(IV)**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Barium titanium oxide (BaTiO3)	12047-27-7	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Barium titanium oxide (BaTiO3)	12047-27-7	Not applicable	Not applicable	Not applicable	Not applicable

		16. Other informa	ition								
Prepared By		Stanford Advanced Materials Email: sales@samaterials.com	1								
Creation Date Revision Date Print Date	14. 1	15-Oct-2012 24-Dec-2021 24-Dec-2021		14			1. 1.				
Revision Summary	14	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).									

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of SDS

 1		 11		14		 14		 1.	
 14. 1	n Al an	 14. 1	 	÷.,		 ÷.,		 ÷.,	
 		 	 		· · · ·	 	· · · ·	 	
 1.		 14. 14.		14. 14.		 14. 14.		 14	
 1. <u> </u>		 			1 1		1 1		