

SAFETY DATA SHEET

Revisio	on Date 2	6-May-20)24				111	1		Revision	Number	3
.: .:	· · .	· .		··.,	· :		· · ·	÷.	.:	···,	1	
				1.	Ident	ificatio	n					
Product Na	me		Calc	ia stabil	ized Zir	conium(l	V) oxide	11	11			_
CAS No Synonyms			1314 No in	-23-4 formation a	vailable							
Recommende Uses advised		1		ratory chen , drug, pest		iocidal prod	uct use.	1				
		`: 	.:	· · · .	`: `:	1				· · · ·	1	
Details of the	supplier of	of the sa	fety data s	heet								
Company Stanford Adva 23661 Birtcher CA 92630 USA	[·] Dr. Lake A	rials		.:						.1		
Tel: (949) 407-	-8904	1	(1,1)		1	11	111		1.1	111	1	
Emergency T (949) 407-8904	4											
	11	1							.1	···.	1	

2. Hazard(s) identification

Classification Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemica	al is not cor	nsidered h	azardous by	the 2012	OSHA Ha	izard Comm	nunication	Standard	(29 CFR 19	10.1200)	:	
		:				,		1	. '			. '
Label Eleme	:	al a		j) L	al a		.:			.:		
Precautiona <u>Hazards not</u> None identifie	otherwise		ed (HNOC)	:	1	at in		1	al a		1	
ji.	· · · .	1	.:	· · .	1		· · ·	`:		· · .	1	.1
	.:			.:								

	Compo				CAS N					
	Zirconium				1314-23	-4			Weight % >95.5	
			<u> </u>	irst-aid	moor					
			4. Г	inst-aiu	meas	sules				
e Contact			Rinse immedia medical attent		enty of wa	ter, also under	the eye	lids, for at le	east 15 min	utes. G
in Contact	.:	. ·	Wash off imme immediately if			water for at lea	ast 15 m	inutes. Get	medical att	ention
alation			Remove to fre	sh air. Get n	nedical at	tention immed	iately if s	symptoms of	ccur.	
jestion		:	Clean mouth v symptoms occ		id drink af	fterwards plent	ty of wate	er. Get med	ical attentic	on if
ost important s ects	symptoms	and	None reasona	bly foreseea	ble.					
etts tes to Physici	an	: .	Treat sympton	natically		· · · .	1		· · · .	
			5. Fir	e-fightir	ng me	asures				
	. '							. '		
suitable Extin	guishing	Media	No information	n available						
Flash Point Method -			No information No information				· .		:	
toignition Ten	nperature		1000 °C / 18	832 °F						
plosion Limits Upper Lower	.	:	No data availa No data availa			· · · .				1
Sensitivity to Sensitivity to			t No information No information							. 1
ecific Hazards ep product and	Arising f	r om the (ntainer aw	Chemical vay from heat an	d sources of	ignition.					
zardous Coml				`:		111	1			1
in any fire, wea the tive gear.	ment and ar self-coni	ained bre	ons for Firefigh athing apparatu	iters s pressure-d	lemand, N	/ISHA/NIOSH	(approve	ed or equiva	lent) and fu	III [•] ;
PA Heal 2	th		Flammabil 0	ity		Instability 0		Phy		rds,
			6. Accide	ental re	lease	measure	es			

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Information.

Up

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Zirconium oxide	TWA: 5 mg/m ³ STEL: 10 mg/m ³	(Vacated) TWA: 5 mg/m ³ (Vacated) STEL: 10 mg/m ³	IDLH: 25 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	None under normal use conditions.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Recommended Filter type:	Particle filter.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

		9. Physi	cal an	d c	hemical properti	es			
Physical State Appearance Odor Odor Threshold	`: 		1.1.1		Powder Solid White Odorless No information available		1.1.1	1	. '
pH Melting Point/Range Boiling Point/Range Flash Point		.:	· · ·		2700 °C / 4892 °F 4300 °C / 7772 °F No information available		···.		. :
Evaporation Rate Flammability (solid,gas) Flammability or explosive			.:		Not applicable No information available		1		. '
Upper Lower Vapor Pressure Vapor Density Specific Gravity	-				No data available No data available No information available Not applicable 5.60	1		1) 1)	. '
Solubility Partition coefficient; n-oc Autoignition Temperature		iter	· · ·		Insoluble in water No data available 1000 °C / 1832 °F	`: 		1	.:

Decomposit Viscosity Molecular Fo Molecular W	 ure	jê. N	n Z	lo information availab lot applicable rO2 23.2188	le	.:
		10. Stat	oility a	nd reactivity		

Reactive Hazard	None known, based on information available			
Stability	Stable under normal conditions.		11	
Conditions to Avoid	Incompatible products.			
Incompatible Materials	Strong oxidizing agents	. '	. '	. '
Hazardous Decomposition Produc	cts None under normal use conditions			
Hazardous Polymerization	Hazardous polymerization does not occur.	1	: * *	
Hazardous Reactions	None under normal processing.			

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component	LD50 Oral	LD50 Dermal			LC	C50 Inhalatio	on
Zirconium oxide	Not listed	Not listed			LC50 > 4.3 mg/L (Rat) 4 I		
Toxicologically Synergistic Products Delayed and immediate effe	No information available	n short an	d long-term	exposu	re		
rritation	No information available	.1				11. 1	1
Sensitization	No information available						

Component	CAS No	IARC	NTP	ACGIH		OSHA	M	exico	
Zirconium oxide	1314-23-4	Not listed	Not listed	Not listed	d	Not listed	No	t listed	
Mutagenic Effects	in the second	No information ava	ailable	111	1		: • •	1	
Reproductive Effect	S	No information ava	ailable.						
Developmental Effe	cts	No information ava	ailable.	· · · .	1	1	· · · .	1	
Teratogenicity		No information ava	ailable.						
STOT - single expos STOT - repeated exp		None known None known							. '
Aspiration hazard		No information ava	ailable						
Symptoms / effects delayed	,both acute and	No information ava	ailable	111			111		. 1
Endocrine Disrupto	r Information	No information ava	ailable				· · .		.:
Other Adverse Effect	cts	The toxicological p	properties have not	been fully in	ivestigat	ed.			

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	1	Microtox	1.1	Water F	lea
Zirconium oxide	Not listed	LC50: > 100 mg/L, 96h static (Danio rerio)	Not listed			Not listed	
Persistence and Degrada	ability No information	on available	· · ·		1		
Bioaccumulation/ Accun	nulation No information	on available.					
lobility	No information	on available.					
	13. Di	sposal considera	ations	5			
Vaste Disposal Methods	hazardous w	aste generators must detern vaste. Chemical waste gene ardous waste regulations to	erators m	nust also c	onsult loca	l, regional, a	and
	14. 7	ransport informa	ation				

1. S.		14. ITA	nspor	t mom	nation			
DOT TDG		Not regulated Not regulated						
IATA IMDG/IMO	(1,1)	Not regulated Not regulated				(1,1)		

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Zirconium oxide	1314-23-4	X	ACTIVE	- · · ·

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

1		1					i					
Component			CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Zirconiu	ım oxide		1314-23-4	Х	-	215-227-2	Х	Х	Х	Х	Х	KE-35630

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Zirconium oxide	X	-	-		X	
U.S. Department of Trans Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Polluta	N N		an an	te de la com	411 - 14 1	
U.S. Department of Home Security			ain any DHS chemic		··. ':	
Other International Pegu	lations					

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

_	1	1.1.1	1	1 1.1.1	1	111 1 1	1.1.1
		Component		CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
					Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
					Subject to Authorization	on Certain Dangerous	Candidate List of
						Substances	Substances of Very High
	1.1	1.1		11 A.	1	11. I II. II.	Concern (SVHC)
Г		Zirconium oxide		1314-23-4	-	Use restricted. See item	-
						75.	
						(see link for restriction	
	1.1			and the second	and the second	details)	

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
-----------	--------	----------	---------------------------------	------------------------------	--

Zirconium oxide	1314-23-4	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Zirconium oxide	1314-23-4	Not applicable	Not applicable	Not applicable	Not applicable

jer i tre	16. Other information			
Prepared By	Stanford Advanced Materials Email: sales@samaterials.com www.samaterials.com		 	
Revision Date Print Date Revision Summary	26-May-2024 26-May-2024 New emergency telephone response service pr	rovider.		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS

		· · .	1		· · .			· · .			· · ·	
:		.:		· * *	,÷			,÷			,÷	
			1	· · ·		1			`:			
	.1	· · .		.:	··		.:	··		.:	· · .	.:

Page 7/7